View/Print Label

- 1. Ensure there are no other shipping or tracking labels attached to your parcel. Select the Print button on the dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.
- 2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
- 3. Collection and Drop-off:
 - o If you have a scheduled collection, have your shipment(s) ready for the driver as usual.
 - o To Schedule a Collection or find a UPS location, visit UPS.com

UPS Access Point™ HUBO MINKENBERG

42 HOOFDSTRAAT HERKENBOSCH 6075AG UPS Access Point™ HOMERR SERVICEPOINT SHOW MOBILE ORANJELAAN 73A ROERMOND 6042BC UPS Access Point™ BALLOONIE

JULIANALAAN 6 ROERMOND 6042JG

FOLD HERE





Danblock Brakes India PVT Ltd Village – Joshi Chohan PO – Bahalgarh Sonepat 131021 Haryana India

Date

Reference

Subject

Roermond 17/05/23

9543701

Shipping documents

Dear Mr. Kumar Tashvit,

Please find enclosed the original shipping documents of order 5200036868 & 5200036867:

- Invoice (1 original)
- Detailed packing list (1 original)
- Certificate of analysis (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.

Lapinus

Customer Service Department

Jenny Schreurs



Part of the ROCKWOOL Group

INVOICE

Invoice address: 37697 Danblock Brakes India PVT LTD Village - Joshi Chohan IEC Number 0507056027 PO - Bahalgarh Sonepat

131021 HARYANA INDIA

Payer: 37697 Danblock Brakes India PVT LTD Village - Joshi Chohan IEC Number 0507056027 PO - Bahalgarh Sonepat 131021 Haryana

INDIA

Ordered by: 37697

Danblock Brakes India PVT LTD Village - Joshi Chohan IEC Number 0507056027 OKIGINAL PO - Bahalgarh Sonepat 131021 HARYANA

INDIA

Quantity

Price

Amount

163921310 / 16.05.2023 Page 1 / 1 Invoice no. / date:

Order no. / date: 9543701 / 11.04.2023 5200036868 & 5200036867 Your reference:

Contactperson: Jenny Schreurs

Unit Material description Unit Unit

Number

Country of origin: Belgium

Country of acquisition: The Netherlands

Description of goods: Synthetic Hydrated Calcium Silicate

10 Promaxon-D

Material

ltem

bag 15 kg pallet 210 kg

Synthetic hydrated calcium silicate

8.400,00 8.400,00 5.080,00 42.672,00 136919

1.000 KG KG KG

Stat. No.: 28399000

Delivery No/Date: 33998898 / 16.05.2023 Container Number: SEGU4209045/BS575845

Country of origin: BE

42.672,00 Amount excl. VAT

0,00 % 0,00 **Output Tax**

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC

EUR 42.672,00

Delivery date: 16.05.2023 -Terms of delivery: FCA Roermond 60 days net Payment term:

9.492 / 8.400 KG Gross/Nett weight: 92,400 M3 Transp. volume:

Delivery address: 37697 Danblock Brakes India PVT LTD Village - Joshi Chohan IEC Number 0507056027 PO - Bahalgarh Sonepat Haryana 131021

India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01 | EORI NL001696592 Bank: ING BANK N.V. | IBAN: NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Prices, delivery date and freight cost may be subject to change, actual freight cost will be invoiced.

ockwool B.V.

ndustrieweg 15 045 JG Roermond / The Netherlands

Our ordernr : 9543701

Delivery nr : 33998898

Your ordern: 5200036868 & 5200036867

Container nr: SEGU4209045

3hipment nr.: 0007433846

For Danblock Brakes India PVT LTD Village - Joshi Chohan PO - Bahalgarh Sonepat

131021 Haryana India



DETAILED PACKING LIST

Dimensions in m per package	1150,00 1150,00 1150,00	1150,00 1150,00 1150,00	
Total gross weight per item kgs	9492,000	9492,000	
Total net weight per item kgs	8400,000	8400,000	
Total quantity per item in m¹ / m² / kg	8400,00	8400,00	
Contents per package in m¹/m²/kg	1,00	1,00	
Type and number of packages	ballet 210 kg 560 BAGS		
Product and dimensions	'romaxon-D, bag 15 kg	.5,0	

late: 16-05-2023 35575845

PACKED ON 40 PALLETS

Kgs

9492,000

8400,000 **Kgs**

TOTAL:





For attn of Mr./ Mrs.
Date 17-05-2023

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Danblock Brakes India PVT LTD

Client-orderno 5200036868 & 5200036

Lapinus orderno 9543701

Product: Promaxon-D

bag 15 kg pallet 210 kg

Synthetic hydrated calcium silicate

Total order Qty: 8.400 kg

Batch no. Batch Qty: 2313235 - 1.260 kg Batch no. Batch Qty: 2315230 - 420 kg Batch no. Batch Qty: 2314319 - 630 kg Batch no. Batch Qty: 2314299 - 420 kg Batch no. Batch Qty: 2314276 - 630 kg Batch no. Batch Qty: 2313271 - 840 kg Batch no. Batch Qty: 2315281 - 420 kg Batch no. Batch Qty: 2313211 - 420 kg 2313207 - 840 kg Batch no. Batch Qty: Batch no. Batch Qty: 2313009 - 420 kg 2310350 - 420 kg Batch no. Batch Qty: Batch no. Batch Qty: 2310336 - 210 kg Batch no. Batch Qty: 2310311 - 420 kg 2314271 - 630 kg Batch no. Batch Qty: 2310354 - 420 kg Batch no. Batch Qty:

Kind regards

Customer Services

Lapinus ROCKWOOL B.V. Industrieweg 15 6045 JG Roermond PO Box 1160 6040 KD Roermond The Netherlands

cs@lapinus.com www.lapinus.com





This document is automatically generated and therefore contains no signature. LF007/F03 / June 1994 $\,$





Bormstraat 24 B-2830 Tisselt Belgium

T +32 (0)15 71 21 86 F +32 (0)15 71 26 90 www.promat.com/industry

To: ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV

Gate B

Energieweg 3 6045 JE Roermond

Nederland

PO 4504391218 article n° 136919 Loading date 24/04/2023

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

BATCH NR.		₹.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
23 10	308	1	13-Mar-23	99,52	50,30	0,67	1,82	210
23 10	308	2	13-Mar-23	99,52	50,30	0,67	1,82	210
23 10	311	1	13-Mar-23	103,60	54,50	0,94	2,65	210
23 10	311	2	13-Mar-23	103,60	54,50	0,94	2,65	210
23 10	311	3	13-Mar-23	103,60	54,50	0,94	2,65	210
23 10	311	4	13-Mar-23	103,60	54,50	0,94	2,65	210
23 10	311	5	13-Mar-23	103,60	54,50	0,94	2,65	210
23 10	311	6	13-Mar-23	103,60	54,50	0,94	2,65	210
23 10	317	1	13-Mar-23	108,40	56,20	0,63	1,67	210
23 10	317	2	13-Mar-23	108,40	56,20	0,63	1,67	210
23 10	336	1	13-Mar-23	96,60	51,00	0,81	2,04	210
23 10	336	2	13-Mar-23	96,60	51,00	0,81	2,04	210
23 10	336	3	13-Mar-23	96,60	51,00	0,81	2,04	210
23 10	336	4	13-Mar-23	96,60	51,00	0,81	2,04	210
23 10	336	5	13-Mar-23	96,60	51,00	0,81	2,04	210
23 10	336	6	13-Mar-23	96,60	51,00	0,81	2,04	210
23 10	344	1	13-Mar-23	104,00	54,10	0,58	1,91	210
23 10	344	2	13-Mar-23	104,00	54,10	0,58	1,91	210
23 10	344	3	13-Mar-23	104,00	54,10	0,58	1,91	210
23 10	344	4	13-Mar-23	104,00	54,10	0,58	1,91	210
23 10	344	5	13-Mar-23	104,00	54,10	0,58	1,91	210
23 10	344	6	13-Mar-23	104,00	54,10	0,58	1,91	210
23 10	350	1	13-Mar-23	96,00	51,80	0,99	1,72	210
23 10	350	2	13-Mar-23	96,00	51,80	0,99	1,72	210



Bormstraat 24 B-2830 Tisselt Belgium T +32 (0)15 71 21

T +32 (0)15 71 21 86 F +32 (0)15 71 26 90 www.promat.com/industry

To: ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV

Gate B

Energieweg 3

6045 JE Roermond

Nederland

PO 4504391218 article n° 136919 Loading date 24/04/2023

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

BATCH NR.		₹.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
23 10	350	3	13-Mar-23	96,00	51,80	0,99	1,72	210
23 10	350	4	13-Mar-23	96,00	51,80	0,99	1,72	210
23 10	350	5	13-Mar-23	96,00	51,80	0.99	1,72	210
23 10	350	6	13-Mar-23	96,00	51,80	0,99	1,72	210
23 10	354	1	13-Mar-23	99,60	53,00	0.00	1,81	210
23 10	354	2	13-Mar-23	99,60	53,00	0,00	1,81	210
23 10	354	3	13-Mar-23	99,60	53,00	0,00	1,81	210
23 10	354	4	13-Mar-23	99,60	53,00	0,00	1,81	210
23 10	354	5	13-Mar-23	99,60	53,00	0,00	1,81	210
23 10	354	6	13-Mar-23	99,60	53,00	0,00	1,81	210
23 10	378	1	13-Mar-23	96,40	51,90	0,35	1,90	210
23 10	378	2	13-Mar-23	96,40	51,90	0,35	1,90	210
23 10	378	3	13-Mar-23	96,40	51,90	0,35	1,90	210
23 10	378	4	13-Mar-23	96,40	51,90	0,35	1,90	210
23 10	378	5	13-Mar-23	96,40	51,90	0,35	1,90	210
23 10	378	6	13-Mar-23	96,40	51,90	0,35	1,90	210
23 11	001	1	13-Mar-23	96,80	52,10	0,00	1,97	210
23 11	001	2	13-Mar-23	96,80	52,10	0,00	1,97	210
23 11	001	3	13-Mar-23	96,80	52,10	0,00	1,97	210
23 11	001	4	13-Mar-23	96,80	52,10	0,00	1,97	210
23 11	001	5	13-Mar-23	96,80	52,10	0,00	1,97	210
23 11	001	6	13-Mar-23	96,80	52,10	0,00	1,97	210
23 11	001	7	14-Mar-23	96,80	52,10	0,00	1,97	210
23 11	001	8	14-Mar-23	96,80	52,10	0,00	1,97	210

10080





Bormstraat 24 B-2830 Tisselt Belgium T +32 (0)15 71 21 86 F +32 (0)15 71 26 90 www.promat.com/industry

To: ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV

Gate B

Energieweg 3 6045 JE Roermond

Nederland

PO 4504393126 article n° 136919 Loading date 12/05/2023

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

BATCH NR.		₹.	PRODUCTION DATE	BULK DENSITY g/I	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
23 13	207	1	1-Apr-23	109,24	50,80	0,38	2,18	210
23 13	207	2	1-Apr-23	109,24	50,80	0,38	2,18	210
23 13	207	3	1-Apr-23	109,24	50,80	0,38	2,18	210
23 13	207	4	1-Apr-23	109,24	50,80	0,38	2,18	210
23 13	207	5	1-Apr-23	109,24	50,80	0,38	2,18	210
23 13	207	6	1-Apr-23	109,24	50,80	0,38	2,18	210
23 13	211	1	1-Apr-23	107,88	48,00	0,42	1,85	210
23 13	211	2	1-Apr-23	107,88	48,00	0,42	1,85	210
23 13	211	3	1-Apr-23	107,88	48,00	0,42	1,85	210
23 13	211	4	1-Apr-23	107,88	48,00	0,42	1,85	210
23 13	009	7	27-Mar-23	101,36	51,70	0,36	1,73	210
23 13	009	8	27-Mar-23	101,36	51,70	0,36	1,73	210
23 13	271	1	2-Apr-23	99,84	51,10	0,49	2,54	210
23 13	271	2	2-Apr-23	99,84	51,10	0,49	2,54	210
23 13	271	3	2-Apr-23	99,84	51,10	0,49	2,54	210
23 13	271	4	2-Apr-23	99,84	51,10	0,49	2,54	210
23 14	233	1	8-Apr-23	100,04	51,40	0,67	2,26	210
23 14	233	2	8-Apr-23	100,04	51,40	0,67	2,26	210
23 14	233	3	8-Apr-23	100,04	51,40	0,67	2,26	210
23 14	233	4	8-Apr-23	100,04	51,40	0,67	2,26	210
23 14	233	5	8-Apr-23	100,04	51,40	0,67	2,26	210
23 14	233	6	8-Apr-23	100,04	51,40	0,67	2,26	210
23 14	235	1	8-Apr-23	102,80	50,40	0,15	1,11	210
23 14	235	2	8-Apr-23	102,80	50,40	0,15	1,11	210





Bormstraat 24 B-2830 Tisselt

Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To: ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV

Gate B Energieweg 3 6045 JE Roermond

Nederland

PO 4504393126 article n° 136919 Loading date 12/05/2023

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

			VISUAL /	APPEAR	ANCE: W	HITEPOV	VUER	
BATCH NR.		₹.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
23 14	235	3	8-Apr-23	102,80	50,40	0,15	1,11	210
23 14	235	4	8-Apr-23	102,80	50,40	0,15	1,11	210
23 14	235	5	8-Apr-23	102,80	50,40	0,15	1,11	210
23 14	235	6	8-Apr-23	102,80	50,40	0,15	1,11	210
23 14	271	1	8-Apr-23	113,80	53,70	0,75	0,67	210
23 14	271	2	8-Apr-23	113,80	53,70	0,75	0,67	210
23 14	271	3	8-Apr-23	113,80	53,70	0,75	0,67	210
23 14	271	4	8-Apr-23	113,80	53,70	0,75	0,67	210
23 14	271	5	8-Apr-23	113,80	53,70	0,75	0,67	210
23 14	271	6	8-Apr-23	113,80	53,70	0,75	0,67	210
23 14	276	1	8-Apr-23	98,00	49,50	0,75	1,45	210
23 14	276	2	8-Apr-23	98,00	49,50	0,75	1,45	210
23 14	276	3	8-Apr-23	98,00	49,50	0,75	1,45	210
23 14	276	4	8-Apr-23	98,00	49,50	0,75	1,45	210
23 14	276	5	8-Apr-23	98,00	49,50	0,75	1,45	210
23 14	276	6	8-Apr-23	98,00	49,50	0,75	1,45	210
23 14	276	7	8-Apr-23	98,00	49,50	0,75	1,45	210
23 14	276	8	8-Apr-23	98,00	49,50	0,75	1,45	210
23 13	235	1	1-Apr-23	109,12	49,60	0,36	1,47	210
23 13	235	2	1-Apr-23	109,12	49,60	0,36	1,47	210
23 13	235	3	1-Apr-23	109,12	49,60	0,36	1,47	210
23 13	235	4	1-Apr-23	109,12	49,60	0,36	1,47	210
23 13	235	5	1-Apr-23	109,12	49,60	0,36	1,47	210
23 13	235	6	1-Apr-23	109,12	49,60	0,36	1,47	210

10080





Bormstraat 24 B-2830 Tisselt Belgium

T +32 (0)15 71 21 86 F +32 (0)15 71 26 90 www.promat.com/industry

To: ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV

Gate B

Energieweg 3 6045 JE Roermond

Nederland

PO 4504399907 article n° 136919 Loading date 15/05/2023

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

		VISUAL	AFFEAR	ANGE. W	HILEPON	ADEIX	
ВАТ	CH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
23 15	230	1 15-Apr-23	111,68	53,20	0,63	2,56	210
23 15	230	2 15-Apr-23	111,68	53,20	0,63	2,56	210
23 15	230	3 15-Apr-23	111,68	53,20	0,63	2,56	210
23 15	230	4 15-Apr-23	111,68	53,20	0,63	2,56	210
23 15	230	5 15-Apr-23	111,68	53,20	0,63	2,56	210
23 15	230	15-Apr-23	111,68	53,20	0,63	2,56	210
23 14	251	1 8-Apr-23	114,80	52,70	0,47	0,86	210
23 14	251	2 8-Apr-23	114,80	52,70	0,47	0,86	210
23 14	251	8-Apr-23	114,80	52,70	0,47	0,86	210
23 14	251	4 8-Apr-23	114,80	52,70	0,47	0,86	210
23 14	251	5 8-Apr-23	114,80	52,70	0,47	0,86	210
23 14	251	8-Apr-23	114,80	52,70	0,47	0,86	210
23 14	255	1 8-Apr-23	99,60	49,50	0,78	0,58	210
23 14	255	2 8-Apr-23	99,60	49,50	0,78	0,58	210
23 14	255	8-Apr-23	99,60	49,50	0,78	0,58	210
23 14	255	4 8-Apr-23	99,60	49,50	0,78	0,58	210
23 14	255	5 9-Apr-23	99,60	49,50	0,78	0,58	210
23 14	255	6 9-Apr-23	99,60	49,50	0,78	0,58	210
23 14	294	1 9-Apr-23	104,80	52,30	0,72	1,63	210
23 14	294	9-Apr-23	104,80	52,30	0,72	1,63	210
23 14	294	9-Apr-23	104,80	52,30	0,72	1,63	210
23 14	294	4 9-Apr-23	104,80	52,30	0,72	1,63	210
23 14	294	5 9-Apr-23	104,80	52,30	0,72	1,63	210
23 14	294	6 9-Apr-23	104,80	52,30	0,72	1,63	210





Bormstraat 24 B-2830 Tisselt Belgium

Belgium T +32 (0)15 71 21 86 F +32 (0)15 71 26 90 www.promat.com/industry

To: ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV

Gate B Energieweg 3 6045 JE Roermond

Nederland

PO 4504399907 article n° 136919 Loading date 15/05/2023

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate VISUAL APPEARANCE: WHITE POWDER

VISUAL APPEARANCE: WHITE POWDER										
BATCH NR.		₹.	PRODUCTION DATE	BULK DENSITY g/I	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)		
23 14	299	1	9-Apr-23	104,00	50,10	0,67	1,37	210		
23 14	299	2	9-Apr-23	104,00	50,10	0,67	1,37	210		
23 14	299	3	9-Apr-23	104,00	50,10	0,67	1,37	210		
23 14	299	4	9-Apr-23	104,00	50,10	0,67	1,37	210		
23 14	299	5	9-Apr-23	104,00	50,10	0,67	1,37	210		
23 14	299	6	9-Apr-23	104,00	50,10	0,67	1,37	210		
23 14	309	1	9-Apr-23	110,40	50,90	0,56	1,23	210		
23 14	309	2	9-Apr-23	110,40	50,90	0,56	1,23	210		
23 14	309	3	9-Apr-23	110,40	50,90	0,56	1,23	210		
23 14	309	4	9-Apr-23	110,40	50,90	0,56	1,23	210		
23 14	309	5	9-Apr-23	110,40	50,90	0,56	1,23	210		
23 14	309	6	9-Apr-23	110,40	50,90	0,56	1,23	210		
23 14	309	7	9-Apr-23	110,40	50,90	0,56	1,23	210		
23 14	309	8	9-Apr-23	110,40	50,90	0,56	1,23	210		
23 14	319	1	11-Apr-23	105,20	49,40	0,25	0,87	210		
23 14	319	2	11-Apr-23	105,20	49,40	0,25	0,87	210		
23 14	319	3	11-Apr-23	105,20	49,40	0,25	0,87	210		
23 14	319	4	11-Apr-23	105,20	49,40	0,25	0,87	210		
23 14	319	5	11-Apr-23	105,20	49,40	0,25	0,87	210		
23 14	319	6	11-Apr-23	105,20	49,40	0,25	0,87	210		
23 15	281	1	16-Apr-23	105,64	51,00	0,82	2,04	210		
23 15	281	2	16-Apr-23	105,64	51,00	0,82	2,04	210		
23 15	281	3	16-Apr-23		51,00	0,82	2,04	210		
23 15	281	4	16-Apr-23	105,64	51,00	0,82	2,04	210		

10080