

View/Print Label





1. Ensure there are no other shipping or tracking labels attached to your parcel. Select the Print button on the dialog box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.
2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
3. Collection and Drop-off:
  - If you have a scheduled collection, have your shipment(s) ready for the driver as usual.
  - To Schedule a Collection or find a UPS location, visit [UPS.com](https://www.ups.com)

UPS Access Point™  
HUBO MINKENBERG  
42 HOOFDSTRAAT  
HERKENBOSCH 6075AG

UPS Access Point™  
DE KEMPENIER  
KEMPWEG.56  
ROERMOND 6045EJ

UPS Access Point™  
BALLOONIE  
JULIANALAAN 6  
ROERMOND 6042JC

FOLD HERE

CORINA HENDRIKS 0475353917 ROCKWOOL B.V. LAPINUS DELSTOFFENWEG 2 6045JH ROERMOND NETHERLANDS		ENV	1 OF 1
SHIP TO: MR. R. NARAYANAN 91 4426250566 RANE BRAKE LINING LTD AMBATTUR INDUSTRIAL ESTATE PLOT NO. 30 CHENNAI 600050 INDIA		SHIP#: 1870 WRBL 4NF DATE: 28 OCT 2020	
		IND 0129-00 	
UPS SAVER		1P	
TRACKING #: 1Z 187 0WR 04 2514 4421			
			
BILLING: P/P DESC: documents		EDI-DOC	
Invoice No.: LF 7725053			
XOL 20.10.23		NVA5 34.04 10/2020*	

Rane Brake Lining Ltd.  
Attn. Mr. R. Narayanan  
Plot No. 30,  
IEC Number 0488032644  
Ambattur Industrial Estate  
600050 Chennai  
India  
+91 4426250566

Date	Our Reference	Subject
Roermond, 28/10/2020	7725053	Shipping docs

Dear Mr. R. Narayanan,

Please find enclosed the shipping documents of your PO 4800151639;

- Detailed packinglist (1 original)
- Invoice (1 original)
- Certificate of compliance (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.  
Lapinus  
**Customer Service Department**

Corina Hendriks



For: Rane Brake Lining Ltd.  
Plot No. 30,  
Ambattur Industrial Estate  
600050 Chennai  
India

Our order nr : 7725053  
Delivery nr : 31825904  
Your order nr : 4800151639  
Container nr : GLDU5416671

Rockwool B.V.  
Industrieweg 15  
6045 JG Roermond / The Netherlands

## DETAILED PACKING LIST

Shipment nr.: 0005873887

Product and dimensions	Type and number of packages	Contents per package in m <sup>3</sup> / m <sup>2</sup> / kg	Total quantity per item in m <sup>3</sup> / m <sup>2</sup> / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB250, bag 25 kg 0,1	kg -pallet 625 kg 225 BAGS	1,00	5625,00	5625,000	5793,750	1210,00 1000,00 1300,00
Lapinus® RBC300, bag 25 kg 1,0	kg -pallet 625 kg 25 BAGS	1,00	625,00	625,000	643,750	1210,00 1000,00 1300,00
Promaxon-D, bag 15 kg 15,0	pallet 210 kg 140 BAGS	1,00	2100,00	2100,000	2373,000	1150,00 1150,00 1150,00
TOTAL:				8350,000 Kgs	8810,500 Kgs	

BS469042

Date: 27-10-2020

PACKED ON 20 PALLETS

**INVOICE**

**Invoice address: 15456**  
 Rane Brake Lining Ltd.  
 Plot No. 30,  
 IEC Number 0488032644  
 Ambattur Industrial Estate  
 600050 CHENNAI  
 INDIA

**Ordered by: 15456**  
 Rane Brake Lining Ltd.  
 Plot No. 30,  
 IEC Number 0488032644  
 Ambattur Industrial Estate  
 600050 CHENNAI  
 INDIA

Invoice no. / date: 163660124 / 27.10.2020  
 Order no. / date: 7725053 / 09.10.2020  
 Your reference: 4800151639  
 Contactperson: Corina Hendriks

Page 1 / 2



Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
	Country of origin: The Netherlands Country of acquisition: The Netherlands Description of goods: Rockwool mineral Fibres All Lapinus (r) products = Note Q fibres				
10	Lapinus® RB250 bag 25 kg - pallet 625 kg 29508	5.625,00 KG	5.625,00 KG	2.020,20 1.000 KG	11.363,63
	Stat. No.: 68061000 Delivery No/Date: 31825904 / 27.10.2020 Container Number: GLDU5416671 Country of origin: NL				
20	Lapinus® RBC300 bag 25 kg - pallet 625 kg 58071	625,00 KG	625,00 KG	850,00 1.000 KG	531,25
	Stat. No.: 68061000 Delivery No/Date: 31825904 / 27.10.2020 Container Number: GLDU5416671 Country of origin: NL				

Delivery date: 27.10.2020 -  
 Terms of delivery: FCA Roermond  
 Payment term: 60 days net  
 Gross/Nett weight: 8.810,500 / 8.350 KG  
 Transp. volume: 41,850 M3

**Delivery address: 15456**  
 Rane Brake Lining Ltd.  
 Plot No. 30  
 IEC Number 0488032644  
 Ambattur Industrial Estate  
 Chennai 600050  
 India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands  
 T: +31 (0) 475 35 35 35 | E: [cs@lapinus.com](mailto:cs@lapinus.com) | [www.lapinus.com](http://www.lapinus.com) | KvK Nederland 13014428 | VAT NL0016.96.592.B01  
 Bank: ING BANK N.V. | NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

**INVOICE**

**Invoice address: 15456**  
Rane Brake Lining Ltd.  
Plot No. 30,  
IEC Number 0488032644  
Ambattur Industrial Estate  
600050 CHENNAI  
INDIA

Invoice no. / date:

163660124 / 27.10.2020

Page 2 / 2



Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
30	Promaxon-D bag 15 kg pallet 210 kg Synthetic hydrated calcium silicate 136919	2.100,00 KG	2.100,00 KG	3.636,00 1.000 KG	7.635,60

Stat. No.: 28399000

Delivery No/Date: 31825904 / 27.10.2020

Container Number: GLDU5416671

Country of origin: BE

Amount excl. VAT

19.530,48

Output Tax

0,00

0,00

**Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC**

EUR

19.530,48

For attn of

Date 28-10-2020

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Rane Brake Lining Ltd.

Client-orderno 4800151639

Lapinus orderno 7725053

**Product:** PROMAXON-D  
BAG 15 KG PALLET 210 KG  
Synthetic hydrated calcium silicate

Total order Qty: 2.100 kg

Batch no. Batch Qty: 2042014 - 210 kg

Batch no. Batch Qty: 2042004 - 420 kg

Batch no. Batch Qty: 2041440 - 420 kg

Batch no. Batch Qty: 2041401 - 420 kg

Batch no. Batch Qty: 2041393 - 210 kg

Batch no. Batch Qty: 2041414 - 420 kg

**Product:** Lapinus® RB250  
bag 25 kg - pallet 625 kg  
bag 25 kg - pallet 625 kg~Note Q fibre

Total order Qty: 5.625 kg

Batch no. Batch Qty: 37154271 - 5.625 kg

**Product:** Lapinus® RBC300  
bag 25 kg - pallet 625 kg  
bag 25 kg - pallet 625 kg~Note Q fibre

Total order Qty: 625 kg

Batch no. Batch Qty: 37203382 - 625 kg



Part of the ROCKWOOL Group

Kind regards

Customer Services

Lapinus  
ROCKWOOL B.V.  
Industrieweg 15  
6045 JG Roermond  
PO Box 1160  
6040 KD Roermond  
The Netherlands

[cs@lapinus.com](mailto:cs@lapinus.com)  
[www.lapinus.com](http://www.lapinus.com)

This document is automatically generated and therefore contains no signature.  
LF007/F03 / June 1994

## Stefan Hünseler

---

**From:** Krzysztof Dylkowski <krzysztof.dylkowski@bramster.pl>  
**Sent:** Wednesday, October 28, 2020 3:29 PM  
**To:** Stefan Hünseler  
**Cc:** bramster@bramster.pl  
**Subject:** Re: Request project Alamo, California - Metiez /\*\*7768362

6x 135cm  
6x 85cm

Pozdrawiam, Kind regards



---

**Krzysztof Dylkowski**  
**Telefon 798 363 437**

---

ul. Lasowicka 125  
42-620 Nakło Śląskie

---

NIP 645-24-77-904  
tel: [+48 32] 284-45-65  
fax: [+48 32] 284-43-97  
[www.bramster.pl](http://www.bramster.pl)

---

W dniu 28.10.2020 o 15:25, Stefan Hünseler pisze:

Hello,

How high?

Kind regards,

**Stefan Hünseler**  
Customer Service Department  
Lapinus

+31 (0) 475 35 33 48

---

**From:** Krzysztof Dylkowski <krzysztof.dylkowski@bramster.pl>  
**Sent:** Wednesday, October 28, 2020 3:25 PM  
**To:** Stefan Hünseler <stefan.hunseler@lapinus.com>  
**Cc:** [bramster@bramster.pl](mailto:bramster@bramster.pl)  
**Subject:** Re: Request project Alamo, California - Metiez /\*\*7768362

Hello Stefan,

12pal - 200x100cm

Pozdrawiam, Kind regards



**Promat****301**

Bormstraat 24  
B-2830 Tisseelt  
Belgium  
T +32 (0)15 71 21 86  
F +32 (0)15 71 26 90  
[www.promat.com/industry](http://www.promat.com/industry)

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV  
Gate B  
Energieweg 3  
6045 JE Roermond  
Nederland

PO 4503450330

article n° 136919

Loading date 16/10/2020

**ANALYSIS PROMAXON D Synthetic hydrated calcium silicate**  
**VISUAL APPEARANCE: WHITE POWDER**

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
20 41 372 1	11-okt-2020	112,28	53,30	0,07	1,81	210
20 41 372 2	11-okt-2020	112,28	53,30	0,07	1,81	210
20 41 372 3	11-okt-2020	112,28	53,30	0,07	1,81	210
20 41 372 4	11-okt-2020	112,28	53,30	0,07	1,81	210
20 41 372 5	11-okt-2020	112,28	53,30	0,07	1,81	210
20 41 372 6	11-okt-2020	112,28	53,30	0,07	1,81	210
20 41 382 1	11-okt-2020	102,84	53,90	0,14	2,66	210
20 41 382 2	11-okt-2020	102,84	53,90	0,14	2,66	210
20 41 382 3	11-okt-2020	102,84	53,90	0,14	2,66	210
20 41 382 4	11-okt-2020	102,84	53,90	0,14	2,66	210
20 41 382 5	11-okt-2020	102,84	53,90	0,14	2,66	210
20 41 382 6	11-okt-2020	102,84	53,90	0,14	2,66	210
20 41 393 1	11-okt-2020	110,76	57,30	0,94	1,95	210
20 41 393 2	11-okt-2020	110,76	57,30	0,94	1,95	210
20 41 393 3	11-okt-2020	110,76	57,30	0,94	1,95	210
20 41 393 4	11-okt-2020	110,76	57,30	0,94	1,95	210
20 41 393 5	11-okt-2020	110,76	57,30	0,94	1,95	210
20 41 393 6	11-okt-2020	110,76	57,30	0,94	1,95	210
20 41 401 1	11-okt-2020	106,60	54,90	0,77	1,74	210
20 41 401 2	11-okt-2020	106,60	54,90	0,77	1,74	210
20 41 401 3	11-okt-2020	106,60	54,90	0,77	1,74	210
20 41 401 4	11-okt-2020	106,60	54,90	0,77	1,74	210
20 41 401 5	11-okt-2020	106,60	54,90	0,77	1,74	210
20 41 401 6	11-okt-2020	106,60	54,90	0,77	1,74	210
20 41 414 1	11-okt-2020	105,92	52,30	0,97	2,11	210
20 41 414 2	11-okt-2020	105,92	52,30	0,97	2,11	210



  
Boltstraat 24  
B-2830 Tessel  
Belgium  
T +32 (0)15 71 21 86  
F +32 (0)15 71 26 90  
[www.promat.com/industry](http://www.promat.com/industry)

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV  
Gate B  
Energieweg 3  
6045 JE Roermond  
Nederland

PO 4503450330  
article n° 136919  
Loading date 16/10/2020

**ANALYSIS PROMAXON D Synthetic hydrated calcium silicate**  
**VISUAL APPEARANCE: WHITE POWDER**

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
-----------	-----------------	------------------	--------------------------	-------------------------	------------	-------------

20 41 414 7	11-okt-2020	106,92	54,80	0,61	2,33	210
20 41 414 8	11-okt-2020	106,92	54,80	0,61	2,33	210
20 41 436 1	12-okt-2020	106,56	54,00	0,71	1,85	210
20 41 436 2	12-okt-2020	106,56	54,00	0,71	1,85	210
20 41 440 1	12-okt-2020	102,28	51,80	0,66	2,86	210
20 41 440 2	12-okt-2020	102,28	51,80	0,66	2,86	210
20 41 440 3	12-okt-2020	102,28	51,80	0,66	2,86	210
20 41 440 4	12-okt-2020	102,28	51,80	0,66	2,86	210
20 41 440 5	12-okt-2020	102,28	51,80	0,66	2,86	210
20 41 440 6	12-okt-2020	102,28	51,80	0,66	2,86	210
20 41 452 1	12-okt-2020	99,12	53,10	0,55	1,99	210
20 41 452 2	12-okt-2020	99,12	53,10	0,55	1,99	210
20 41 452 5	12-okt-2020	99,12	53,10	0,55	1,99	210
20 41 452 6	12-okt-2020	99,12	53,10	0,55	1,99	210
20 41 452 7	12-okt-2020	99,12	53,10	0,55	1,99	210
20 41 452 8	12-okt-2020	99,12	53,10	0,55	1,99	210
20 42 004 1	12-okt-2020	105,40	51,00	0,00	1,92	210
20 42 004 2	12-okt-2020	105,40	51,00	0,00	1,92	210
20 42 004 3	12-okt-2020	105,40	51,00	0,00	1,92	210
20 42 004 4	12-okt-2020	105,40	51,00	0,00	1,92	210
20 42 014 7	12-okt-2020	106,28	49,60	0,62	1,57	210
20 42 014 8	12-okt-2020	106,28	49,60	0,62	1,57	210
						10.080

Test report Date : 28-9-2020

**TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)**

1.

Prod. Date : 24-9-2020

Product : Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results ( micron )		Limits ( micron )	
		Min.	Max.	Min.	Max.
37154271		113,00	125,00	100	150

Batch no.	Shotcontent	Results ( %wt )		Limits ( %wt )	
		Min.	Max.	Max.	
37154271	Shot > 125 µm	0,34	0,93	1.0	

- Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
- Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 5-10-2020

## TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 4-10-2020

Product : Lapinus® RBC300  
bag 25 kg - pallet 625 kg  
bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results ( micron )		Limits ( micron )	
		Min.	Max.	Min.	Max.
37203382		110,00	123,00	105	200

Batch no.	Shotcontent	Results ( %wt )		Limits ( %wt )	
		Min.	Max.	Max.	
37203382	Shot > 125 µm	19,31	20,32	30,0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.