

View/Print Label

1. Ensure there are no other shipping or tracking labels attached to your parcel. Select the Print button on the dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.





2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.

3. Collection and Drop-off:

- If you have a scheduled collection, have your shipment(s) ready for the driver as usual.
- To Schedule a Collection or find a UPS location, visit UPS.com

UPS Access Point™	UPS Access Point™	UPS Access Point™
HUBO MINKENBERG	DE KEMPENIER	KEMPWEG,56
HERKENBOSCH 6075AG	ROERMOND 6045EJ	ROERMOND 6042BC
42 HOOFDSTRAAT		ORANJELAAN 73A

FOLD HERE

CORINA HENDRIKS 0475353917 ROCKWOOL B.V. LAPINUS DELFT OFFENWEG 2 6045JH ROERMOND NETHERLANDS		ENV 1 OF 1 SHIP#: 1870 WRIB 9TF DATE: 28 JUN 2022
SHIP TO: MR. PRABHU / MS. DHIVYA 91 4426250566 RANE BRAKE LINING LTD AMBATTUR INDUSTRIAL ESTATE PLOT NO. 30 CHENNAI 600050 INDIA		
	IND 012 9-00 	
UPS SAVER TRACKING #: 1Z 187 0WR 04 9230 6326 1P		
		
BILLING: P/P DESC: documents EDI-DOC		
Invoice No.: LF 8996246 XOL 22.06.15 NV45 27.0A.06/2022* 		

Rane Brake Lining Ltd.
Attn. Mr. Prabhu / Ms. Dhivya
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 Chennai
India
+91 4426250566

Date	Our Reference	Subject
Roermond, 28/06/2022	8996246	Shipping docs

Dear Mr. Prabhu / Ms. Dhivya,

Please find enclosed the shipping documents of your PO 4800170848;

- Detailed packinglist (1 original)
- Invoice (1 original)
- Certificate of compliance (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.
Lapinus

Customer Service Department

Corina Hendriks

Rockwool B.V.
Industrieweg 15
6045 JG Roermond / The Netherlands

Our ordernr : 8996246
Delivery nr : 33304036
Your ordernr: 4800171873
Container nr: UACU3790631

For: Rane Brake Lining Ltd.
Plot No. 30,
Ambattur Industrial Estate
600050 Chennai
India



Shipment nr.: 0006947151

DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m ³ / m ² / kg	Total quantity per item in m ³ / m ² / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB250, bag 25 kg 0,1	-pallet 625 kg 7500 Kilogram	1,00	7500,00	7500,000	7725,000	1210,00 1000,00 1300,00
Promaxon-D, bag 15 kg 0,1	-pallet 210 kg 1680 Kilogram	1,00	1680,00	1680,000	1898,400	1150,00 1150,00 1150,00
TOTAL:				9180,000 Kgs	9623,400 Kgs	

BS533386

Date: 27-06-2022

412 BAGS PACKED ON 20 PALLETS

INVOICE

Invoice address: 15456
Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI
INDIA

Payer: 15456
Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 Chennai
INDIA

Ordered by: 15456
Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI
INDIA

Invoice no. / date: 163835643 / 27.06.2022
Order no. / date: 8996246 / 18.05.2022
Your reference: 4800171873
Contactperson: Corina Hendriks

Page 1 / 2



Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
	Country of origin: The Netherlands Country of acquisition: The Netherlands Description of goods: Rockwool mineral Fibres All Lapinus (r) products = Note Q fibres				
10	Lapinus® RB250 bag 25 kg - pallet 625 kg 29508	7.500,00 KG	7.500,00 KG	2.376,20 1.000 KG	17.821,50
	Stat. No.: 68061000 Delivery No/Date: 33304036 / 21.06.2022 Container Number: UACU3790631/BS533386 Country of origin: NL				
20	Promaxon-D bag 15 kg pallet 210 kg Synthetic hydrated calcium silicate 136919	1.680,00 KG	1.680,00 KG	4.430,00 1.000 KG	7.442,40
	Stat. No.: 28399000 Delivery No/Date: 33304036 / 21.06.2022 Container Number: UACU3790631/BS533386 Country of origin: BE				

Delivery date: 21.06.2022 -
Terms of delivery: FCA Roermond
Payment term: 60 days net

Gross/Nett weight: 9.623,400 / 9.180 KG
Transp. volume: 40,980 M3

Delivery address: 15456
Rane Brake Lining Ltd.
Plot No. 30
IEC Number 0488032644
Ambattur Industrial Estate
Chennai 600050
India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands
T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01 | EORI NL001696592
Bank: ING BANK N.V. | NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

INVOICE
Invoice address: 15456

Rane Brake Lining Ltd.

Plot No. 30,

IEC Number 0488032644

Ambattur Industrial Estate

600050 CHENNAI

INDIA

Invoice no. / date:

163835643 / 27.06.2022

Page 2 / 2


ROCKWOOL B.V.
P.O. Box 1160
6040 KD Roermond
The Netherlands

Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
	Amount excl. VAT				25.263,90
	Output Tax		0,00 %		0,00

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC

EUR 25.263,90

For attn of

Date 28-06-2022

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Rane Brake Lining Ltd.

Client-orderno 4800171873

Lapinus orderno 8996246

Product: **PROMAXON-D**
BAG 15 KG PALLET 210 KG
Synthetic hydrated calcium silicate

Total order Qty: 1.680 kg

Batch no. Batch Qty: 2220001 - 420 kg

Batch no. Batch Qty: 2220150 - 420 kg

Batch no. Batch Qty: 2220023 - 420 kg

Batch no. Batch Qty: 2220023 - 420 kg

Batch no. Batch Qty: 2219421 - 420 kg

Product: **Lapinus® RB250**
bag 25 kg - pallet 625 kg
bag 25 kg - pallet 625 kg~Note Q fibre

Total order Qty: 7.500 kg

Batch no. Batch Qty: 53319568 - 1.250 kg

Batch no. Batch Qty: 53328505 - 6.250 kg

Kind regards

Customer Services

Lapinus
ROCKWOOL B.V.
Industrieweg 15
6045 JG Roermond
PO Box 1160
6040 KD Roermond
The Netherlands

cs@lapinus.com
www.lapinus.com

This document is automatically generated and therefore contains no signature.
LF007/F03 / June 1994



383

Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4504069478
article n° 136919
Loading date 02/06/2022

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
22 19 255 3	16-mei-2022	104,40	51,9	0,11	1,58	210
22 19 255 4	16-mei-2022	104,40	51,9	0,11	1,58	210
22 19 255 5	16-mei-2022	104,40	51,9	0,11	1,58	210
22 19 255 6	16-mei-2022	104,40	51,9	0,11	1,58	210
22 19 415 1	16-mei-2022	107,32	50,5	0,09	1,58	210
22 19 415 2	16-mei-2022	107,32	50,5	0,09	1,58	210
22 19 415 3	16-mei-2022	107,32	50,5	0,09	1,58	210
22 19 415 4	16-mei-2022	107,32	50,5	0,09	1,58	210
22 19 415 5	16-mei-2022	107,32	50,5	0,09	1,58	210
22 19 415 6	16-mei-2022	107,32	50,5	0,09	1,58	210
22 19 421 1	16-mei-2022	108,20	51,3	0,00	1,92	210
22 19 421 2	16-mei-2022	108,20	51,3	0,00	1,92	210
22 19 421 3	16-mei-2022	108,20	51,3	0,00	1,92	210
22 19 421 4	16-mei-2022	108,20	51,3	0,00	1,92	210
22 19 421 5	16-mei-2022	108,20	51,3	0,00	1,92	210
22 19 421 6	16-mei-2022	108,20	51,3	0,00	1,92	210
22 19 433 1	16-mei-2022	109,36	51,0	0,00	1,74	210
22 19 433 2	16-mei-2022	109,36	51,0	0,00	1,74	210
22 19 433 3	16-mei-2022	109,36	51,0	0,00	1,74	210
22 19 433 4	16-mei-2022	109,36	51,0	0,00	1,74	210
22 19 433 5	16-mei-2022	109,36	51,0	0,00	1,74	210
22 19 433 6	16-mei-2022	109,36	51,0	0,00	1,74	210
22 19 433 7	17-mei-2022	109,36	51,0	0,00	1,74	210
22 19 433 8	17-mei-2022	109,36	51,0	0,00	1,74	210
22 20 001 3	16-mei-2022	110,00	51,2	0,00	2,69	210



Bornstraat 24
B-2830 Tiel
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4504069478

article n° 136919

Loading date 02/06/2022

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
22 20 001 4	16-mei-2022	110,00	51,2	0,00	2,69	210
22 20 001 5	16-mei-2022	110,00	51,2	0,00	2,69	210
22 20 001 6	16-mei-2022	110,00	51,2	0,00	2,69	210
22 20 008 1	16-mei-2022	114,80	48,9	0,00	2,04	210
22 20 008 2	16-mei-2022	114,80	48,9	0,00	2,04	210
22 20 008 3	16-mei-2022	114,80	48,9	0,00	2,04	210
22 20 008 4	16-mei-2022	114,80	48,9	0,00	2,04	210
22 20 008 5	16-mei-2022	114,80	48,9	0,00	2,04	210
22 20 008 6	16-mei-2022	114,80	48,9	0,00	2,04	210
22 20 023 1	16-mei-2022	115,20	55,70	0,00	1,72	210
22 20 023 2	16-mei-2022	115,20	55,70	0,00	1,72	210
22 20 023 3	16-mei-2022	115,20	55,70	0,00	1,72	210
22 20 023 4	16-mei-2022	115,20	55,70	0,00	1,72	210
22 18 433 1	10-mei-2022	108,00	51,2	0,00	1,82	210
22 18 433 2	10-mei-2022	108,00	51,2	0,00	1,82	210
22 20 150 1	20-mei-2022	105,60	46,60	0,17	2,33	210
22 20 150 2	20-mei-2022	105,60	46,60	0,17	2,33	210
22 20 403 1	24-mei-2022	106,28	50,40	0,00	2,21	210
22 20 403 2	24-mei-2022	106,28	50,40	0,00	2,21	210
22 20 403 3	24-mei-2022	106,28	50,40	0,00	2,21	210
22 20 403 4	24-mei-2022	106,28	50,40	0,00	2,21	210
22 20 403 5	24-mei-2022	106,28	50,40	0,00	2,21	210
22 20 403 6	24-mei-2022	106,28	50,40	0,00	2,21	210
						10.080

Promat

384

Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4504075291
article n° 136919
Loading date 03/06/2022

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
22 20 023 5	16-mei-2022	115,20	55,70	0,00	1,72	210
22 20 023 6	16-mei-2022	115,20	55,70	0,00	1,72	210
22 20 057 1	17-mei-2022	115,20	56,50	0,00	2,14	210
22 20 057 2	17-mei-2022	115,20	56,50	0,00	2,14	210
22 20 057 3	17-mei-2022	115,20	56,50	0,00	2,14	210
22 20 057 4	17-mei-2022	115,20	56,50	0,00	2,14	210
22 20 057 5	17-mei-2022	115,20	56,50	0,00	2,14	210
22 20 057 6	17-mei-2022	115,20	56,50	0,00	2,14	210
22 20 062 1	17-mei-2022	111,20	54,80	0,63	1,86	210
22 20 062 2	17-mei-2022	111,20	54,80	0,63	1,86	210
22 20 062 3	17-mei-2022	111,20	54,80	0,63	1,86	210
22 20 062 4	17-mei-2022	111,20	54,80	0,63	1,86	210
22 20 062 5	17-mei-2022	111,20	54,80	0,63	1,86	210
22 20 062 6	17-mei-2022	111,20	54,80	0,63	1,86	210
22 20 097 1	18-mei-2022	113,20	50,30	0,00	1,54	210
22 20 097 2	18-mei-2022	113,20	50,30	0,00	1,54	210
22 20 097 3	18-mei-2022	113,20	50,30	0,00	1,54	210
22 20 097 4	18-mei-2022	113,20	50,30	0,00	1,54	210
22 20 097 5	18-mei-2022	113,20	50,30	0,00	1,54	210
22 20 097 6	18-mei-2022	113,20	50,30	0,00	1,54	210
22 20 104 1	18-mei-2022	112,80	50,30	0,00	1,93	210
22 20 104 2	18-mei-2022	112,80	50,30	0,00	1,93	210
22 20 104 3	18-mei-2022	112,80	50,30	0,00	1,93	210
22 20 104 4	18-mei-2022	112,80	50,30	0,00	1,93	210
22 20 104 5	18-mei-2022	112,80	50,30	0,00	1,93	210



Bormstraat 24
B-2830 Tienen
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4504075291

article n° 136919

Loading date 03/06/2022

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
22 20 104 6	18-mei-2022	112,80	50,30	0,00	1,93	210
22 20 128 3	18-mei-2022	114,80	45,70	0,03	2,79	210
22 20 128 4	18-mei-2022	114,80	45,70	0,03	2,79	210
22 20 147 1	19-mei-2022	109,20	48,20	0,00	3,00	210
22 20 147 2	19-mei-2022	109,20	48,20	0,00	3,00	210
22 20 147 3	19-mei-2022	109,20	48,20	0,00	3,00	210
22 20 147 4	19-mei-2022	109,20	48,20	0,00	3,00	210
22 20 147 5	19-mei-2022	109,20	48,20	0,00	3,00	210
22 20 147 6	19-mei-2022	109,20	48,20	0,00	3,00	210
22 20 157 1	19-mei-2022	114,40	46,00	0,00	1,92	210
22 20 157 2	19-mei-2022	114,40	46,00	0,00	1,92	210
22 20 157 3	19-mei-2022	114,40	46,00	0,00	1,92	210
22 20 157 4	19-mei-2022	114,40	46,00	0,00	1,92	210
22 20 157 5	19-mei-2022	114,40	46,00	0,00	1,92	210
22 20 157 6	19-mei-2022	114,40	46,00	0,00	1,92	210
22 20 190 1	21-mei-2022	101,00	45,20	0,14	2,62	210
22 20 190 2	21-mei-2022	101,00	45,20	0,14	2,62	210
22 20 190 3	19-mei-2022	101,00	45,20	0,14	2,62	210
22 20 190 4	19-mei-2022	101,00	45,20	0,14	2,62	210
22 20 190 5	19-mei-2022	101,00	45,20	0,14	2,62	210
22 20 190 6	19-mei-2022	101,00	45,20	0,14	2,62	210
22 20 384 1	24-mei-2022	111,24	51,10	0,32	1,74	210
22 20 384 2	24-mei-2022	111,24	51,10	0,32	1,74	210
						10.080

Test report Date : 23-5-2022

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 22-5-2022

Product : Lapinus® RB250
 bag 25 kg - pallet 625 kg
 bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
53328505		113,00	125,00	100	150

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.		Max.
53328505	Shot > 125 µm	0,43	0,82		1.0

- Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
- Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 7-6-2022

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 5-6-2022

Product : Lapinus[®] RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
53319568		113,00	125,00	100	150

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.		Max.
53319568	Shot > 125 µm	0,54	0,83		1.0

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.
- 5 Country of origin: The Netherlands

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.