

View/Print Label





1. Ensure there are no other shipping or tracking labels attached to your parcel. Select the Print button on the dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.
2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
3. Collection and Drop-off:
 - If you have a scheduled collection, have your shipment(s) ready for the driver as usual.
 - To Schedule a Collection or find a UPS location, visit UPS.com

UPS Access Point™
HUBO MINKENBERG
42 HOOFDSTRAAT
HERKENBOSCH

UPS Access Point™
DE KEMPENIER
KEMPWEG,56
ROERMOND

UPS Access Point™
GROENLJF
JULIANALAAN, 36A
ROERMOND

FOLD HERE

CORINA HENDRIKS 0475353917 ROCKWOOL B.V. LAPINUS DELSTOFFENWEG 2 6045JH ROERMOND NETHERLANDS		0.0 KG	ENV	1 OF 1
SHIP TO: MR. R. SRIDHAR 91 4442205458 SUNDARAM BRAKE LININGS LTD PADI CHENNAI 600050 INDIA		SHIP#: 1870 WRDB 8YY SHIP WT: 0.0 KG DATE: 10 FEB 2020		
		IND 012 9-00 		
UPS SAVER		1P		
TRACKING #: 1Z 187 0WR 04 3289 3886				
				
BILLING: P/P DESC: DOCUMENTS		EDI-DOC		
Invoice No.: LF 7169319		XOL 20.01.33 NN45 83.0A 12/2019 		

Sundaram Brake Linings Ltd.
Mr. R. Sridhar
Padi
IEC Number 0488016908
600050 Chennai
India
Tel: +91 4442205458

Date
Roermond,

Our Reference
7169319

Subject
Shipping docs PO

Dear Mr. R. Sridhar,

Please find enclosed the shipping documents;

- Detailed packinglist (1 original)
- Invoice (1 original)
- Certificate of compliance (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.
Lapinus



Customer Service Department

Corina Hendriks

Rockwool B.V.
Industrieweg 15
6045 JG Roermond / The Netherlands

Our order nr : 7169319
Delivery nr : 31197831

For: Sundaram Brake Linings Ltd.
IEC Number 0488016908
Padi

Your order nr : *

600050 Chennai
India

Container nr : TRHU2088788

Shipment nr.: 0005436233

DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m ³ / m ² / kg	Total quantity per item in m ³ / m ² / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB250, bag 25,0	kg -pallet 625 kg 0,1 400 BAGS	1,00	10000,00	10000,000	10300,000	1210,00 1000,00 1300,00
Lapinus® RB220, bag 16	kg -pallet 400 kg 75 BAGS	1,00	1200,00	1200,000	1256,400	1210,00 1000,00 1300,00
Promaxon-D, bag 15 kg	pallet 210 kg 14 BAGS	1,00	210,00	210,000	237,300	1150,00 1150,00 1150,00
TOTAL:				11410,000 Kgs	11793,700 Kgs	

BS356126

Date: 07-02-2020

Packed on 20 Pallets

INVOICE

Invoice address: 15474
Sundaram Brake Linings Ltd.
IEC Number 0488016908
Padi
600050 CHENNAI
INDIA

Ordered by: 15474
Sundaram Brake Linings Ltd.
IEC Number 0488016908
Padi
600050 CHENNAI
INDIA

Invoice no. / date: 163607847 / 07.02.2020 Page 1 / 2
Order no. / date: 7169319 / 13.01.2020
Your reference: *
Contactperson: Corina Hendriks



ROCKWOOL B.V.
P.O. Box 1160
6040 KD Roermond
The Netherlands

Item	Material Material description	Number Unit	Quantity Unit	Price Unit	Amount
10	Lapinus® RB250 bag 25 kg - pallet 625 kg 29508	10.000,00 KG	10.000,00 KG	1.905,50 1.000 KG	19.055,00
	Stat. No.: 68061000 Delivery No/Date: 31197831 / 04.02.2020 Container Number: TRHU2088788/BS356126 Country of origin: NL				
20	Lapinus® RB220 bag 16 kg - pallet 400 kg 20154	1.200,00 KG	1.200,00 KG	2.175,30 1.000 KG	2.610,36
	Stat. No.: 68061000 Delivery No/Date: 31197831 / 04.02.2020 Container Number: TRHU2088788/BS356126 Country of origin: NL				

Delivery date: 04.02.2020 -
Terms of delivery: FCA Roermond
Payment term: 60 days net

Gross/Nett weight: 11.793,700 / 11.410 KG
Transp. volume: 38,310 M3

Delivery address: 15474
Sundaram Brake Linings Ltd.
IEC Number 0488016908
Padi
Chennai 600050
India

Lapinus, ROCKWOOL B.V., Postbus 1160, 6040 KD Roermond, Industrieweg 15, 6045 JG Roermond, The Netherlands
T +31 (0) 475 35 35 35, E cs@lapinus.com,
KvK Nederland 13014428 VAT NL0016.96.592.B01 ING BANK N.V. NL87 INGB 0674 2921 11 BIC/SWIFT INGBNL2A

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

INVOICE
Invoice address: 15474

Sundaram Brake Linings Ltd.

IEC Number 0488016908

Padi

600050 CHENNAI

INDIA


ROCKWOOL B.V.

P.O. Box 1160

6040 KD Roermond

The Netherlands

Invoice no. / date:

163607847 / 07.02.2020

Page 2 / 2

Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
30	Promaxon-D bag 15 kg pallet 210 kg Synthetic hydrated calcium silicate 136919	210,00 KG	210,00 KG	4.090,00 1.000 KG	858,90

Stat. No.: 28399000

Delivery No/Date: 31197831 / 04.02.2020

Container Number: TRHU2088788/BS356126

Country of origin: BE

Amount excl. VAT

22.524,26

Output Tax

0,00

0,00

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC

EUR

22.524,26



Part of the ROCKWOOL Group

For attn of

Date 10-02-2020

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Sundaram Brake Linings Ltd.

Client-orderno *

Lapinus orderno 7169319

Product: Promaxon-D
bag 15 kg pallet 210 kg
Synthetic hydrated calcium silicate

Total order Qty: 210 kg

Batch no. Batch Qty: 2003191 - 210 kg

Product: Lapinus® RB220
bag 16 kg - pallet 400 kg

Total order Qty: 1.200 kg

Batch no. Batch Qty: 34575022 - 400 kg

Batch no. Batch Qty: 34085849 - 800 kg

Product: Lapinus® RB250
bag 25 kg - pallet 625 kg

Total order Qty: 10.000 kg

Batch no. Batch Qty: 34084830 - 10.000 kg

Kind regards

Customer Services

Lapinus
ROCKWOOL B.V.
Industrieweg 15
6045 JG Roermond
PO Box 1160
6040 KD Roermond
The Netherlands

cs@lapinus.com
www.lapinus.com

This document is automatically generated and therefore contains no signature.
LF007/F03 / June 1994

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503208252

article.n° 136919

Loading date 28/01/2020

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
20 03 101 1	15-jan-2020	107,00	58,80	0,00	2,66	210
20 03 101 2	15-jan-2020	107,00	58,80	0,00	2,66	210
20 03 101 3	15-jan-2020	107,00	58,80	0,00	2,66	210
20 03 101 4	15-jan-2020	107,00	58,80	0,00	2,66	210
20 03 101 5	15-jan-2020	107,00	58,80	0,00	2,66	210
20 03 101 6	15-jan-2020	107,00	58,80	0,00	2,66	210
20 03 191 1	16-jan-2020	114,80	53,80	0,10	2,43	210
20 03 191 2	16-jan-2020	114,80	53,80	0,10	2,43	210
20 03 191 3	16-jan-2020	114,80	53,80	0,10	2,43	210
20 03 191 4	16-jan-2020	114,80	53,80	0,10	2,43	210
20 03 191 5	16-jan-2020	114,80	53,80	0,10	2,43	210
20 03 191 6	16-jan-2020	114,80	53,80	0,10	2,43	210
20 03 208 1	16-jan-2020	102,48	46,20	0,05	1,93	210
20 03 208 2	16-jan-2020	102,48	46,20	0,05	1,93	210
20 03 208 3	16-jan-2020	102,48	46,20	0,05	1,93	210
20 03 208 4	16-jan-2020	102,48	46,20	0,05	1,93	210
20 03 208 5	16-jan-2020	102,48	46,20	0,05	1,93	210
20 03 208 6	16-jan-2020	102,48	46,20	0,05	1,93	210
20 03 215 1	23-jan-2020	108,00	55,10	0,00	2,02	210
20 03 215 2	23-jan-2020	108,00	55,10	0,00	2,02	210
20 04 159 1	22-jan-2020	103,60	51,70	0,05	2,18	210
20 04 159 2	22-jan-2020	103,60	51,70	0,05	2,18	210
20 04 159 3	22-jan-2020	103,60	51,70	0,05	2,18	210
20 04 159 4	22-jan-2020	103,60	51,70	0,05	2,18	210
20 04 159 5	22-jan-2020	103,60	51,70	0,05	2,18	210
20 04 159 6	22-jan-2020	103,60	51,70	0,05	2,18	210

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503208252

article n° 136919

Loading date 28/01/2020

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
-----------	-----------------	------------------	--------------------------	-------------------------	------------	-------------

20 04 176 1	23-jan-2020	101,20	54,00	0,00	2,82	210
20 04 176 2	23-jan-2020	101,20	54,00	0,00	2,82	210
20 04 176 3	23-jan-2020	101,20	54,00	0,00	2,82	210
20 04 176 4	23-jan-2020	101,20	54,00	0,00	2,82	210
20 04 180 1	23-jan-2020	103,68	61,70	0,00	2,24	210
20 04 180 2	23-jan-2020	103,68	61,70	0,00	2,24	210
20 04 180 3	23-jan-2020	103,68	61,70	0,00	2,24	210
20 04 180 4	23-jan-2020	103,68	61,70	0,00	2,24	210
20 04 180 5	23-jan-2020	103,68	61,70	0,00	2,24	210
20 04 180 6	23-jan-2020	103,68	61,70	0,00	2,24	210
20 04 182 1	23-jan-2020	103,60	62,00	0,00	2,15	210
20 04 182 2	23-jan-2020	103,60	62,00	0,00	2,15	210
20 04 182 3	23-jan-2020	103,60	62,00	0,00	2,15	210
20 04 182 4	23-jan-2020	103,60	62,00	0,00	2,15	210
20 04 182 5	23-jan-2020	103,60	62,00	0,00	2,15	210
20 04 182 6	23-jan-2020	103,60	62,00	0,00	2,15	210
20 04 198 1	23-jan-2020	104,56	54,40	0,07	2,50	210
20 04 198 2	23-jan-2020	104,56	54,40	0,07	2,50	210
20 04 198 3	23-jan-2020	104,56	54,40	0,07	2,50	210
20 04 198 4	23-jan-2020	104,56	54,40	0,07	2,50	210
20 04 198 5	23-jan-2020	104,56	54,40	0,07	2,50	210
20 04 198 6	23-jan-2020	104,56	54,40	0,07	2,50	210

Test report Date : 5-2-2020

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 4-2-2020

Product : Lapinus® RB220

bag 16 kg - pallet 400 kg

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
34575022		200,00	225,00	180	280

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.	Max.	
34575022	Shot > 125 µm	0,04	0,10	0.2	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.

4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 13-12-2019

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 12-12-2019

Product : Lapinus® RB220
bag 16 kg - pallet 400 kg

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
34085849		200,00	250,00	180	280

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.	Max.	
34085849	Shot > 125 µm	0,05	0,16	0.2	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 27-1-2020

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 25-1-2020

Product : Lapinus® RB250
bag 25 kg - pallet 625 kg

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
34084830		113,00	125,00	100	150

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.	Max.	
34084830	Shot > 125 µm	0,48	0,74	1.0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.