

View/Print Label

1. **Ensure there are no other shipping or tracking labels attached to your parcel.** Select the Print button on the dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.
2. **Fold the printed label at the solid line below.** Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
3. **Collection and Drop-off:**
 - o If you have a scheduled collection, have your shipment(s) ready for the driver as usual.
 - o To Schedule a Collection or find a UPS location, visit [UPS.com](https://www.ups.com)

UPS Access Point™
HUBO MINKENBERG
42 HOOFDSTRAAT
HERKENBOSCH 6075AG

UPS Access Point™
HOMERR SERVICEPOINT SHOW
MOBILE
ORANJELAAN 73A
ROERMOND 6042BC

UPS Access Point™
BALLOONIE

JULIANALAAN 6
ROERMOND 6042JG

FOLD HERE

CORINA HENDRIKS 0475353917 ROCKWOOL B.V. LAPINUS DELFTSTOFFENWEG 2 6045JH ROERMOND NETHERLANDS	ENV	1 OF 1	SHIP# 1870 WRBG 7G9 DATE: 17 MAY 2023
SHIP TO: MR. KUMAR TASHVIT 91 7027778101 DANBLOCK BRAKES INDIA PVT LTD PO - BAHALGARH SONEPAT VILLAGE - JOSHI CHOCHAN HARYANA 131021 INDIA		IND 015 7-00	
			
UPS SAVER		1P	
TRACKING #: 1Z 187 OWR 04 2444 6544			
			
BILLING: P/P DESC: documents		EDI-DOC	
Purchase No.: 9543696			
XQL 23-05-11		NV45 20.0A 05/2023*	

Danblock Brakes India PVT Ltd
Village – Joshi Chohan
PO – Bahalgarh Sonapat
131021 Haryana
India

Date	Reference	Subject
Roermond 17/05/23	9543696	Shipping documents

Dear Mr. Kumar Tashvit,

Please find enclosed the original shipping documents of order 5200036869:

- Invoice (1 original)
- Detailed packing list (1 original)
- Certificate of analysis (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.
Lapinus
Customer Service Department

Jenny Schreurs

INVOICE

Invoice address: 37697
Danblock Brakes India PVT LTD
Village - Joshi Chohan
IEC Number 0507056027
PO - Bahalgarh Sonapat
131021 HARYANA
INDIA

Payer: 37697
Danblock Brakes India PVT LTD
Village - Joshi Chohan
IEC Number 0507056027
PO - Bahalgarh Sonapat
131021 Haryana
INDIA

Ordered by: 37697
Danblock Brakes India PVT LTD
Village - Joshi Chohan
IEC Number 0507056027
PO - Bahalgarh Sonapat
131021 HARYANA
INDIA



ROCKWOOL B.V.
P.O. Box 1160
6040 KD Roermond
The Netherlands

ORIGINAL

Invoice no. / date: 163921308 / 16.05.2023 Page 1 / 1
Order no. / date: 9543696 / 11.04.2023
Your reference: 5200036869
Contactperson: Jenny Schreurs

Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
	Country of origin: Belgium Country of acquisition: The Netherlands Description of goods: Synthetic Hydrated Calcium Silicate				
10	Promaxon-D bag 15 kg pallet 210 kg Synthetic hydrated calcium silicate 136919	4.200,00 KG	4.200,00 KG	5.080,00 1.000 KG	21.336,00
	Stat. No.: 28399000 Delivery No/Date: 33998807 / 15.05.2023 Container Number: DFSU1610357/BS575843 Country of origin: BE				
	Amount excl. VAT				21.336,00
	Output Tax		0,00 %		0,00

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC

EUR 21.336,00

Delivery date: 15.05.2023 -
Terms of delivery: FCA Roermond
Payment term: 60 days net
Gross/Nett weight: 4.746 / 4.200 KG
Transp. volume: 46,200 M3

Delivery address: 37697
Danblock Brakes India PVT LTD
Village - Joshi Chohan
IEC Number 0507056027
PO - Bahalgarh Sonapat
Haryana 131021
India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands
T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01 | EORI NL001696592
Bank: ING BANK N.V. | IBAN: NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Prices, delivery date and freight cost may be subject to change, actual freight cost will be invoiced.

Rockwool B.V.
Industrieweg 15
6045 JG Roermond / The Netherlands

Our order nr : 9543696
Delivery nr : 33998807
Your order nr : 5200036869
Container nr : DFSU1610357

For: Danblock Brakes India PVT LTD
Village - Joshi Chohan
PO - Bahalgarh Sonapat
131021 Haryana
India



DETAILED PACKING LIST

Shipment nr.: 0007433813

Product and dimensions	Type and number of packages	Contents per package in m ³ / m ² / kg	Total quantity per item in m ³ / m ² / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Promaxon-D, bag 15 kg 15,0	pallet 210 kg 280 BAGS	1,00	4200,00	4200,000	4746,000	1150,00 1150,00 1150,00
TOTAL:				4200,000 Kgs	4746,000 Kgs	

BS575843
Date: 16-05-2023
PACKED ON 20 PALLETS

ORIGINAL

For attn of Mr./ Mrs.
Date 17-05-2023

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Danblock Brakes India PVT LTD
Client-orderno 5200036869
Lapinus orderno 9543696

Product: **Promaxon-D**
 bag 15 kg pallet 210 kg
 Synthetic hydrated calcium silicate

Total order Qty: 4.200 kg
Batch no. Batch Qty: 2314235 - 1.260 kg
Batch no. Batch Qty: 2310336 - 210 kg
Batch no. Batch Qty: 2313211 - 420 kg
Batch no. Batch Qty: 2314233 - 840 kg
Batch no. Batch Qty: 2314271 - 420 kg
Batch no. Batch Qty: 2314276 - 840 kg
Batch no. Batch Qty: 2314319 - 210 kg

Kind regards

Customer Services

Lapinus
ROCKWOOL B.V.
Industrieweg 15
6045 JG Roermond
PO Box 1160
6040 KD Roermond
The Netherlands

cs@lapinus.com
www.lapinus.com

This document is automatically generated and therefore contains no signature.
LF007/F03 / June 1994



411

Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4504391218

article n° 136919

Loading date 24/04/2023

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
23 10 308 1	13-Mar-23	99,52	50,30	0,67	1,82	210
23 10 308 2	13-Mar-23	99,52	50,30	0,67	1,82	210
23 10 311 1	13-Mar-23	103,60	54,50	0,94	2,65	210
23 10 311 2	13-Mar-23	103,60	54,50	0,94	2,65	210
23 10 311 3	13-Mar-23	103,60	54,50	0,94	2,65	210
23 10 311 4	13-Mar-23	103,60	54,50	0,94	2,65	210
23 10 311 5	13-Mar-23	103,60	54,50	0,94	2,65	210
23 10 311 6	13-Mar-23	103,60	54,50	0,94	2,65	210
23 10 317 1	13-Mar-23	108,40	56,20	0,63	1,67	210
23 10 317 2	13-Mar-23	108,40	56,20	0,63	1,67	210
23 10 336 1	13-Mar-23	96,60	51,00	0,81	2,04	210
23 10 336 2	13-Mar-23	96,60	51,00	0,81	2,04	210
23 10 336 3	13-Mar-23	96,60	51,00	0,81	2,04	210
23 10 336 4	13-Mar-23	96,60	51,00	0,81	2,04	210
23 10 336 5	13-Mar-23	96,60	51,00	0,81	2,04	210
23 10 336 6	13-Mar-23	96,60	51,00	0,81	2,04	210
23 10 344 1	13-Mar-23	104,00	54,10	0,58	1,91	210
23 10 344 2	13-Mar-23	104,00	54,10	0,58	1,91	210
23 10 344 3	13-Mar-23	104,00	54,10	0,58	1,91	210
23 10 344 4	13-Mar-23	104,00	54,10	0,58	1,91	210
23 10 344 5	13-Mar-23	104,00	54,10	0,58	1,91	210
23 10 344 6	13-Mar-23	104,00	54,10	0,58	1,91	210
23 10 350 1	13-Mar-23	96,00	51,80	0,99	1,72	210
23 10 350 2	13-Mar-23	96,00	51,80	0,99	1,72	210



Bornstraat 24
B-2830 Niselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4504391218

article n° 136919

Loading date 24/04/2023

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
23 10 350 3	13-Mar-23	96,00	51,80	0,99	1,72	210
23 10 350 4	13-Mar-23	96,00	51,80	0,99	1,72	210
23 10 350 5	13-Mar-23	96,00	51,80	0,99	1,72	210
23 10 350 6	13-Mar-23	96,00	51,80	0,99	1,72	210
23 10 354 1	13-Mar-23	99,60	53,00	0,00	1,81	210
23 10 354 2	13-Mar-23	99,60	53,00	0,00	1,81	210
23 10 354 3	13-Mar-23	99,60	53,00	0,00	1,81	210
23 10 354 4	13-Mar-23	99,60	53,00	0,00	1,81	210
23 10 354 5	13-Mar-23	99,60	53,00	0,00	1,81	210
23 10 354 6	13-Mar-23	99,60	53,00	0,00	1,81	210
23 10 378 1	13-Mar-23	96,40	51,90	0,35	1,90	210
23 10 378 2	13-Mar-23	96,40	51,90	0,35	1,90	210
23 10 378 3	13-Mar-23	96,40	51,90	0,35	1,90	210
23 10 378 4	13-Mar-23	96,40	51,90	0,35	1,90	210
23 10 378 5	13-Mar-23	96,40	51,90	0,35	1,90	210
23 10 378 6	13-Mar-23	96,40	51,90	0,35	1,90	210
23 11 001 1	13-Mar-23	96,80	52,10	0,00	1,97	210
23 11 001 2	13-Mar-23	96,80	52,10	0,00	1,97	210
23 11 001 3	13-Mar-23	96,80	52,10	0,00	1,97	210
23 11 001 4	13-Mar-23	96,80	52,10	0,00	1,97	210
23 11 001 5	13-Mar-23	96,80	52,10	0,00	1,97	210
23 11 001 6	13-Mar-23	96,80	52,10	0,00	1,97	210
23 11 001 7	14-Mar-23	96,80	52,10	0,00	1,97	210
23 11 001 8	14-Mar-23	96,80	52,10	0,00	1,97	210

10080

412



Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4504393126
article n° 136919
Loading date 12/05/2023

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
23 13 207 1	1-Apr-23	109,24	50,80	0,38	2,18	210
23 13 207 2	1-Apr-23	109,24	50,80	0,38	2,18	210
23 13 207 3	1-Apr-23	109,24	50,80	0,38	2,18	210
23 13 207 4	1-Apr-23	109,24	50,80	0,38	2,18	210
23 13 207 5	1-Apr-23	109,24	50,80	0,38	2,18	210
23 13 207 6	1-Apr-23	109,24	50,80	0,38	2,18	210
23 13 211 1	1-Apr-23	107,88	48,00	0,42	1,85	210
23 13 211 2	1-Apr-23	107,88	48,00	0,42	1,85	210
23 13 211 3	1-Apr-23	107,88	48,00	0,42	1,85	210
23 13 211 4	1-Apr-23	107,88	48,00	0,42	1,85	210
23 13 009 7	27-Mar-23	101,36	51,70	0,36	1,73	210
23 13 009 8	27-Mar-23	101,36	51,70	0,36	1,73	210
23 13 271 1	2-Apr-23	99,84	51,10	0,49	2,54	210
23 13 271 2	2-Apr-23	99,84	51,10	0,49	2,54	210
23 13 271 3	2-Apr-23	99,84	51,10	0,49	2,54	210
23 13 271 4	2-Apr-23	99,84	51,10	0,49	2,54	210
23 14 233 1	8-Apr-23	100,04	51,40	0,67	2,26	210
23 14 233 2	8-Apr-23	100,04	51,40	0,67	2,26	210
23 14 233 3	8-Apr-23	100,04	51,40	0,67	2,26	210
23 14 233 4	8-Apr-23	100,04	51,40	0,67	2,26	210
23 14 233 5	8-Apr-23	100,04	51,40	0,67	2,26	210
23 14 233 6	8-Apr-23	100,04	51,40	0,67	2,26	210
23 14 235 1	8-Apr-23	102,80	50,40	0,15	1,11	210
23 14 235 2	8-Apr-23	102,80	50,40	0,15	1,11	210



Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4504393126
article n° 136919
Loading date 12/05/2023

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
23 14 235 3	8-Apr-23	102,80	50,40	0,15	1,11	210
23 14 235 4	8-Apr-23	102,80	50,40	0,15	1,11	210
23 14 235 5	8-Apr-23	102,80	50,40	0,15	1,11	210
23 14 235 6	8-Apr-23	102,80	50,40	0,15	1,11	210
23 14 271 1	8-Apr-23	113,80	53,70	0,75	0,67	210
23 14 271 2	8-Apr-23	113,80	53,70	0,75	0,67	210
23 14 271 3	8-Apr-23	113,80	53,70	0,75	0,67	210
23 14 271 4	8-Apr-23	113,80	53,70	0,75	0,67	210
23 14 271 5	8-Apr-23	113,80	53,70	0,75	0,67	210
23 14 271 6	8-Apr-23	113,80	53,70	0,75	0,67	210
23 14 276 1	8-Apr-23	98,00	49,50	0,75	1,45	210
23 14 276 2	8-Apr-23	98,00	49,50	0,75	1,45	210
23 14 276 3	8-Apr-23	98,00	49,50	0,75	1,45	210
23 14 276 4	8-Apr-23	98,00	49,50	0,75	1,45	210
23 14 276 5	8-Apr-23	98,00	49,50	0,75	1,45	210
23 14 276 6	8-Apr-23	98,00	49,50	0,75	1,45	210
23 14 276 7	8-Apr-23	98,00	49,50	0,75	1,45	210
23 14 276 8	8-Apr-23	98,00	49,50	0,75	1,45	210
23 13 235 1	1-Apr-23	109,12	49,60	0,36	1,47	210
23 13 235 2	1-Apr-23	109,12	49,60	0,36	1,47	210
23 13 235 3	1-Apr-23	109,12	49,60	0,36	1,47	210
23 13 235 4	1-Apr-23	109,12	49,60	0,36	1,47	210
23 13 235 5	1-Apr-23	109,12	49,60	0,36	1,47	210
23 13 235 6	1-Apr-23	109,12	49,60	0,36	1,47	210

10080

414



Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4504399907
article n° 136919
Loading date 15/05/2023

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
23 15 230 1	15-Apr-23	111,68	53,20	0,63	2,56	210
23 15 230 2	15-Apr-23	111,68	53,20	0,63	2,56	210
23 15 230 3	15-Apr-23	111,68	53,20	0,63	2,56	210
23 15 230 4	15-Apr-23	111,68	53,20	0,63	2,56	210
23 15 230 5	15-Apr-23	111,68	53,20	0,63	2,56	210
23 15 230 6	15-Apr-23	111,68	53,20	0,63	2,56	210
23 14 251 1	8-Apr-23	114,80	52,70	0,47	0,86	210
23 14 251 2	8-Apr-23	114,80	52,70	0,47	0,86	210
23 14 251 3	8-Apr-23	114,80	52,70	0,47	0,86	210
23 14 251 4	8-Apr-23	114,80	52,70	0,47	0,86	210
23 14 251 5	8-Apr-23	114,80	52,70	0,47	0,86	210
23 14 251 6	8-Apr-23	114,80	52,70	0,47	0,86	210
23 14 255 1	8-Apr-23	99,60	49,50	0,78	0,58	210
23 14 255 2	8-Apr-23	99,60	49,50	0,78	0,58	210
23 14 255 3	8-Apr-23	99,60	49,50	0,78	0,58	210
23 14 255 4	8-Apr-23	99,60	49,50	0,78	0,58	210
23 14 255 5	9-Apr-23	99,60	49,50	0,78	0,58	210
23 14 255 6	9-Apr-23	99,60	49,50	0,78	0,58	210
23 14 294 1	9-Apr-23	104,80	52,30	0,72	1,63	210
23 14 294 2	9-Apr-23	104,80	52,30	0,72	1,63	210
23 14 294 3	9-Apr-23	104,80	52,30	0,72	1,63	210
23 14 294 4	9-Apr-23	104,80	52,30	0,72	1,63	210
23 14 294 5	9-Apr-23	104,80	52,30	0,72	1,63	210
23 14 294 6	9-Apr-23	104,80	52,30	0,72	1,63	210



Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4504399907
article n° 136919
Loading date 15/05/2023

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
23 14 299 1	9-Apr-23	104,00	50,10	0,67	1,37	210
23 14 299 2	9-Apr-23	104,00	50,10	0,67	1,37	210
23 14 299 3	9-Apr-23	104,00	50,10	0,67	1,37	210
23 14 299 4	9-Apr-23	104,00	50,10	0,67	1,37	210
23 14 299 5	9-Apr-23	104,00	50,10	0,67	1,37	210
23 14 299 6	9-Apr-23	104,00	50,10	0,67	1,37	210
23 14 309 1	9-Apr-23	110,40	50,90	0,56	1,23	210
23 14 309 2	9-Apr-23	110,40	50,90	0,56	1,23	210
23 14 309 3	9-Apr-23	110,40	50,90	0,56	1,23	210
23 14 309 4	9-Apr-23	110,40	50,90	0,56	1,23	210
23 14 309 5	9-Apr-23	110,40	50,90	0,56	1,23	210
23 14 309 6	9-Apr-23	110,40	50,90	0,56	1,23	210
23 14 309 7	9-Apr-23	110,40	50,90	0,56	1,23	210
23 14 309 8	9-Apr-23	110,40	50,90	0,56	1,23	210
23 14 319 1	11-Apr-23	105,20	49,40	0,25	0,87	210
23 14 319 2	11-Apr-23	105,20	49,40	0,25	0,87	210
23 14 319 3	11-Apr-23	105,20	49,40	0,25	0,87	210
23 14 319 4	11-Apr-23	105,20	49,40	0,25	0,87	210
23 14 319 5	11-Apr-23	105,20	49,40	0,25	0,87	210
23 14 319 6	11-Apr-23	105,20	49,40	0,25	0,87	210
23 15 281 1	16-Apr-23	105,64	51,00	0,82	2,04	210
23 15 281 2	16-Apr-23	105,64	51,00	0,82	2,04	210
23 15 281 3	16-Apr-23	105,64	51,00	0,82	2,04	210
23 15 281 4	16-Apr-23	105,64	51,00	0,82	2,04	210

10080