

View/Print Label



1. **Ensure there are no other shipping or tracking labels attached to your parcel.** Select the Print button on the dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.
2. **Fold the printed label at the solid line below.** Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
3. **Collection and Drop-off:**
 - If you have a scheduled collection, have your shipment(s) ready for the driver as usual.
 - To Schedule a Collection or find a UPS location, visit [UPS.com](https://www.ups.com)

UPS Access Point™
HUBO MINKENBERG
42 HOOFDSTRAAT
HERKENBOSCH 6075AG

UPS Access Point™
DE KEMPENIER
KEMPWEG,56
ROERMOND 6045EJ

UPS Access Point™
BALLOONIE
JULIANALAAN 6
ROERMOND 6042JG

FOLD HERE

<p>CORTINA HENDRIKS 0475353917 ROCKWOOL B.V. LAPINUS DELFSTOFFENWEG 2 6045JH ROERMOND NETHERLANDS</p> <p>SHIP TO: MR. R. NARAYANAN 91 4426250566 RANE BRAKE LINING LTD AMBATTUR INDUSTRIAL ESTATE PLOT NO. 30 CHENNAI 600050 INDIA</p>	<p>ENV 1 OF 1</p> <p>SHP#: 1870 WRTK M8R DATE: 30 NOV 2020</p> <p>IND 012 9-00</p>  	<p>UPS SAVER</p> <p>1P</p> <p>TRACKING #: 1Z 187 OWR 04 9359 9929</p>		<p>EDI-DOC</p> <p>BILLING: P/P DESC: documents</p> <p>Invoice No.: LF 7801232</p> <p>XCL 20.10.23 NV45 39.0A 11/2020*</p> 
--	---	---	--	--

Rane Brake Lining Ltd.
Attn. Mr. R. Narayanan
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 Chennai
India
+91 4426250566

Date	Our Reference	Subject
Roermond, 30/11/2020	7801232	Shipping docs

Dear Mr. R. Narayanan,

Please find enclosed the shipping documents of your PO 4800152578,71;

- Detailed packinglist (1 original)
- Invoice (1 original)
- Certificate of compliance (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.
Lapinus
Customer Service Department

Corina Hendriks

Rockwool B.V.
Industrieweg 15
6045 JG Roermond / The Netherlands

Our order nr : 7801232

Delivery nr : 31910430

Your order nr: 4800152578, 71

Container nr: MEDU4882337

For: Rane Brake Lining Ltd.
Plot No. 30,
Ambattur Industrial Estate
600050 Chennai
India



DETAILED PACKING LIST

Shipment nr.: 0005932222

Product and dimensions	Type and number of packages	Contents per package in m ³ / m ² / kg	Total quantity per item in m ³ / m ² / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB250, bag 25 kg - pallet 625 kg	1,00	1,00	9375,00	9375,000	9656,250	1210,00 1000,00 1300,00
Lapinus® RBC300, bag 25 kg - pallet 625 kg	1,00	1,00	8125,00	8125,000	8368,750	1210,00 1000,00 1300,00
Promaxon-D, bag 15 kg - pallet 210 kg	154 BAGS	1,00	2310,00	2310,000	2610,300	1150,00 1150,00 1150,00
Lapinus® RB220, bag 16 kg - pallet 400 kg	25 BAGS	1,00	400,00	400,000	418,800	1210,00 1000,00 1300,00
TOTAL:			20210,000	Kgs	21054,100	Kgs

BS469174

Date: 25-11-2020

PACKED ON 40 PALLETS

INVOICE

Invoice address: 15456
Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI
INDIA

Ordered by: 15456
Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI
INDIA

Invoice no. / date: 163668002 / 25.11.2020 Page 1 / 2
Order no. / date: 7801232 / 10.11.2020
Your reference: 4800152578,71
Contactperson: Corina Hendriks



Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
10	Lapinus® RB250 bag 25 kg - pallet 625 kg 29508	9.375,00 KG	9.375,00 KG	2.020,20 1.000 KG	18.939,38
	Stat. No.: 68061000 Delivery No/Date: 31910430 / 26.11.2020 Container Number: MEDU4882337/BS469174 Country of origin: NL				
20	Lapinus® RBC300 bag 25 kg - pallet 625 kg 58071	8.125,00 KG	8.125,00 KG	850,00 1.000 KG	6.906,25
	Stat. No.: 68061000 Delivery No/Date: 31910430 / 26.11.2020 Container Number: MEDU4882337/BS469174 Country of origin: NL				

Delivery date: 26.11.2020 -
Terms of delivery: FCA Roermond
Payment term: 60 days net

Gross/Nett weight: 21.054,100 / 20.210 KG
Transp. volume: 79,910 M3

Delivery address: 15456
Rane Brake Lining Ltd.
Plot No. 30
IEC Number 0488032644
Ambattur Industrial Estate
Chennai 600050
India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands
T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01
Bank: ING BANK N.V. | NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

INVOICE
Invoice address: 15456

Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI
INDIA

Invoice no. / date:

163668002 / 25.11.2020

Page 2 / 2



Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
30	Promaxon-D bag 15 kg pallet 210 kg Synthetic hydrated calcium silicate 136919	2.310,00 KG	2.310,00 KG	3.636,00 1.000 KG	8.399,16
	Stat. No.: 28399000 Delivery No/Date: 31910430 / 26.11.2020 Container Number: MEDU4882337/BS469174 Country of origin: BE				
40	Lapinus® RB220 bag 16 kg - pallet 400 kg 20154	400,00 KG	400,00 KG	2.261,70 1.000 KG	904,68
	Stat. No.: 68061000 Delivery No/Date: 31910430 / 26.11.2020 Container Number: MEDU4882337/BS469174 Country of origin: NL				
Amount excl. VAT					35.149,47
Output Tax					0,00

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC

EUR 35.149,47

For attn of

Date 26-11-2020

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Rane Brake Lining Ltd.

Client-orderno 4800152578,71

Lapinus orderno 7801232

**Product: PROMAXON-D
BAG 15 KG PALLET 210 KG
Synthetic hydrated calcium silicate**

Total order Qty: 2.310 kg

Batch no. Batch Qty: 2042333 - 420 kg

Batch no. Batch Qty: 2046081 - 1.050 kg

Batch no. Batch Qty: 2043202 - 420 kg

Batch no. Batch Qty: 2043046 - 420 kg

**Product: Lapinus® RB220
bag 16 kg - pallet 400 kg
bag 16 kg - pallet 400 kg~Note Q fibre**

Total order Qty: 400 kg

Batch no. Batch Qty: 37675686 - 400 kg

**Product: Lapinus® RB250
bag 25 kg - pallet 625 kg
bag 25 kg - pallet 625 kg~Note Q fibre**

Total order Qty: 9.375 kg

Batch no. Batch Qty: 37631796 - 2.500 kg

Batch no. Batch Qty: 37614122 - 5.625 kg

Batch no. Batch Qty: 37791341 - 1.250 kg

**Product: Lapinus® RBC300
bag 25 kg - pallet 625 kg
bag 25 kg - pallet 625 kg~Note Q fibre**

Total order Qty: 8.125 kg

Batch no. Batch Qty: 37450485 - 8.125 kg

302

Promat

Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/Industry

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503470651
article n° 136919
Loading date 30/10/2020

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
20 43 033 1	19-okt-2020	112,80	45,80	0,00	1,75	210
20 43 033 2	19-okt-2020	112,80	45,80	0,00	1,75	210
20 43 039 1	20-okt-2020	97,28	49,60	0,00	2,16	210
20 43 039 2	20-okt-2020	97,28	49,60	0,00	2,16	210
20 43 039 3	20-okt-2020	97,28	49,60	0,00	2,16	210
20 43 039 4	20-okt-2020	97,28	49,60	0,00	2,16	210
20 43 039 5	20-okt-2020	97,28	49,60	0,00	2,16	210
20 43 039 6	20-okt-2020	97,28	49,60	0,00	2,16	210
20 43 046 3	20-okt-2020	103,12	46,50	0,00	2,21	210
20 43 046 4	20-okt-2020	103,12	46,50	0,00	2,21	210
20 43 046 5	20-okt-2020	103,12	46,50	0,00	2,21	210
20 43 046 6	20-okt-2020	103,12	46,50	0,00	2,21	210
20 43 055 1	20-okt-2020	114,80	47,90	0,00	2,23	210
20 43 055 2	20-okt-2020	114,80	47,90	0,00	2,23	210
20 43 055 3	20-okt-2020	114,80	47,90	0,00	2,23	210
20 43 055 4	20-okt-2020	114,80	47,90	0,00	2,23	210
20 43 063 5	20-okt-2020	114,60	46,00	0,00	2,53	210
20 43 063 6	20-okt-2020	114,60	46,00	0,00	2,53	210
20 43 077 1	20-okt-2020	113,60	44,60	0,06	2,67	210
20 43 077 2	20-okt-2020	113,60	44,60	0,06	2,67	210
20 43 077 3	20-okt-2020	113,60	44,60	0,06	2,67	210
20 43 077 4	20-okt-2020	113,60	44,60	0,06	2,67	210
20 43 077 5	20-okt-2020	113,60	44,60	0,06	2,67	210
20 43 077 6	20-okt-2020	113,60	44,60	0,06	2,67	210
20 43 083 1	20-okt-2020	111,36	45,50	0,00	1,95	210
20 43 083 2	20-okt-2020	111,36	45,50	0,00	1,95	210



Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503470651
article n° 136919
Loading date 30/10/2020

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
20 43 083 3	20-okt-2020	111,36	45,50	0,00	1,95	210
20 43 083 4	20-okt-2020	111,36	45,50	0,00	1,95	210
20 43 091 1	20-okt-2020	108,40	47,10	0,97	2,62	210
20 43 091 2	20-okt-2020	108,40	47,10	0,97	2,62	210
20 43 091 3	20-okt-2020	108,40	47,10	0,97	2,62	210
20 43 091 4	20-okt-2020	108,40	47,10	0,97	2,62	210
20 43 091 5	20-okt-2020	108,40	47,10	0,97	2,62	210
20 43 091 6	20-okt-2020	108,40	47,10	0,97	2,62	210
20 43 095 1	20-okt-2020	110,80	54,30	0,70	1,93	210
20 43 095 2	20-okt-2020	110,80	54,30	0,70	1,93	210
20 43 095 3	20-okt-2020	110,80	54,30	0,70	1,93	210
20 43 095 4	20-okt-2020	110,80	54,30	0,70	1,93	210
20 43 095 5	20-okt-2020	110,80	54,30	0,70	1,93	210
20 43 095 6	20-okt-2020	110,80	54,30	0,70	1,93	210
20 43 095 7	20-okt-2020	110,80	54,30	0,70	1,93	210
20 43 095 8	20-okt-2020	110,80	54,30	0,70	1,93	210
20 43 102 1	21-okt-2020	110,04	48,40	0,00	2,09	210
20 43 102 2	21-okt-2020	110,04	48,40	0,00	2,09	210
20 43 102 3	21-okt-2020	110,04	48,40	0,00	2,09	210
20 43 102 4	21-okt-2020	110,04	48,40	0,00	2,09	210
20 43 102 5	21-okt-2020	110,04	48,40	0,00	2,09	210
20 43 102 6	21-okt-2020	110,04	48,40	0,00	2,09	210
						10 080

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503491996
article n° 136919
Loading date 16/11/2020

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
20 43 202 3	22-okt-2020	106,08	52,90	0,71	2,15	210
20 43 202 4	22-okt-2020	106,08	52,90	0,71	2,15	210
20 42 333 7	17-okt-2020	103,52	52,90	0,68	1,34	210
20 42 333 8	17-okt-2020	103,52	52,90	0,68	1,34	210
20 43 046 1	20-okt-2020	103,12	46,50	0,00	2,21	210
20 43 046 2	20-okt-2020	103,12	46,50	0,00	2,21	210
20 45 414 5	09-nov-2020	104,00	54,20	0,48	2,87	210
20 45 414 6	09-nov-2020	104,00	54,20	0,48	2,87	210
20 46 005 1	09-nov-2020	108,20	50,30	0,00	1,92	210
20 46 005 2	09-nov-2020	108,20	50,30	0,00	1,92	210
20 46 005 3	09-nov-2020	108,20	50,30	0,00	1,92	210
20 46 005 4	09-nov-2020	108,20	50,30	0,00	1,92	210
20 46 005 5	09-nov-2020	108,20	50,30	0,00	1,92	210
20 46 005 6	09-nov-2020	108,20	50,30	0,00	1,92	210
20 46 008 1	09-nov-2020	110,68	45,60	0,00	2,57	210
20 46 008 2	09-nov-2020	110,68	45,60	0,00	2,57	210
20 46 008 3	09-nov-2020	110,68	45,60	0,00	2,57	210
20 46 008 4	09-nov-2020	110,68	45,60	0,00	2,57	210
20 46 008 5	09-nov-2020	110,68	45,60	0,00	2,57	210
20 46 008 6	09-nov-2020	110,68	45,60	0,00	2,57	210
20 46 014 1	09-nov-2020	110,24	47,60	0,81	2,46	210
20 46 014 2	09-nov-2020	110,24	47,60	0,81	2,46	210
20 46 014 3	09-nov-2020	110,24	47,60	0,81	2,46	210
20 46 014 4	09-nov-2020	110,24	47,60	0,81	2,46	210
20 46 014 5	09-nov-2020	110,24	47,60	0,81	2,46	210
20 46 014 6	09-nov-2020	110,24	47,60	0,81	2,46	210



Bosstraat 24
B-2830-Tienen
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503491996
article n° 136919
Loading date 16/11/2020

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
-----------	-----------------	------------------	--------------------------	-------------------------	------------	-------------

20 46 014 7	09-nov-2020	110,24	47,60	0,81	2,46	210
20 46 014 8	09-nov-2020	110,24	47,60	0,81	2,46	210
20 46 026 1	09-nov-2020	99,12	47,30	0,00	1,34	210
20 46 026 2	09-nov-2020	99,12	47,30	0,00	1,34	210
20 46 026 3	09-nov-2020	99,12	47,30	0,00	1,34	210
20 46 026 4	09-nov-2020	99,12	47,30	0,00	1,34	210
20 46 026 5	09-nov-2020	99,12	47,30	0,00	1,34	210
20 46 026 6	09-nov-2020	99,12	47,30	0,00	1,34	210
20 46 081 1	10-nov-2020	107,08	52,30	0,42	2,40	210
20 46 081 2	10-nov-2020	107,08	52,30	0,42	2,40	210
20 46 081 3	10-nov-2020	107,08	52,30	0,42	2,40	210
20 46 081 4	10-nov-2020	107,08	52,30	0,42	2,40	210
20 46 081 5	10-nov-2020	107,08	52,30	0,42	2,40	210
20 46 081 6	10-nov-2020	107,08	52,30	0,42	2,40	210
20 46 109 1	11-nov-2020	102,68	50,60	0,06	2,49	210
20 46 109 2	11-nov-2020	102,68	50,60	0,06	2,49	210
20 46 109 3	11-nov-2020	102,68	50,60	0,06	2,49	210
20 46 109 4	11-nov-2020	102,68	50,60	0,06	2,49	210
20 46 109 5	11-nov-2020	102,68	50,60	0,06	2,49	210
20 46 109 6	11-nov-2020	102,68	50,60	0,06	2,49	210
20 46 109 7	11-nov-2020	102,68	50,60	0,06	2,49	210
20 46 109 8	11-nov-2020	102,68	50,60	0,06	2,49	210

Test report Date : 2-11-2020

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 30-10-2020

Product : Lapinus® RB220

bag 16 kg - pallet 400 kg

bag 16 kg - pallet 400 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
37675686		200,00	280,00	180	280

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.	Max.	
37675686	Shot > 125 µm	0,04	0,16	0.2	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.

4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 10-11-2020

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 9-11-2020

Product : Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
37614122		113,00	125,00	100	150

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.	Max.	
37614122	Shot > 125 µm	0,49	0,74	1.0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.

4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 11-11-2020

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 10-11-2020

Product : Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
37631796		113,00	125,00	100	150

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.	Max.	
37631796	Shot > 125 µm	0,36	0,78	1.0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 20-11-2020

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 19-11-2020

Product : Lapinus® RB250
bag 25 kg - pallet 625 kg
bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
37791341		113,00	125,00	100	150

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.	Max.	
37791341	Shot > 125 µm	0,36	0,78	1.0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 23-10-2020

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 22-10-2020
Product : Lapinus® RBC300
bag 25 kg - pallet 625 kg
bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
37450485		110,00	110,00	105	200

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.	Max.	
37450485	Shot > 125 µm	18,65	21,12	30.0	

- Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
- Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.