





View/Print Label

1. Ensure there are no other shipping or tracking labels attached to your parcel. Select the Print button on the dialogue box that appears. Note: If your browser does not support this function, select Print from the File menu to print the label.
2. Fold the printed label at the solid line below. Place the label in a UPS Shipping Pouch. If you do not have a pouch, affix the folded label using clear plastic shipping tape over the entire label.
3. Collection and Drop-off:
  - o If you have a scheduled collection, have your shipment(s) ready for the driver as usual.
  - o To Schedule a Collection or find a UPS location, visit UPS.com

UPS Access Point™	HUBO MINKENBERG	42 HOOFDSTRAAT	HERKENBOSCH 6075AG
UPS Access Point™	DE KEMPENIER	KEMPWEG,56	ROERMOND 6045EJ
UPS Access Point™	HOMER SERVICEPOINT SHOW	MOBILE	ORANJELAAN 73A
			ROERMOND 6042BC

FOLD HERE

CORINA HENDRIKS 0475353917 ROCKWOOL B.V. LAPINUS DELSTOFFENWEG 2 6045JH ROERMOND NETHERLANDS		ENV SHP#: 1870 WRTF XDV DATE: 19 NOV 2021	1 OF 1
SHIP TO: MR. PRABHU / MS. DHIVA 91 4426250566 RANE BRAKE LINING LTD AMBATTUR INDUSTRIAL ESTATE PLOT NO. 30 CHENNAI 600050 INDIA			
		IND 012 9-00 	
UPS SAVER		1P	
TRACKING #: 1Z 187 0WR 04 9295 8793			
			
BILLING: P/P DESC: documents  EDI-DOC			
Invoice No.: LF 8589476			
XOL 21.11.24		NV45 47.0A 11/2021*	

Rane Brake Lining Ltd.  
Attn. Mr. Prabhu / Ms. Dhivya  
Plot No. 30,  
IEC Number 0488032644  
Ambattur Industrial Estate  
600050 Chennai  
India  
+91 4426250566

Date	Our Reference	Subject
Roermond, 19/11/2021	8589476	Shipping docs

Dear Mr. R. Narayanan,

Please find enclosed the shipping documents of your PO 4800163210;

- Detailed packinglist (1 original)
- Invoice (1 original)
- Certificate of compliance (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.  
Lapinus  
**Customer Service Department**

Corina Hendriks

Rockwool B.V.  
Industrieweg 15  
6045 JG Roermond / The Netherlands

Our order nr : 8589476  
Delivery nr : 32758108  
Your order nr : 4800163210  
Container nr : FCIU7492896

For: Rane Brake Lining Ltd.  
Plot No. 30,  
Ambattur Industrial Estate  
600050 Chennai  
India



Shipment nr.: 0006540073

DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m <sup>3</sup> / m <sup>2</sup> / Kg	Total quantity per item in m <sup>3</sup> / m <sup>2</sup> / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB250, bag 25 kg	-pallet 625 kg					
25,0	0,1 5000 Kilogram	1,00	5000,00	5000,000	5150,000	1210,00 1000,00 1300,00
Lapinus® RBC300, bag 25 kg	-pallet 625 kg					
25,0	1,0 6875 Kilogram	1,00	6875,00	6875,000	7081,250	1210,00 1000,00 1300,00
Promaxon-D, bag 15 kg	pallet 210 kg					
15,0	3780 Kilogram	1,00	3780,00	3780,000	4271,400	1150,00 1150,00 1150,00
Lapinus® RB220, bag 16 kg	-pallet 400 kg					
	800 Kilogram	1,00	800,00	800,000	837,600	1210,00 1000,00 1300,00
TOTAL:				16455,000 Kgs	17340,250 Kgs	

BS533594

Date: 17-11-2021

777 BAGS PACKED ON 39 PALLETS

**INVOICE**
**Invoice address: 15456**

Rane Brake Lining Ltd.  
Plot No. 30,  
IEC Number 0488032644  
Ambattur Industrial Estate  
600050 CHENNAI  
INDIA

**Ordered by: 15456**

Rane Brake Lining Ltd.  
Plot No. 30,  
IEC Number 0488032644  
Ambattur Industrial Estate  
600050 CHENNAI  
INDIA



**ROCKWOOL B.V.**  
P.O. Box 1160  
6040 KD Roermond  
The Netherlands

Invoice no. / date: 163767257 / 17.11.2021 Page 1 / 2  
Order no. / date: 8589476 / 25.10.2021  
Your reference: 4800163210  
Contactperson: Sonja van der Haar

Item	Material	Number	Quantity	Price	Amount
	<b>Material description</b>	<b>Unit</b>	<b>Unit</b>	<b>Unit</b>	
	Country of origin: The Netherlands Country of acquisition: The Netherlands Description of goods: Rockwool mineral Fibres All Lapinus (r) products = Note Q fibres				
10	Lapinus® RB250 bag 25 kg - pallet 625 kg 29508	5.000,00 KG	5.000,00 KG	2.121,00 1.000 KG	10.605,00
	Stat. No.: 68061000 Delivery No/Date: 32758108 / 12.11.2021 Container Number: FCIU7492896/BS533594 Country of origin: NL				
20	Lapinus® RBC300 bag 25 kg - pallet 625 kg 58071	6.875,00 KG	6.875,00 KG	850,00 1.000 KG	5.843,75
	Stat. No.: 68061000 Delivery No/Date: 32758108 / 12.11.2021 Container Number: FCIU7492896/BS533594 Country of origin: NL				

Delivery date: 12.11.2021 -  
Terms of delivery: FCA Roermond  
Payment term: 60 days net  
  
Gross/Nett weight: 17.340,250 / 16.455 KG  
Transp. volume: 81,205 M3

**Delivery address: 15456**  
Rane Brake Lining Ltd.  
Plot No. 30  
IEC Number 0488032644  
Ambattur Industrial Estate  
Chennai 600050  
India

Rockwool B.V. | Industrieweg 15, 6045 JG Roermond, The Netherlands | Postbus 1160, 6040 KD Roermond, The Netherlands  
T: +31 (0) 475 35 35 35 | E: cs@lapinus.com | www.lapinus.com | KvK Nederland 13014428 | VAT NL0016.96.592.B01 | EORI NL001696592  
Bank: ING BANK N.V. | NL87 INGB 0674 2921 11 | BIC/SWIFT INGBNL2A | Beneficiary: ROCKWOOL B.V.

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

**INVOICE**
**Invoice address: 15456**

Rane Brake Lining Ltd.  
Plot No. 30,  
IEC Number 0488032644  
Ambattur Industrial Estate  
600050 CHENNAI  
INDIA



Invoice no. / date: 163767257 / 17.11.2021 Page 2 / 2

Item	Material Material description	Number Unit	Quantity Unit	Price Unit	Amount
30	Promaxon-D bag 15 kg pallet 210 kg Synthetic hydrated calcium silicate 136919	3.780,00 KG	3.780,00 KG	3.636,00 1.000 KG	13.744,08
	Stat. No.: 28399000 Delivery No/Date: 32758108 / 12.11.2021 Container Number: FCIU7492896/BS533594 Country of origin: BE				
40	Lapinus® RB220 bag 16 kg - pallet 400 kg 20154	800,00 KG	800,00 KG	2.375,00 1.000 KG	1.900,00
	Stat. No.: 68061000 Delivery No/Date: 32758108 / 12.11.2021 Container Number: FCIU7492896/BS533594 Country of origin: NL				
Amount excl. VAT					32.092,83
Output Tax			0,00 %		0,00

**Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC**

EUR 32.092,83

For attn of

Date 18-11-2021

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Rane Brake Lining Ltd.

Client-orderno 4800163210

Lapinus orderno 8589476

**Product:** Promaxon-D  
bag 15 kg pallet 210 kg  
Synthetic hydrated calcium silicate

Total order Qty: 3.780 kg

Batch no. Batch Qty: 2140172 - 840 kg

Batch no. Batch Qty: 2141082 - 420 kg

Batch no. Batch Qty: 2134175 - 840 kg

Batch no. Batch Qty: 2135157 - 420 kg

Batch no. Batch Qty: 2135134 - 420 kg

Batch no. Batch Qty: 2135167 - 420 kg

Batch no. Batch Qty: 2133054 - 210 kg

Batch no. Batch Qty: 2134316 - 210 kg

**Product:** Lapinus® RB220  
bag 16 kg - pallet 400 kg  
bag 16 kg - pallet 400 kg~Note Q fibre

Total order Qty: 800 kg

Batch no. Batch Qty: 48164074 - 800 kg

**Product:** Lapinus® RB250  
bag 25 kg - pallet 625 kg  
bag 25 kg - pallet 625 kg~Note Q fibre

Total order Qty: 5.000 kg

Batch no. Batch Qty: 46828941 - 1.250 kg

Batch no. Batch Qty: 46542723 - 3.750 kg

**Product:** Lapinus® RBC300  
bag 25 kg - pallet 625 kg  
bag 25 kg - pallet 625 kg~Note Q fibre

Total order Qty: 6.875 kg

Batch no. Batch Qty: 47502171 - 3.750 kg

Batch no. Batch Qty: 47573948 - 1.875 kg



350  
1

Bormstraat 24  
B-2830 Tiselt  
Belgium  
T +32 (0)15 71 21 86  
F +32 (0)15 71 26 90  
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV  
Gate B  
Energieweg 3  
6045 JE Roermond  
Nederland

PO 4503817243  
article n° 136919  
Loading date 08/10/2021

**ANALYSIS PROMAXON D Synthetic hydrated calcium silicate**  
**VISUAL APPEARANCE: WHITE POWDER**

BATCH NR.				PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21	32	182	1	12.08.2021	111,44	52,40	0,22	2,06	210
21	32	182	2	12.08.2021	111,44	52,40	0,22	2,06	210
21	32	182	3	12.08.2021	111,44	52,40	0,22	2,06	210
21	32	182	4	12.08.2021	111,44	52,40	0,22	2,06	210
21	32	182	5	12.08.2021	111,44	52,40	0,22	2,06	210
21	32	182	6	12.08.2021	111,44	52,40	0,22	2,06	210
21	32	182	7	12.08.2021	111,44	52,40	0,22	2,06	210
21	32	182	8	12.08.2021	111,44	52,40	0,22	2,06	210
21	32	180	1	12.08.2021	112,68	51,40	0,33	1,83	210
21	32	180	2	12.08.2021	112,68	51,40	0,33	1,83	210
21	32	180	3	12.08.2021	112,68	51,40	0,33	1,83	210
21	32	180	4	12.08.2021	112,68	51,40	0,33	1,83	210
21	32	180	5	12.08.2021	112,68	51,40	0,33	1,83	210
21	32	180	6	12.08.2021	112,68	51,40	0,33	1,83	210
21	32	170	1	12.08.2021	109,44	49,50	0,13	1,44	210
21	32	170	2	12.08.2021	109,44	49,50	0,13	1,44	210
21	32	170	3	12.08.2021	109,44	49,50	0,13	1,44	210
21	32	170	4	12.08.2021	109,44	49,50	0,13	1,44	210
21	32	170	5	12.08.2021	109,44	49,50	0,13	1,44	210
21	32	170	6	12.08.2021	109,44	49,50	0,13	1,44	210
21	32	170	7	12.08.2021	109,44	49,50	0,13	1,44	210
21	32	170	8	12.08.2021	109,44	49,50	0,13	1,44	210
21	32	192	1	13.08.2021	105,64	54,80	0,00	1,86	210
21	32	192	2	13.08.2021	105,64	54,80	0,00	1,86	210
21	32	192	3	13.08.2021	105,64	54,80	0,00	1,86	210
21	32	192	4	13.08.2021	105,64	54,80	0,00	1,86	210
21	32	192	5	13.08.2021	105,64	54,80	0,00	1,86	210

**Promat****353**

Bormstraat 24  
B-2830 Tiselt  
Belgium  
T +32 (0)15 71 21 86  
F +32 (0)15 71 26 90  
www.promat.com/industry

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV  
Gate B  
Energieweg 3  
6045 JE Roermond  
Nederland

PO 4503848934  
article n° 136919  
Loading date 04/11/2021

**ANALYSIS PROMAXON D Synthetic hydrated calcium silicate**  
**VISUAL APPEARANCE: WHITE POWDER**

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 35 167 1	02-sep-2021	104,00	52,30	0,26	2,14	210
21 35 167 2	02-sep-2021	104,00	52,30	0,26	2,14	210
21 35 167 3	02-sep-2021	104,00	52,30	0,26	2,14	210
21 35 167 4	02-sep-2021	104,00	52,30	0,26	2,14	210
21 35 167 5	02-sep-2021	104,00	52,30	0,26	2,14	210
21 35 167 6	02-sep-2021	104,00	52,30	0,26	2,14	210
21 35 167 7	02-sep-2021	104,00	52,30	0,26	2,14	210
21 35 167 8	02-sep-2021	104,00	52,30	0,26	2,14	210
21 34 175 1	26-aug-2021	106,00	53,10	0,45	2,14	210
21 34 175 2	26-aug-2021	106,00	53,10	0,45	2,14	210
21 34 175 3	26-aug-2021	106,00	53,10	0,45	2,14	210
21 34 175 4	26-aug-2021	106,00	53,10	0,45	2,14	210
21 34 175 5	26-aug-2021	106,00	53,10	0,45	2,14	210
21 34 175 6	26-aug-2021	106,00	53,10	0,45	2,14	210
21 34 175 7	26-aug-2021	106,00	53,10	0,45	2,14	210
21 34 175 8	26-aug-2021	106,00	53,10	0,45	2,14	210
21 34 169 3	26-aug-2021	104,80	52,90	0,28	1,72	210
21 34 169 4	26-aug-2021	104,80	52,90	0,28	1,72	210
21 34 169 5	26-aug-2021	104,80	52,90	0,28	1,72	210
21 34 169 6	26-aug-2021	104,80	52,90	0,28	1,72	210
21 34 182 1	26-aug-2021	105,60	54,10	0,41	1,81	210
21 34 182 2	26-aug-2021	105,60	54,10	0,41	1,81	210
21 34 182 3	26-aug-2021	105,60	54,10	0,41	1,81	210
21 34 182 4	26-aug-2021	105,60	54,10	0,41	1,81	210
21 34 182 5	26-aug-2021	105,60	54,10	0,41	1,81	210
21 34 182 6	26-aug-2021	105,60	54,10	0,41	1,81	210



354

**Promat**

Bormstraat 24  
B-2830 Tiselt  
Belgium  
T +32 (0)15 71 21 66  
F +32 (0)15 71 26 90  
www.promat.com/industry

To : **ROCKWOOL BV - Lapinus Fibres**

For Customer: Rockwool BV  
Gate B  
Energieweg 3  
6045 JE Roermond  
Nederland

PO 4503857047  
article n° 136919  
Loading date 10/11/2021

**ANALYSIS PROMAXON D Synthetic hydrated calcium silicate**  
**VISUAL APPEARANCE: WHITE POWDER**

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
21 41 097 1	13-okt-2021	99,40	54,30	0,68	0,75	210
21 41 097 2	13-okt-2021	99,40	54,30	0,68	0,75	210
21 41 082 1	13-okt-2021	99,16	53,60	0,83	0,83	210
21 41 082 2	13-okt-2021	99,16	53,60	0,83	0,83	210
21 41 082 3	13-okt-2021	99,16	53,60	0,83	0,83	210
21 41 082 4	13-okt-2021	99,16	53,60	0,83	0,83	210
21 41 082 5	13-okt-2021	99,16	53,60	0,83	0,83	210
21 41 082 6	13-okt-2021	99,16	53,60	0,83	0,83	210
21 40 164 1	07-okt-2021	101,12	55,50	0,00	2,18	210
21 40 164 2	07-okt-2021	101,12	55,50	0,00	2,18	210
21 40 164 3	07-okt-2021	101,12	55,50	0,00	2,18	210
21 40 164 4	07-okt-2021	101,12	55,50	0,00	2,18	210
21 40 164 5	07-okt-2021	101,12	55,50	0,00	2,18	210
21 40 164 6	07-okt-2021	101,12	55,50	0,00	2,18	210
21 40 156 1	07-okt-2021	106,80	47,50	0,68	2,08	210
21 40 156 2	07-okt-2021	106,80	47,50	0,68	2,08	210
21 40 156 3	07-okt-2021	106,80	47,50	0,68	2,08	210
21 40 156 4	07-okt-2021	106,80	47,50	0,68	2,08	210
21 40 156 5	07-okt-2021	106,80	47,50	0,68	2,08	210
21 40 156 6	07-okt-2021	106,80	47,50	0,68	2,08	210
21 35 123 1	02-sep-2021	112,80	52,10	0,00	2,20	210
21 35 123 2	02-sep-2021	112,80	52,10	0,00	2,20	210
21 40 172 1	07-okt-2021	105,60	55,50	0,34	2,20	210
21 40 172 2	07-okt-2021	105,60	55,50	0,34	2,20	210
21 40 172 3	07-okt-2021	105,60	55,50	0,34	2,20	210
21 40 172 4	07-okt-2021	105,60	55,50	0,34	2,20	210
21 40 172 5	07-okt-2021	105,60	55,50	0,34	2,20	210
21 40 172 6	07-okt-2021	105,60	55,50	0,34	2,20	210
21 40 172 7	07-okt-2021	105,60	55,50	0,34	2,20	210
21 40 172 8	07-okt-2021	105,60	55,50	0,34	2,20	210

Test report Date : 10-11-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 9-11-2021

Product : Lapinus® RB220

bag 16 kg - pallet 400 kg

bag 16 kg - pallet 400 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results ( micron )		Limits ( micron )	
		Min.	Max.	Min.	Max.
48164074		200,00	250,00	180	280

Batch no.	Shotcontent	Results ( %wt )		Limits ( %wt )	
		Min.	Max.	Max.	
48164074	Shot > 125 µm	0,06	0,16	0.2	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.

4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 4-10-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 2-10-2021

Product : Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results ( micron )		Limits ( micron )	
		Min.	Max.	Min.	Max.
46828941		113,00	125,00	100	150

Batch no.	Shotcontent	Results ( %wt )		Limits ( %wt )	
		Min.	Max.	Max.	
46828941	Shot > 125 µm	0,51	0,76	1.0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.

4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 4-10-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 2-10-2021

Product : Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results ( micron )		Limits ( micron )	
		Min.	Max.	Min.	Max.
46542723		113,00	125,00	100	150

Batch no.	Shotcontent	Results ( %wt )		Limits ( %wt )	
		Min.	Max.		Max.
46542723	Shot > 125 µm	0,57	0,78		1.0

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.

4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 25-10-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 24-10-2021

Product : Lapinus® RBC300

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results ( micron )		Limits ( micron )	
		Min.	Max.	Min.	Max.
47573948		110,00	123,00	105	200

Batch no.	Shotcontent	Results ( %wt )		Limits ( %wt )	
		Min.	Max.		Max.
47573948	Shot > 125 µm	17,37	20,73		30.0

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.

4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 25-10-2021

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 23-10-2021

Product : Lapinus® RBC300

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results ( micron )		Limits ( micron )	
		Min.	Max.	Min.	Max.
47502171		110,00	123,00	105	200

Batch no.	Shotcontent	Results ( %wt )		Limits ( %wt )	
		Min.	Max.	Max.	
47502171	Shot > 125 µm	18,23	20,66	30.0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.