

Rane Brake Lining Ltd.
Attn. Mr. R. Narayanan
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 Chennai
India
+91 4426250566

Date	Our Reference	Subject
Roermond, 31/03/2020	7298975	Shipping docs

Dear Mr. R. Narayanan,

Please find enclosed the shipping documents of your PO *;

- Detailed packinglist (1 original)
- Invoice (1 original)
- Certificate of compliance (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.

Lapinus

Customer Service Department

Corina Hendriks

Rockwool B.V.
Industrieweg 15
6045 JG Roermond / The Netherlands

Our order nr : 7298975
Delivery nr : 31337844
Your order nr : *

For: Rane Brake Lining Ltd.
Plot No. 30,
Ambattur Industrial Estate
600050 Chennai
India

Shipment nr.: 0005532681

Container nr: MEDU1777662



DETAILED PACKING LIST

Product and dimensions	Type and number of packages	Contents per package in m ³ / m ² / kg	Total quantity per item in m ³ / m ² / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB250, bag 25 kg	-pallet 625 kg	1,00	3125,00	3125,000	3218,750	1210,00 1000,00 1300,00
Lapinus® RBC300, bag 25 kg	-pallet 625 kg	1,00	1250,00	1250,000	1287,500	1210,00 1000,00 1300,00
Promaxon-D, bag 15 kg	pallet 210 kg	1,00	1050,00	1050,000	1186,500	1150,00 1150,00 1150,00
TOTAL:				5425,000 Kgs	5692,750 Kgs	

BS354805
Date: 30-03-2020

PACKED ON 12 PALLETS

INVOICE
Invoice address: 15456

Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI
INDIA

Ordered by: 15456

Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI
INDIA

Invoice no. / date: 163618324 / 30.03.2020
Order no. / date: 7298975 / 12.03.2020
Your reference: *
Contactperson: Corina Hendriks

Page 1 / 2



ROCKWOOL B.V.
P.O. Box 1160
6040 KD Roermond
The Netherlands

Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
	Country of origin: The Netherlands Country of acquisition: The Netherlands Description of goods: Rockwool mineral Fibres All Lapinus (r) products = Note Q fibres				
10	Lapinus® RB250 bag 25 kg - pallet 625 kg 29508	3.125,00 KG	3.125,00 KG	2.020,20 1.000 KG	6.313,13
	Stat. No.: 68061000 Delivery No/Date: 31337844 / 03.04.2020 Container Number: MEDU1777662/BS354805 Country of origin: NL				
20	Lapinus® RBC300 bag 25 kg - pallet 625 kg 58071	1.250,00 KG	1.250,00 KG	850,00 1.000 KG	1.062,50
	Stat. No.: 68061000 Delivery No/Date: 31337844 / 03.04.2020 Container Number: MEDU1777662/BS354805 Country of origin: NL				

Delivery date: 03.04.2020 -
Terms of delivery: FCA Roermond
Payment term: 60 days net

Gross/Nett weight: 5.692,750 / 5.425 KG
Transp. volume: 24,675 M3

Delivery address: 15456

Rane Brake Lining Ltd.
Plot No. 30
IEC Number 0488032644
Ambattur Industrial Estate
Chennai 600050
India

Lapinus, ROCKWOOL B.V, Postbus 1160, 6040 KD Roermond, Industrieweg 15, 6045 JG Roermond, The Netherlands
T +31 (0) 475 35 35 35, E cs@lapinus.com,
KvK Nederland 13014428 VAT NL0016.96.592.B01 ING BANK N.V. NL87 INGB 0674 2921 11 BIC/SWIFT INGBNL2A

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

INVOICE

Invoice address: 15456
Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI
INDIA



ROCKWOOL B.V.
P.O. Box 1160
6040 KB Roermond
The Netherlands

Invoice no. / date: 163618324 / 30.03.2020 Page 2 / 2

Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
30	Promaxon-D				
	bag 15 kg pallet 210 kg				
	Synthetic hydrated calcium silicate				
	136919	1.050,00	1.050,00	3.636,00	3.817,80
		KG	KG	1.000 KG	
	Stat. No.: 28399000				
	Delivery No/Date: 31337844 / 03.04.2020				
	Container Number: MEDU1777662/BS354805				
	Country of origin: BE				
	Amount excl. VAT				11.193,43
	Output Tax		0,00		0,00

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC

EUR 11.193,43



Part of the ROCKWOOL Group

For attn of

Date 31-03-2020

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Rané Brake Lining Ltd.

Client-orderno *

Lapinus orderno 7298975

Product: **PROMAXON-D**
BAG 15 KG PALLET 210 KG
Synthetic hydrated calcium silicate

Total order Qty: 1.050 kg

Batch no. Batch Qty: 2011209 - 420 kg

Batch no. Batch Qty: 2011431 - 420 kg

Batch no. Batch Qty: 2010174 - 210 kg

Product: **Lapinus® RB250**
bag 25 kg - pallet 625 kg
bag 25 kg - pallet 625 kg~Note Q fibre

Total order Qty: 3.125 kg

Batch no. Batch Qty: 34856914 - 3.125 kg

Product: **Lapinus® RBC300**
bag 25 kg - pallet 625 kg
bag 25 kg - pallet 625 kg~Note Q fibre

Total order Qty: 1.250 kg

Batch no. Batch Qty: 34593324 - 1.250 kg

Kind regards

Customer Services

Lapinus
ROCKWOOL B.V.
Industrieweg 15
6045 JG Roermond
PO Box 1160
6040 KD Roermond
The Netherlands

cs@lapinus.com
www.lapinus.com

This document is automatically generated and therefore contains no signature.
LF007/F03 / June 1994

Promat**284**

Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503265519

article n° 136919

Loading date 19/03/2020

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
20 10 167 1	05-mrt-2020	108,80	64,90	0,39	2,17	210
20 10 167 2	05-mrt-2020	108,80	64,90	0,39	2,17	210
20 10 167 3	05-mrt-2020	108,80	64,90	0,39	2,17	210
20 10 167 4	05-mrt-2020	108,80	64,90	0,39	2,17	210
20 10 167 5	05-mrt-2020	108,80	64,90	0,39	2,17	210
20 10 167 6	05-mrt-2020	108,80	64,90	0,39	2,17	210
20 10 174 1	05-mrt-2020	101,20	60,70	0,05	2,00	210
20 10 174 2	05-mrt-2020	101,20	60,70	0,05	2,00	210
20 10 174 3	05-mrt-2020	101,20	60,70	0,05	2,00	210
20 10 174 4	05-mrt-2020	101,20	60,70	0,05	2,00	210
20 10 174 5	05-mrt-2020	101,20	60,70	0,05	2,00	210
20 10 174 6	05-mrt-2020	101,20	60,70	0,05	2,00	210
20 10 192 1	06-mrt-2020	108,80	54,80	0,00	2,90	210
20 10 192 2	06-mrt-2020	108,80	54,80	0,00	2,90	210
20 10 192 3	06-mrt-2020	108,80	54,80	0,00	2,90	210
20 10 192 4	06-mrt-2020	108,80	54,80	0,00	2,90	210
20 10 192 5	06-mrt-2020	108,80	54,80	0,00	2,90	210
20 10 192 6	06-mrt-2020	108,80	54,80	0,00	2,90	210
20 10 377 1	09-mrt-2020	106,80	64,50	0,11	2,86	210
20 10 377 2	09-mrt-2020	106,80	64,50	0,11	2,86	210
20 10 377 3	09-mrt-2020	106,80	64,50	0,11	2,86	210
20 10 377 4	09-mrt-2020	106,80	64,50	0,11	2,86	210
20 10 377 5	09-mrt-2020	106,80	64,50	0,11	2,86	210
20 10 377 6	09-mrt-2020	106,80	64,50	0,11	2,86	210
20 10 382 1	09-mrt-2020	105,20	67,70	0,10	2,47	210
20 10 382 2	09-mrt-2020	105,20	67,70	0,10	2,47	210

Promat



Bornstraat 24
B-2830 Tisseelt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat.com/industry

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4503265519

article n° 136919

Loading date 19/03/2020

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
20 10 382 3	09-mrt-2020	105,20	67,70	0,10	2,47	210
20 10 382 4	09-mrt-2020	105,20	67,70	0,10	2,47	210
20 10 382 5	09-mrt-2020	105,20	67,70	0,10	2,47	210
20 10 382 6	09-mrt-2020	105,20	67,70	0,10	2,47	210
20 11 047 1	10-mrt-2020	108,40	62,40	0,28	2,57	210
20 11 047 2	10-mrt-2020	108,40	62,40	0,28	2,57	210
20 11 047 3	10-mrt-2020	108,40	62,40	0,28	2,57	210
20 11 047 4	10-mrt-2020	108,40	62,40	0,28	2,57	210
20 11 047 5	10-mrt-2020	108,40	62,40	0,28	2,57	210
20 11 047 6	10-mrt-2020	108,40	62,40	0,28	2,57	210
20 11 209 7	12-mrt-2020	104,56	49,50	0,07	2,46	210
20 11 209 8	12-mrt-2020	104,56	49,50	0,07	2,46	210
20 11 219 1	13-mrt-2020	102,40	47,40	0,00	2,09	210
20 11 219 2	13-mrt-2020	102,40	47,40	0,00	2,09	210
20 11 431 1	16-mrt-2020	106,92	60,60	0,00	2,87	210
20 11 431 2	16-mrt-2020	106,92	60,60	0,00	2,87	210
20 11 431 3	16-mrt-2020	106,92	60,60	0,00	2,87	210
20 11 431 4	16-mrt-2020	106,92	60,60	0,00	2,87	210
20 11 431 5	16-mrt-2020	106,92	60,60	0,00	2,87	210
20 11 431 6	16-mrt-2020	106,92	60,60	0,00	2,87	210
20 11 431 7	16-mrt-2020	106,92	60,60	0,00	2,87	210
20 11 431 8	16-mrt-2020	106,92	60,60	0,00	2,87	210

10 080

Test report Date : 25-3-2020

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 24-3-2020

Product : Lapinus® RB250

bag 25 kg - pallet 625 kg

bag 25 kg - pallet 625 kg~Note Q fibre

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
34856914		113,00	125,00	100	150

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.		Max.
34856914	Shot > 125 µm	0,34	0,76		1.0

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 13-2-2020

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 12-2-2020

Product : Lapinus® RBC300
bag 25 kg - pallet 625 kg

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
34593324		110,00	123,00	105	200

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.	Max.	
34593324	Shot > 125 µm	20,51	22,61	30.0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.