





CORINA HENDRIKS 0475353917 ROCKWOOL B.V. LAPINUS DELSTOFFENWEG 2 6045JH ROERMOND NETHERLANDS	0.0 KG	ENV	1 OF 1
SHIP TO: MR. R. NARAYANAN 91 4426250566 RANE BRAKE LINING LTD AMBATTUR INDUSTRIAL ESTATE PLOT NO. 30 CHENNAI 600050 INDIA			
		IND 012 9-00 	
UPS SAVER		1P	
TRACKING #: 1Z 187 OWR 04 9398 2004			
			
BILLING: P/P DESC: Shipping docs		EDI-DOC	
Invoice No.: LF6721752 Purchase No.: LF6721752			
XOL 19 07 32		NV45 12 04 04/2019	

Rane Brake Lining Ltd.
Attn. Mr. R. Narayanan
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 Chennai
India
+91 4426250566

Date	Our Reference	Subject
Roermond, 10/07/2019	6721752	Shipping docs

Dear Mr. R. Narayanan,

Please find enclosed the shipping documents of your PO 4800138075;

- Detailed packinglist (1 original)
- Invoice (1 original)
- Certificate of compliance (1 original)

Hope to have been of service to you.

Kind regards,

Rockwool B.V.

Lapinus

Customer Service Department



Sonja van der Haar

INVOICE

Invoice address: 15456
Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI
INDIA

Ordered by: 15456
Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI
INDIA

Invoice no. / date: 163539934 / 10.07.2019
Order no. / date: 6721752 / 12.06.2019
Your reference: 4800138075
Contactperson: Corina Hendriks

Page 1 / 2



ROCKWOOL B.V.
P.O. Box 1160
6040 KD Roermond
The Netherlands

Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
	Country of origin: The Netherlands Country of acquisition: The Netherlands Description of goods: Rockwool mineral Fibres All Lapinus (r) products = Note Q fibres				
10	Lapinus® RB250 bag 25 kg - pallet 625 kg 29508	1.250,00 KG	1.250,00 KG	2.020,01 1.000 KG	2.525,01
	Stat. No.: 68061000 Delivery No/Date: 30690507 / 05.07.2019 Container Number: TCKU3572438 Country of origin: NL				
20	Promaxon-D bag 15 kg pallet 210 kg Synthetic hydrated calcium silicate 136919	630,00 KG	630,00 KG	3.636,00 1.000 KG	2.290,68
	Stat. No.: 28399000 Delivery No/Date: 30690507 / 05.07.2019 Container Number: TCKU3572438 Country of origin: BE				

Delivery date: 05.07.2019 -
Terms of delivery: FCA Roermond
Payment term: 60 days net

Gross/Nett weight: 2.837 / 2.680 KG
Transp. volume: 14,680 M3

Delivery address: 15456
Rane Brake Lining Ltd.
Plot No. 30
IEC Number 0488032644
Ambattur Industrial Estate
Chennai 600050
India

Lapinus, ROCKWOOL B.V., Postbus 1160, 6040 KD Roermond, Industrieweg 15, 6045 JG Roermond, The Netherlands
T +31 (0) 475 35 35 35, E cs@lapinus.com,
KvK Nederland 13014428 VAT NL0016.96.592.B01 ING BANK N.V. NL87 INGB 0674 2921 11 BIC/SWIFT INGBNL2A

The general terms and conditions of ROCKWOOL BV, as filed with the Chamber of Commerce The Netherlands, are applicable to all our offers and agreements and the execution thereof, more specifically they apply to this order and the execution thereof. You have received a copy of the general terms and conditions of ROCKWOOL BV with the quotation. On your first request we will send you a new copy. Transport cost may be subject to change, actual cost will be invoiced.

INVOICE

Invoice address: 15456
Rane Brake Lining Ltd.
Plot No. 30,
IEC Number 0488032644
Ambattur Industrial Estate
600050 CHENNAI
INDIA



ROCKWOOL B.V.
P.O. Box 1160
6040 KB Roermond
The Netherlands

Invoice no. / date: 163539934 / 10.07.2019

Page 2 / 2

Item	Material	Number	Quantity	Price	Amount
	Material description	Unit	Unit	Unit	
30	Lapinus® RB220				
	bag 16 kg - pallet 400 kg				
	20154	800,00	800,00	2.260,01	1.808,01
		KG	KG	1.000 KG	

Stat. No.: 68061000

Delivery No/Date: 30690507 / 05.07.2019

Container Number: TCKU3572438

Country of origin: NL

Amount excl. VAT

6.623,70

Output Tax

0,00

0,00

Export supply 0% VAT # art. 146 (1) VAT Directive 2006/112/EC

EUR

6.623,70

Rockwool B.V.

Industrieweg 15

6045 JG Roermond / The Netherlands

Our order nr : 6721752

Delivery nr : 30690507

Your order nr : 4800138075

Container nr : TCKU3572438

For: Rane Brake Lining Ltd.

Plot No. 30,

Ambattur Industrial Estate

600050 Chennai

India

Shipment nr.: 0005083875



DETAILED PACKING LIST


Product and dimensions	Type and number of packages	Contents per package in m' / m ² / kg	Total quantity per item in m' / m ² / kg	Total net weight per item kgs	Total gross weight per item kgs	Dimensions in m per package
Lapinus® RB250, bag 25,0	kg -pallet 625 kg	1,00	1250,00	1250,000	1287,500	1210,00 1000,00 1300,00
Promaxon-D, bag 15,0	50 BAGS pallet 210 kg	1,00	630,00	630,000	711,900	1150,00 1150,00 1150,00
Lapinus® RB220, bag 16	42 BAGS kg -pallet 400 kg	1,00	800,00	800,000	837,600	1210,00 1000,00 1300,00
TOTAL:				2680,000 Kgs	2837,000 Kgs	

BS384039

Date: 10-07-2019

PACKED ON 7 PALLETS

UITVOERGELEIDEDOCUMENT

Afzender / Exporteur(2) Rockwool B.V.		Nr. NL001696592		1 SOORT AANGIFTE			
Industrieweg 15 6045 JG NL		Roermond		EX A			
				Formulieren (3)		Aang. veil.(S00)	
Geadresseerde(8) Rane Brake Lining Ltd.		Nr.		Artikelen(5) 2,0		Totaal Colli(6) 142,0	
Ambattur Industrial Estate 600050 INDIA		Chennai		Referentienummer (7) RIT :0005083875		Datum van afgifte: 2019-07-10 Douanekantoor: 0396	
				Code betalingswijze vervoerskosten (S29) ---		Code L. verz. / uitv. (15) a NL	
				Code(s) land(en) die deel uitmaken van het vervoertraject (S13)		Code L. bestemming(17) a IN	
Aangever/Vertegenwoordiger (14) Rockwool B.V. Industrieweg 15 6045 JG NL NEDERLAND (1) AANGEVER		Nr. NL001696592		Vertegenwoordiger indiener summieze aangifte (14b) Nr.			
Identiteit en nationaliteit van het vervoermiddel bij vertrek (18) Truck				35 Brutomassa (kg) 2.837,000			
Vervoerswijze aan 1 de grens (25)		Plaats van de goederen (30) 6045 JG 15		Verzegelingsnummer (S26)			
29 Kantoor van uitgang NL000396							

Colli en omschrijving van de goederen(31)

Merken en nummers - Container(s) nr(s) - Aantal en soort

ZIE LIJST VAN ARTIKELEN

E CONTROLE DOOR HET KANTOOR VAN UITGANG

Uitslag:
Aangebrachte verzegeling: Aantal:
merken:
Termijn (uiterste datum):

K CONTROLE DOOR HET KANTOOR VAN UITGANG

Datum van aankomst:
Controle van de verzegeling:

Opmerkingen:

For attn of

Date 10-07-2019

Please find attached Test Report of compliance with the order (EN 10204: 2004 / 2.2)

Client Rane Brake Lining Ltd.

Client-orderno 4800138075

Lapinus orderno 6721752

**Product: PROMAXON-D
BAG 15 KG PALLET 210 KG
Synthetic hydrated calcium silicate**

Total order Qty: 630 kg

Batch no. Batch Qty: 1918077 - 420 kg

Batch no. Batch Qty: 1918105 - 210 kg

**Product: Lapinus® RB220
bag 16 kg - pallet 400 kg**

Total order Qty: 800 kg

Batch no. Batch Qty: 31973232 - 800 kg

**Product: Lapinus® RB250
bag 25 kg - pallet 625 kg**

Total order Qty: 1.250 kg

Batch no. Batch Qty: 32481668 - 625 kg

Batch no. Batch Qty: 32332677 - 625 kg

Kind regards

Customer Services

Lapinus
ROCKWOOL B.V.
Industrieweg 15
6045 JG Roermond
PO Box 1160
6040 KD Roermond
The Netherlands

cs@lapinus.com
www.lapinus.com

This document is automatically generated and therefore contains no signature.
LF007/F03 / June 1994

Promat

Bornstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat-industry.be

250

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4502948665

article n° 136919

Loading date 09/05/2019

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
19 18 051 1	30-apr-2019	111,36	53,14	0,00	2,74	210
19 18 051 2	30-apr-2019	111,36	53,14	0,00	2,74	210
19 18 051 3	30-apr-2019	111,36	53,14	0,00	2,74	210
19 18 051 4	30-apr-2019	111,36	53,14	0,00	2,74	210
19 18 051 5	30-apr-2019	111,36	53,14	0,00	2,74	210
19 18 051 6	30-apr-2019	111,36	53,14	0,00	2,74	210
19 18 055 1	30-apr-2019	109,12	51,92	0,00	2,64	210
19 18 055 2	30-apr-2019	109,12	51,92	0,00	2,64	210
19 18 055 3	30-apr-2019	109,12	51,92	0,00	2,64	210
19 18 055 4	30-apr-2019	109,12	51,92	0,00	2,64	210
19 18 055 5	30-apr-2019	109,12	51,92	0,00	2,64	210
19 18 055 6	30-apr-2019	109,12	51,92	0,00	2,64	210
19 18 064 1	30-apr-2019	113,20	50,67	0,00	2,23	210
19 18 064 2	30-apr-2019	113,20	50,67	0,00	2,23	210
19 18 077 1	30-apr-2019	107,12	49,36	0,00	1,95	210
19 18 077 2	30-apr-2019	107,12	49,36	0,00	1,95	210
19 18 077 3	30-apr-2019	107,12	49,36	0,00	1,95	210
19 18 077 4	30-apr-2019	107,12	49,36	0,00	1,95	210
19 18 077 5	30-apr-2019	107,12	49,36	0,00	1,95	210
19 18 077 6	30-apr-2019	107,12	49,36	0,00	1,95	210
19 18 080 1	30-apr-2019	114,88	49,96	0,00	1,95	210
19 18 080 2	30-apr-2019	114,88	49,96	0,00	1,95	210
19 18 080 3	30-apr-2019	114,88	49,96	0,00	1,95	210
19 18 080 4	30-apr-2019	114,88	49,96	0,00	1,95	210
19 18 080 5	30-apr-2019	114,88	49,96	0,00	1,95	210
19 18 080 6	30-apr-2019	114,88	49,96	0,00	1,95	210

Promat

Bormstraat 24
B-2830 Tiselt
Belgium
T +32 (0)15 71 21 86
F +32 (0)15 71 26 90
www.promat-industry.be

250

To : ROCKWOOL BV - Lapinus Fibres

For Customer: Rockwool BV
Gate B
Energieweg 3
6045 JE Roermond
Nederland

PO 4502948665

article n° 136919

Loading date 09/05/2019

ANALYSIS PROMAXON D Synthetic hydrated calcium silicate
VISUAL APPEARANCE: WHITE POWDER

BATCH NR.	PRODUCTION DATE	BULK DENSITY g/l	PARTICLE SIZE d(50) (µm)	COARSE PART (%) > 254 µ	MOISTURE %	WEIGHT (kg)
19 18 085 1	01-mei-2019	114,80	49,03	0,00	2,32	210
19 18 085 2	01-mei-2019	114,80	49,03	0,00	2,32	210
19 18 105 1	01-mei-2019	109,20	50,03	0,00	1,74	210
19 18 105 2	01-mei-2019	109,20	50,03	0,00	1,74	210
19 18 105 3	01-mei-2019	109,20	50,03	0,00	1,74	210
19 18 105 4	01-mei-2019	109,20	50,03	0,00	1,74	210
19 18 105 5	01-mei-2019	109,20	50,03	0,00	1,74	210
19 18 105 6	01-mei-2019	109,20	50,03	0,00	1,74	210
19 18 110 1	01-mei-2019	111,04	50,97	0,00	1,25	210
19 18 110 2	01-mei-2019	111,04	50,97	0,00	1,25	210
19 18 110 3	01-mei-2019	111,04	50,97	0,00	1,25	210
19 18 110 4	01-mei-2019	111,04	50,97	0,00	1,25	210
19 18 110 5	01-mei-2019	111,04	50,97	0,00	1,25	210
19 18 110 6	01-mei-2019	111,04	50,97	0,00	1,25	210
19 17 368 3	29-apr-2019	108,20	50,67	0,00	1,45	210
19 17 368 4	29-apr-2019	108,20	50,67	0,00	1,45	210
19 17 375 1	29-apr-2019	103,84	53,69	0,00	1,73	210
19 17 375 2	29-apr-2019	103,84	53,69	0,00	1,73	210
19 17 141 1	24-apr-2019	112,60	58,58	0,00	1,85	210
19 17 141 2	24-apr-2019	112,60	58,58	0,00	1,85	210
19 17 141 3	24-apr-2019	112,60	58,58	0,00	1,85	210
19 17 141 4	24-apr-2019	112,60	58,58	0,00	1,85	210

10 080

Test report Date : 19-4-2019

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 18-4-2019

Product : Lapinus® RB220
bag 16 kg - pallet 400 kg

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
31973232		180,00	250,00	180	280

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.		Max.
31973232	Shot > 125 µm	0,02	0,16		0.2

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 12-6-2019

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 11-6-2019

Product : Lapinus® RB250
bag 25 kg - pallet 625 kg

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
32332677		113,00	125,00	100	150

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.	Max.	
32332677	Shot > 125 µm	0,37	0,62	1.0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.
4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.

Test report Date : 24-6-2019

TEST REPORT of compliance with the order (EN 10204: 2004 / 2.2)

1.

Prod. Date : 23-6-2019

Product : Lapinus® RB250
bag 25 kg - pallet 625 kg

2. Testresults

Batch no.	Fibre length	Results (micron)		Limits (micron)	
		Min.	Max.	Min.	Max.
32481668		113,00	125,00	100	150

Batch no.	Shotcontent	Results (%wt)		Limits (%wt)	
		Min.	Max.	Max.	
32481668	Shot > 125 µm	0,50	0,62	1.0	

3. Herewith we declare the above mentioned test results being representative for the batch and in compliance with the product information sheet.

4. Our material is REACH registered and does not contain SVHC substances under REACH >0.1%.

Site	Telephone number	Contact	Fax number
Roermond	+31 475 353354	Customer Service	+31 475 353677

This document is automatically generated and therefore contains no signature.

LF007/F03 / June 1994

The information contained herein is based upon data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data, the results to be obtained from their use thereof, or any such use will not infringe upon any patent. This information is furnished only as a guide and upon the condition that the person receiving it shall make tests to determine its accuracy and suitability for his or her own purpose.