

```

4      stack<char> st;
5      for (char c : s) {
6          if (c == '(' || c == '{'
|| c == '[') {
7              st.push(c);
8          } else {
9              if (st.empty())
return false;
10             char top = st.top();
11             st.pop();
12             if ((c == ')' && top
!= '(') ||
13                 (c == '}' && top
!= '{') ||
14                 (c == ']' && top
!= '[')) {

```

Ln 19, Col 27 | Saved

Run

Submit

Testcase

```

1  "()"
2  "()[]{}"
3  "]"
4  "({[)"

```

👍 27.9K



💬 658



Description

Solutions

Submissions

```

10 char top = st.top();
11 st.pop();
12 if ((c == ')') && top
    != '(') ||
13     (c == '}' && top
    != '{') ||
14     (c == ']' && top
    != '[')) {
15     return false;
16 }
17 }
18 }
19 return st.empty();
20
21
22 }
23 };

```

Ln 19, Col 27 | Saved

Run

Submit

Testcase

```

1  "()"
2  "()[]{}"
3  "["

```

 27.9K

 658


Description

Solutions

Submissions

```
4      \ \ ] ]  
5      "([)]"
```



5/8 testcases | Line 1 | Case 1: s

Result

**Accepted** 0 ms

Case 1



Case 2



Case 3



Case 4



Case 5

Input

```
s =  
"()"
```

Output

true

Expected

true



27.9K



658

