

Enbrel (Etanercept Family) Literature Safety Surveillance Report

Enbrel / etanercept family | PubMed | 2025-09-13 to 2026-09-13

Report date	2026-09-14
Version / status	1.0 / Final after alignment/QC
Prepared by	Rita Rui-Ci Lin, PhD
Jurisdiction	United States / FDA
Reference safety information	Current FDA-approved Enbrel US Prescribing Information available at the time of the literature review
RSI date	DailyMed updated 2026-05-11; prescribing information revised 10/2024
Reporting framework	ICH E2D(R1), supplemented by applicable FDA postmarketing requirements; ICH E2C(R2) principles used for aggregate relevance

This portfolio report supports transparent literature surveillance and medical review. It does not replace company case-processing procedures, duplicate review, local reporting rules, or regulatory medical judgment.

Executive summary

- The sensitive PubMed search retrieved 275 unique records for the Enbrel/etanercept family during 2025-09-13 through 2026-09-13. All were screened; 99 were included and 176 excluded. Fifty-one included publications were reviewed in full and 48 remained abstract/title limited.
- Forty-two case-like publications were deliberately retained, including therapeutic-success reports and untagged letters. After reviewer alignment, nine potential individual literature ICSRs were identified: three serious infection cases, two serious neurologic/demyelinating cases, two specific autoimmune/renal cases, one malignancy title-only case, and one infant lactational-exposure case.
- Expected serious risks were represented by sepsis/opportunistic infection and demyelinating neurologic events. Sarcoidosis with panuveitis and membranous nephropathy/ANCA vasculitis were assessed as specific unexpected events against the current U.S. prescribing information.
- High-priority aggregate topics included pediatric etanercept-associated autoimmune disorders (uveitis, paradoxical psoriasis, inflammatory bowel disease, and multiple sclerosis), a FAERS retroperitoneal-fibrosis signal, demyelination and uveitis signals, and severe infection outcomes in highly immunosuppressed transplant populations.
- Publication-derived classifications support surveillance and medical review; they do not replace company SOPs, duplicate checks, source follow-up, coding, causality assessment, or regional submission decisions.

Retrieved	Deduplicated	Screened	Included	Excluded
275	275	275	99	176
Full text available	Full text reviewed	Full text unavailable	Publications	Potential cases*
51	51	48	99	9

*Potential cases are publication-derived candidates; final processing and submission are procedure- and region-dependent.

Scope, database, and methods

Product terms	etanercept; Enbrel; Erelzi; etanercept-szzs; Eticovo; etanercept-ykro; Benepali; Brenzys; Nepexto; Yisaipu; Etacept; TNR-001; SB4; GP2015; LBEC0101; YLB113; etanercept MeSH term
Database / interface	PubMed / PubMed/NCBI E-utilities
Timeframe	2025-09-13 to 2026-09-13
Search executed	2026-09-13 America/Los_Angeles
Date field	PubMed Date - Publication (inclusive range); electronic-publication timing may cause an issue date outside the day-level boundary to appear
Exact query	(etanercept[Title/Abstract] OR Enbrel[Title/Abstract] OR Erelzi[Title/Abstract] OR "etanercept-szzs"[Title/Abstract] OR Eticovo[Title/Abstract] OR "etanercept-ykro"[Title/Abstract] OR Benepali[Title/Abstract] OR Brenzys[Title/Abstract] OR Nepexto[Title/Abstract] OR Yisaipu[Title/Abstract] OR Etacept[Title/Abstract] OR "TNR-001"[Title/Abstract] OR SB4[Title/Abstract] OR GP2015[Title/Abstract] OR LBEC0101[Title/Abstract] OR YLB113[Title/Abstract] OR etanercept[MeSH Terms]) AND ("2025/09/13"[Date - Publication] : "2026/09/13"[Date - Publication])
Supplemental methods	A supplemental case-focused query used Case Reports/Letter publication types plus case, cases, series, patient(s), treated with, and successful treatment terms. It returned 209 records and added zero records after deduplication against the broad search. Case-like therapeutic articles and untagged letters were also manually screened.
Limits	None; None

Search notes

Raw PubMed XML/JSON metadata and identifiers were preserved. Deduplication by PMID found 275 unique records. Full text was sought through PMC/Europe PMC, publisher/DOI routes, and publicly accessible lawful sources. Access status was checked 2026-09-13.

Screening reconciliation

The search retrieved 275 record(s); 275 unique record(s) were retained, 275 were screened, 99 were included, and 176 were excluded. Full text was available for 51 included publication(s), and 51 were reviewed in full.

Full-text availability

ID	Publication	Status	Review basis
42726440	Drugs associated with retroperitoneal fibrosis: assessment of the 1969-2025 Food and Drug Administration (FDA) pharmacovigilance database.	Abstract only	abstract
42707435	Etanercept in Steroid-Refractory Acute Graft Versus Host Disease: Clinical Response, Toxicity, and Long-Term Outcomes.	PMC/Europe PMC open full text	full text
42652926	Lamotrigine-Induced Toxic Epidermal Necrolysis with Multiorgan Failure, Pneumatoxis Intestinalis and Chronic Ocular Complications.	PMC/Europe PMC open full text	full text
42631301	Rapid Improvement in Cerebral Palsy Following Treatment With Perispinal Etanercept: A Case Report.	PMC/Europe PMC open full text	full text
42626148	Clinical and laboratory manifestations and treatment of children with TNFRSF1A gene variants.	PMC/Europe PMC open full text	full text
42623272	Chronic nonbacterial osteomyelitis/chronic recurrent multifocal osteomyelitis: A case report and literature review.	Abstract only	abstract
42619801	Patient-Level Risk Characterization of Drug-Associated Hidradenitis Suppurativa Using Machine Learning.	PMC/Europe PMC open full text	full text
42609315	TNF-alpha blockade for carbamazepine-induced drug reaction with eosinophilia and systemic symptoms.	PMC/Europe PMC open full text	full text
42601675	Impact of etanercept on the progression of undifferentiated arthritis to rheumatoid arthritis: A prospective observational study in China.	PMC/Europe PMC open full text	full text
42598350	Cytomegalovirus Gastrointestinal Disease Masquerading as Inflammatory Bowel Disease in a Patient with Occult HIV Infection Receiving Biologics: A Case Report.	PMC/Europe PMC open full text	full text
42591917	Juvenile idiopathic arthritis in DiGeorge syndrome: a case report and literature review.	PMC/Europe PMC open full text	full text
42465193	Incidence and Clinical Characteristics of Herpes Zoster in Patients With Spondyloarthritis Receiving Biologic Therapy: A 36-Month Multicenter Registry-Based Study.	PMC/Europe PMC open full text	full text
42459695	Case Report: TRNT1 related autoinflammatory syndrome in a patient with primary ciliary dyskinesia.	PMC/Europe PMC open full text	full text
42459640	Successful management of pembrolizumab-associated Stevens-Johnson syndrome/toxic epidermal necrolysis in a patient with uterine serous carcinoma: a case report.	PMC/Europe PMC open full text	full text
42434740	Fulminant toxic epidermal necrolysis induced by pucotenlimab in a patient with lung adenocarcinoma: a case report.	PMC/Europe PMC open full text	full text
42431587	Combination therapy with JAK inhibitors and TNF inhibitors in severe refractory rheumatoid arthritis: A monocentric case series.	Abstract only	abstract
42386341	Third salvage haematopoietic stem cell transplantation in a child with very early-onset IBD due to interleukin-10 receptor deficiency.	Abstract only	abstract
42377011	Biologic therapies in pediatric psoriasis: A single-center experience.	Abstract only	abstract
42368393	Pyoderma Gangrenosum Following Cesarean Section: A Case Report With Individualized Management.	Inaccessible	abstract
42365450	TNF inhibitors for the long-term management of juvenile idiopathic arthritis associated uveitis: real-life data from the ITHACA cohort.	Abstract only	abstract

ID	Publication	Status	Review basis
42360669	Safety of Biologic and Targeted Synthetic Disease-Modifying Antirheumatic Drugs in Rheumatoid Arthritis: A Longitudinal Analysis.	Abstract only	abstract
42334449	A cohort study of obese patients with moderate-to-severe psoriasis using biological medicines in Catalonia, Spain.	Abstract only	abstract
42321814	Tumor necrosis factor inhibitor-related autoimmune disorders in pediatric rheumatology practice: a multicenter nationwide study.	PMC/Europe PMC open full text	full text
42289385	Photodistributed RIME Syndrome Treated With Etanercept.	Abstract only	abstract
42266298	Drug Retention of First-Line Biologic Therapies in Rheumatoid Arthritis: Real-World Evidence From a Moroccan Cohort.	PMC/Europe PMC open full text	full text
42232736	Vancomycin-induced linear IgA bullous dermatosis mimicking Stevens-Johnson syndrome/toxic epidermal necrolysis treated with etanercept.	PMC/Europe PMC open full text	full text
42195279	Optimising Therapeutic Intervals for Anti-TNF Biologics in Rheumatoid Arthritis: A Retrospective Real-World Study.	PMC/Europe PMC open full text	full text
42195108	Biological Therapy for Moderate-to-Severe Psoriasis: A 5-Year Analysis of Patients from Lithuania.	PMC/Europe PMC open full text	full text
42187520	Steroid Refractory and Plasma Exchange Partially Responsive Longitudinally Extensive Transverse Myelitis Due to Tumor Necrosis Factor-Alpha (Etanercept): A Case Report.	PMC/Europe PMC open full text	full text
42169865	Prescription Pattern and Safety of Biologics in Autoimmune Rheumatologic Diseases in Tertiary Care Hospital of Bihar.	Inaccessible	abstract
42146074	Efficacy and safety of dual-targeted therapy with tofacitinib and TNF inhibitors in refractory spondyloarthritis: a case series from a tertiary care center.	PMC/Europe PMC open full text	full text
42099987	Evaluating Baricitinib for Severe Paediatric Drug Reaction with Eosinophilia and Systemic Symptoms (DRESS) with Single-Cell Sequencing.	PMC/Europe PMC open full text	full text
42093128	Possible Association Between Etanercept Use During Breastfeeding and Infant Somnolence, Hypotonia, and Feeding Difficulties: A Case Report and Literature Review.	Abstract only	abstract
42082393	Serious infection risk with systemic treatments for psoriasis: a cohort study from the British Association of Dermatologists Biologics and Immunomodulators Register (BADBIR).	Abstract only	abstract
42053669	IgA nephropathy with rheumatoid arthritis related to adalimumab.	Inaccessible	abstract
42025496	Response of ultrasound-assessed synovitis to baricitinib, in monotherapy and combined with methotrexate, compared with etanercept in rheumatoid arthritis: a randomised, international, multicentre trial.	Abstract only	abstract
42019563	Comparative risk of serious infections across biological drugs in patients with psoriatic arthritis or psoriasis: A target trial emulation using the Italian VALORE distributed database network.	Abstract only	abstract
42008598	Drug-associated road traffic accidents: insights from an analysis of the FDA adverse event reporting system (FAERS) database.	Abstract only	abstract
41949339	Recombinant Human Tumor Necrosis Factor Receptor Fusion Protein as Treatment for Gout Flare.	Abstract only	abstract
41932089	Divergent safety profiles of TNF inhibitors in pregnancy: a comprehensive pharmacovigilance analysis of the FAERS database.	Abstract only	abstract
41893999	Asthma Reporting with Anti-TNFalpha Drugs used in Inflammatory Joint Diseases: A Vigibase Study with Disproportionality Analysis.	Abstract only	abstract
41863609	A comprehensive study on drug-related dysphonia: a 20-year disproportionality analysis of the FAERS database.	Abstract only	abstract
41836845	Comparative risk of psoriatic arthritis in psoriasis patients on immunomodulators.	Inaccessible	abstract
41826213	Risk of first and second primary keratinocyte cancers in relation to treatment of rheumatoid arthritis with JAKi, TNFi, and non-TNFi bDMARDs-a Swedish nationwide study.	Abstract only	abstract

ID	Publication	Status	Review basis
41795040	Prognostic Factors for Sideroblastic Anemia with B-cell Immunodeficiency, Periodic Fevers, and Developmental Delay Due to TRNT1 Gene Mutations: A Case Report and Systematic Review.	PMC/Europe PMC open full text	full text
41788075	A case series of rheumatoid arthritis patients exposed to an etanercept biosimilar during pregnancy: Evidence from an increasingly accepted treatment option.	Abstract only	abstract
41766909	Prompt clinical and electrophysiological remission of refractory peripheral neuropathy in long-standing rheumatoid arthritis with tocilizumab: a case report.	PMC/Europe PMC open full text	full text
41750775	Increased Risk of Incident Uveitis Among Patients with Psoriasis: A Nationwide Population-Based Cohort Study.	PMC/Europe PMC open full text	full text
41720406	Tumor Necrosis Factor-alpha Inhibition and the Unmasking of CNS Demyelination across a Large United States Health Research Network.	Abstract only	abstract
41719190	Toxic epidermal necrolysis during chemo-immunotherapy treatment with pembrolizumab.	Abstract only	abstract
41693604	Reactive Infectious Mucocutaneous Eruption (RIME): An Australian Case Series.	Abstract only	abstract
41690515	Tumour necrosis factor-alpha inhibitors, immune-mediated inflammatory diseases, and bloodstream infections: results from a nationwide case-control study.	Abstract only	abstract
41673771	Clinical features, treatment strategies, and long-term outcomes of Blau syndrome: a 10-year experience from a Chinese cohort.	PMC/Europe PMC open full text	full text
41656754	Successful Long-Term Management of Psoriatic Arthritis With Apremilast Following Multiple Myeloma Diagnosis During Etanercept Therapy: A 20-Month Follow-up.	Abstract only	title only
41640918	Necrotizing Soft Tissue Infection at a Self-Administered Subcutaneous Etanercept Injection Site in an Immunosuppressed Patient With Rheumatoid Arthritis: A Case Report.	PMC/Europe PMC open full text	full text
41625033	Recognition of Juvenile Ankylosing Spondylitis in an Adolescent Female Presenting to a Chiropractor.	PMC/Europe PMC open full text	full text
41615861	Cardiovascular Adverse Events of JAK versus TNF Inhibitors using the Korean Pharmacovigilance Database.	Abstract only	abstract
41601665	Hepatobiliary disorders associated with TNF-alpha inhibitors: a pharmacovigilance analysis of FAERS and JADER.	PMC/Europe PMC open full text	full text
41599723	Toward Personalized Withdrawal of TNF-alpha Inhibitors in Non-Systemic Juvenile Idiopathic Arthritis: Predictors of Biologic-Free Remission and Flare.	PMC/Europe PMC open full text	full text
41594165	Hepatic Vascular Involvement in Adenosine Deaminase 2 Deficiency (DADA2): Case Reports and Literature Review.	PMC/Europe PMC open full text	full text
41540584	Advancing Knowledge of Acute Cutaneous Graft-Versus-Host Disease Wound Care: A Case Study.	PMC/Europe PMC open full text	full text
41533222	Use of biologic drugs in juvenile idiopathic arthritis patients followed in an adult rheumatology clinic: real-life data from the HUR-BIO biologic registry.	PMC/Europe PMC open full text	full text
41491690	A case report: Guillain-Barre syndrome probably associated with TNF inhibitor in Blau syndrome.	PMC/Europe PMC open full text	full text
41488442	Dual Antibody Positive Rheumatoid Feet.	PMC/Europe PMC open full text	full text
41486989	IL-6 as a Potential Sensitive Serum Biomarker in Stevens-johnson Syndrome/Toxic Epidermal Necrolysis: Two Case Reports.	Abstract only	abstract
41439945	Unusual Neuropsychiatric Presentation of Cryptococcus neoformans Meningoencephalitis in an Immunosuppressed Patient with Rheumatoid Arthritis: A Case Report.	PMC/Europe PMC open full text	full text
41418419	Increased TNF-alpha in SJS/TEN induced by PD-1 inhibitors supports the combination therapy of etanercept and systemic corticosteroids.	Abstract only	abstract
41377212	The diagnostic and therapeutic challenges of pyoderma gangrenosum in a 32-year-old woman with systemic lupus erythematosus: a case report.	PMC/Europe PMC open full text	full text

ID	Publication	Status	Review basis
41347103	Assessment of myocardial structure and function in rheumatoid arthritis patients treated with biologics: tumor necrosis factor inhibitors and anti-interleukin-6 versus conventional disease-modifying drugs.	PMC/Europe PMC open full text	full text
41342400	Tocilizumab-induced bullous rheumatoid neutrophilic dermatitis: a rare steroid-resistant adverse effect managed with etanercept.	Abstract only	abstract
41331399	Exploring the therapeutic effects of intensified immunosuppressive regimen for preengraftment syndrome after umbilical cord blood transplantation.	PMC/Europe PMC open full text	full text
41329755	Safety profile of TNF- alpha Inhibitors in pediatric patients: A post-marketing surveillance study based on the FAERS database.	PMC/Europe PMC open full text	full text
41327834	Serious Infections in Offspring Exposed to Tumor Necrosis Factor Inhibitors During Pregnancy: Comparison of Timing During Pregnancy and Placental Transfer Ability.	PMC/Europe PMC open full text	full text
41327089	Rare case report: a man with rheumatoid arthritis developed membranous nephropathy and ANCA-associated vasculitis successively.	PMC/Europe PMC open full text	full text
41305703	Global burden of TNF-alpha inhibitors associated demyelinating diseases: A global disproportionality analysis.	PMC/Europe PMC open full text	full text
41287192	Early Initiation of TNF Inhibitors for Tubulointerstitial Nephritis and Uveitis (TINU).	Abstract only	abstract
41239039	On-Label Treatment Persistence Through 24 Months Among Patients with Active Psoriatic Arthritis Initiating Guselkumab or Subcutaneous Tumor Necrosis Factor Inhibitors.	PMC/Europe PMC open full text	full text
41225655	TNF-alpha inhibitor etanercept improves cerebrovascular function in elderly RA patients: findings from a randomized controlled trial.	PMC/Europe PMC open full text	full text
41216914	Prescribing and switching patterns of biologic therapy in patients with psoriasis: real-world experience.	Abstract only	abstract
41196268	Drug-induced osteoporosis/osteopenia: a pharmacovigilance analysis using the FDA Adverse Event Reporting System database.	Abstract only	abstract
41190068	Risk of pulmonary fungal infections associated with biologics: a FAERS database disproportionality analysis.	PMC/Europe PMC open full text	full text
41177310	Evaluation of anti-drug antibodies against therapeutic monoclonal antibodies and related product in Japanese patients with rheumatoid arthritis and their clinical impact.	Abstract only	abstract
41155623	The Association Between Serum Drug Concentration and a Flare in Rheumatoid Arthritis Patients Tapering TNF Inhibitors.	PMC/Europe PMC open full text	full text
41153616	Can We Successfully Discontinue Anti-Tumor Necrosis Factor-alpha Treatment in Children with Non-Systemic Juvenile Idiopathic Arthritis? The Experience of a Tertiary Center.	PMC/Europe PMC open full text	full text
41134488	Changes in weight associated with tumor necrosis factor inhibition in psoriatic arthritis: results from a retrospective cohort study.	Abstract only	abstract
41134194	Effect of treat-to-target strategies on maternal and neonatal outcomes of rheumatoid arthritis: a multicentre real-world ANSWER cohort study.	Abstract only	abstract
41107632	Etanercept-induced sarcoidosis presenting with bilateral panuveitis: diagnostic value of ocular signs and therapeutic response to IL-17A inhibition-a case-based review.	PMC/Europe PMC open full text	full text
41045868	Discontinuation versus continuation of maintenance treatment with tumor necrosis factor inhibitors in patients with rheumatoid arthritis with low disease activity or remission: A randomized double-blind placebo-controlled trial.	Inaccessible	abstract
41001848	Hypersensitivity reactions to biologics in chronic rheumatic diseases: prevalence and associated factors.	Abstract only	abstract
40995168	Immune checkpoint inhibitor-induced toxic epidermal necrolysis responding to repeated dosing of adjuvant therapy with etanercept.	PMC/Europe PMC open full text	full text
40975140	Drug-induced cough risk: A pharmacovigilance study of FDA adverse event reporting system database.	Abstract only	abstract

ID	Publication	Status	Review basis
40944357	Fatal Toxic Epidermal Necrolysis-Like Lupus Erythematosus in a Patient With Metastatic Histiocytic Sarcoma.	Abstract only	title only
40906977	Safety and Efficacy of Perispinal Etanercept for Chronic Stroke: A Randomized Clinical Trial.	PMC/Europe PMC open full text	full text
40903244	Anti-TNF-alpha Treatment Improves the Live Birth Rate and Reduces the Risk of Premature Delivery in Patients with Recurrent Spontaneous Abortion.	Abstract only	abstract
40898804	The Use of Etanercept in the Palliative Treatment of a Patient With Generalised Bullous Fixed Drug Eruption.	PMC/Europe PMC open full text	full text
40702205	Paradoxical psoriasis in pediatric tumor necrosis factor-alpha inhibitor therapy database.	Abstract only	abstract
40657848	Efficacy and Safety of Etanercept in Japanese Patients With Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis Unresponsive to Systemic Steroid Therapy: A Multicenter, Open-Label, Single-Arm Study.	Abstract only	abstract
39828267	Successful treatment of etanercept- and adalimumab-resistant pyoderma gangrenosum with spesolimab, moderate-dose corticosteroids, and minocycline.	Abstract only	abstract
39365557	Infection and infestation-related adverse events of biologics in psoriasis: insights from the Food and Drug Administration Adverse Event Reporting System (FAERS).	Abstract only	abstract

Detailed full-text medical review

1. Etanercept in Steroid-Refractory Acute Graft Versus Host Disease: Clinical Response, Toxicity, and Long-Term Outcomes.

Chichra A, Punatar S, Gokarn A, Mirgh S, Jindal N, Bain G, Shirure V, M V, Bonda A, Nayak L, Bagal B, Kannan S, Mathew L, Khattry N | Blood Cell Ther; 2026 Aug 25 | 2026 Aug 25 | ID: 42707435

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Off-label steroid-refractory aGVHD cohort: 39/43 deaths, 35 infection-related. Extremely serious aggregate outcome, but heavily confounded by transplant, severe GVHD, corticosteroids, and other immunosuppression; no individually linkable cases in the publication tables.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

2. Lamotrigine-Induced Toxic Epidermal Necrolysis with Multiorgan Failure, Pneumatosis Intestinalis and Chronic Ocular Complications.

Szrama J, Smuszkiewicz P, Wozniak A, Lohani A, Zwolinski K, Sobczynski P, Labedz N, Danczak-Pazdrowska A, Pazdrowski P, Mikolajczyk-Lorkiewicz A, Wojciechowska J, Stopa M, Polanska A | Life (Basel); 2026 Jul 27 | 2026 Jul 27 | ID: 42652926

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	No new Enbrel ICSR after reviewer alignment. Lamotrigine-induced TEN predated etanercept rescue, and serious infections were described as TEN/ICU complications during multimodal immunosuppression.
Assessment notes	Aligned with the user on 2026-09-14. Retain as contextual aggregate safety information because infection is a labeled risk and temporal contribution cannot be fully excluded.
Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

3. Rapid Improvement in Cerebral Palsy Following Treatment With Perispinal Etanercept: A Case Report.

Ucci D, Asseraf S, Prieto G, Tucker A, Tobinick E | Cureus; 2026 Aug | 2026 Aug | ID: 42631301

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Four off-label perispinal etanercept treatments for cerebral palsy were reported as well tolerated, with no adverse event.

Assessment notes	Aligned with the user on 2026-09-14. Human case/case-series exposure retained, but no conventional Enbrel ICSR was established from the available information.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

4. Clinical and laboratory manifestations and treatment of children with TNFRSF1A gene variants.

Alexeeva EI, Shingarova MS, Dvoryakovskaya TM, Isaeva KB, Chomakhidze AM, Fetisova AN, Chibisova KV, Krekhova EA, Kriulin IA, Kriulina TY, Tsulukiya IT, Botova MS, Kondratyeva NM, Kokina MY, Makunc AA, Dostiev NA, Savostyanov KV, Pushkov AA, Zhanin IS, Demyanov DS, Kostik MM | World J Clin Pediatr; 2026 Sep 09 | 2026 Sep 09 | ID: 42626148

[Source record](#)

Full-text access	PMC/Europe PMC open full text
Publication disposition	Aggregate effectiveness, persistence, immunogenicity, tolerability, or off-label evidence; no individually extractable new literature ICSR.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

5. Patient-Level Risk Characterization of Drug-Associated Hidradenitis Suppurativa Using Machine Learning.

Maas K, Brewer C, Chai A, Park D, Martin-Pozo M, Phillips E, Mukherjee E | medRxiv; 2026 Jul 27 | 2026 Jul 27 | ID: 42619801

[Source record](#)

Full-text access	PMC/Europe PMC open full text
Publication disposition	FAERS/machine-learning analysis of hidradenitis suppurativa: etanercept had the lowest reporting proportion and lower odds (OR 0.12, 95% CI 0.09-0.15). Reassuring relative evidence; no new literature ICSRs.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

6. TNF-alpha blockade for carbamazepine-induced drug reaction with eosinophilia and systemic symptoms.

Zou M, Xue L, Xia D, Zhan K, Li J, Feng X, Yan W, Li W | Front Immunol; 2026 | 2026 | ID: 42609315

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Three hospitalized carbamazepine-DRESS patients received off-label etanercept biosimilar; no etanercept-related adverse events reported.
Assessment notes	Aligned with the user on 2026-09-14. Human case/case-series exposure retained, but no conventional Enbrel ICSR was established from the available information.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

7. Impact of etanercept on the progression of undifferentiated arthritis to rheumatoid arthritis: A prospective observational study in China.

Shen J, Li L, Li X, Leng L, Zhao X, Li J | Medicine (Baltimore); 2026 Aug 14 | 2026 Aug 14 | ID: 42601675

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Aggregate effectiveness, persistence, immunogenicity, tolerability, or off-label evidence; no individually extractable new literature ICSR.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

8. Cytomegalovirus Gastrointestinal Disease Masquerading as Inflammatory Bowel Disease in a Patient with Occult HIV Infection Receiving Biologics: A Case Report.

Roumia B, Transleau M | Case Rep Gastroenterol; 2026 | 2026 | ID: 42598350

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	No new Enbrel ICSR after reviewer alignment. Etanercept had been discontinued before the documented opportunistic infection and was followed by upadacitinib; advanced occult HIV is the dominant cause.
Assessment notes	Aligned with the user on 2026-09-14. Retain for aggregate infection-risk context and document the prior exposure. Reassess only if source follow-up identifies an event beginning during etanercept treatment or explicitly treats etanercept as suspect/interacting.
Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

9. Juvenile idiopathic arthritis in DiGeorge syndrome: a case report and literature review.

Wang L, Liu C, Huang H, Xu X, Han X, Bao S, Yang Z, Jin Y, Jin Y | Front Immunol; 2026 | 2026 | ID: 42591917

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	DiGeorge syndrome/JIA treated with etanercept; remission and no severe infections reported during six months.
Assessment notes	Aligned with the user on 2026-09-14. Human case/case-series exposure retained, but no conventional Enbrel ICSR was established from the available information.
Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

10. Incidence and Clinical Characteristics of Herpes Zoster in Patients With Spondyloarthritis Receiving Biologic Therapy: A 36-Month Multicenter Registry-Based Study.

Ben Marzouk I, Rostom S, El Binoune I, Ghoulam G, Amine B, Abouqal R, Bezza A, Allali F, El Bouchti I, Ghoulani I, Hassikou H, Harzy T, Ichchou L, Niamane R, Mkinsi O, Hmamouchi I, Bahiri R | Cureus; 2026 Jun | 2026 Jun | ID: 42465193

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	No automatic new spontaneous literature ICSRs. Four etanercept-linked herpes-zoster events arose in a registry/non-interventional source and require study-system reconciliation.
Assessment notes	Aligned with the user on 2026-09-14. Expected infection-risk evidence for aggregate review; assess local rules for solicited study cases.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

11. Case Report: TRNT1 related autoinflammatory syndrome in a patient with primary ciliary dyskinesia.

Di Gennaro S, Della Casa F, Petraroli A, Borrelli M, Alessio M, Orlando F, Naddei R | Front Immunol; 2026 | 2026 | ID: 42459695

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	TRNT1-related autoinflammatory syndrome treated with etanercept for two years; no safety events, including pulmonary exacerbations, were observed.
Assessment notes	Aligned with the user on 2026-09-14. Human case/case-series exposure retained, but no conventional Enbrel ICSR was established from the available information.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

Alignment/QC	Finalized after alignment/QC on 2026-09-14.
--------------	---

No patient-level safety case identified

12. Successful management of pembrolizumab-associated Stevens-Johnson syndrome/toxic epidermal necrolysis in a patient with uterine serous carcinoma: a case report.

Hamad T, Serrano AM, Al Kaabi S, Al Bahri M, Hassan K, Salman B, Burney IA | Front Immunol; 2026 | 2026 | ID: 42459640

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Pembrolizumab-associated SJS/TEN predated etanercept/cyclosporine/steroid rescue; no new etanercept adverse event.
Assessment notes	Aligned with the user on 2026-09-14. Human case/case-series exposure retained, but no conventional Enbrel ICSR was established from the available information.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

13. Fulminant toxic epidermal necrolysis induced by pucotenlimab in a patient with lung adenocarcinoma: a case report.

Zhang Z, Tao Q, Wang J, Lu J, Ning Y | Front Oncol; 2026 | 2026 | ID: 42434740

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Pucotenlimab-induced fatal TEN predated etanercept rescue therapy. Death was attributed to TEN/underlying cancer, not etanercept; no conventional etanercept ICSR.
Assessment notes	Aligned with the user on 2026-09-14. Human case/case-series exposure retained, but no conventional Enbrel ICSR was established from the available information.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

14. Tumor necrosis factor inhibitor-related autoimmune disorders in pediatric rheumatology practice: a multicenter nationwide study.

Gezgin Yildirim D, Kucukali B, Akay N, Yogun SN, Tunc E, Tastanoglu H, Dogru A, Bayrak YE, Sener S, Erkan MO, Torun R, Aydurhan S, Kocamaz NG, Kucuk E, Akin OA, Yildiz C, Aslan E, Demirkan FG, Kasap Demir B, Kislak Ekinci RM, Yuksel S, Turkucar S, Sag E, Sahin N, Celikel E, Ozturk K, Ozdel S, Pac Kisaarslan A, Aktay Ayaz N, Sozeri B, Unsal E, Kasapcopur O, Bakkaloglu SA | Pediatr Rheumatol Online J; 2026 Jun 19 | 2026 Jun 19 | ID: 42321814

Source record

Full-text access	PMC/Europe PMC open full text
------------------	-------------------------------

Publication disposition	Multicenter pediatric cohort: 49 etanercept-exposed patients developed TNF-inhibitor-related autoimmune disorders (27 uveitis, 8 psoriasis, 8 IBD, 3 episcleritis, 2 MS, 1 lupus-like disease). Data are aggregate rather than individually linkable; no 49 new ICSRs should be created from this paper alone. High signal/aggregate priority.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

15. Drug Retention of First-Line Biologic Therapies in Rheumatoid Arthritis: Real-World Evidence From a Moroccan Cohort.

El Kacem EM, Majjad A, Belhadj W, Toufik H, Taoubane L, Bezza A | Cureus; 2026 May | 2026 May | ID: 42266298

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Aggregate effectiveness, persistence, immunogenicity, tolerability, or off-label evidence; no individually extractable new literature ICSR.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

16. Vancomycin-induced linear IgA bullous dermatosis mimicking Stevens-Johnson syndrome/toxic epidermal necrolysis treated with etanercept.

Alanazi R, Aldahash R, Alanazi SK, Almasoud SH, Alumair NA, Alghamdi W, Alhumidi A | JAAD Case Rep; 2026 Jun | 2026 Jun | ID: 42232736

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Vancomycin-induced linear IgA bullous dermatosis predated two rescue doses of etanercept; rapid improvement and no new etanercept adverse event.
Assessment notes	Aligned with the user on 2026-09-14. Human case/case-series exposure retained, but no conventional Enbrel ICSR was established from the available information.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

17. Optimising Therapeutic Intervals for Anti-TNF Biologics in Rheumatoid Arthritis: A Retrospective Real-World Study.

Dodero-Anillo JM, Rosety-Rodriguez M, Pedrosa-Martinez MJ | Life (Basel); 2026 Apr 24 | 2026 Apr 24 | ID: 42195279

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Aggregate effectiveness, persistence, immunogenicity, tolerability, or off-label evidence; no individually extractable new literature ICSR.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

18. Biological Therapy for Moderate-to-Severe Psoriasis: A 5-Year Analysis of Patients from Lithuania.

Indrisiunaite E, Jonaityte IR, Karmaziene T, Raudonis T | Medicina (Kaunas); 2026 Apr 30 | 2026 Apr 30 | ID: 42195108

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Aggregate effectiveness, persistence, immunogenicity, tolerability, or off-label evidence; no individually extractable new literature ICSR.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

19. Steroid Refractory and Plasma Exchange Partially Responsive Longitudinally Extensive Transverse Myelitis Due to Tumor Necrosis Factor-Alpha (Etanercept): A Case Report.

Stojasavljevic J, Perez RR, Petcu E, Odenigbo C, Madrid C, Dumic I, Nordstrom CW | Clin Pract; 2026 Apr 29 | 2026 Apr 29 | ID: 42187520

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Potential valid serious ICSR: hospitalization for steroid-refractory longitudinally extensive transverse myelitis after two years of etanercept, partially responsive to plasma exchange. Demyelinating neurologic reactions are expected; causality is possible but latent MS/antibody-mediated disease remains an alternative.
Assessment notes	Aligned with the user on 2026-09-14. 1 potential publication-derived case(s) retained for procedural processing and duplicate review.
Aggregate / signal relevance	Known demyelinating/neurologic risk characterization; clinically important phenotype/severity.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

Patient 1 - longitudinally extensive transverse myelitis

Patient / reporter	Identifiable 39-year-old woman Corresponding/first author of the publication United States
Exposure	Etanercept for well-controlled psoriatic arthritis for approximately two years; dose not reported in the reviewed article text.
History / risk factors	Psoriatic arthritis, hypertension, gastroesophageal reflux disease, anxiety, and occasional marijuana use.
Concomitants	Methyldopa and pantoprazole; high-dose intravenous corticosteroids followed by plasma exchange for the event.
Events	Subacute progressive transverse myelitis evolving to longitudinally extensive disease, with bilateral lower-extremity sensory loss/weakness and urinary retention.
Chronology / outcome	Symptoms developed over two weeks after the last etanercept dose. MRI initially showed a T11-L1 lesion; despite etanercept withdrawal and high-dose steroids, deficits and the lesion progressed to T10-L1. Plasma exchange produced radiologic improvement and moderate clinical recovery; outpatient neurologic follow-up was recommended.
Seriousness	Serious - hospitalization, medically important CNS demyelination, and functional impairment.
Expectedness	Expected at the demyelinating/neurologic-reaction level under the current Enbrel USPI; the longitudinally extensive, steroid-refractory phenotype is unusually severe.
Causality	Reasonable possibility. Timing, author assessment, known class biology, and extensive negative testing support causality. CSF oligoclonal bands/elevated kappa free light chains and atypical lesion features suggest latent MS or another antibody-mediated disorder as an alternative.
Dechallenge / rechallenge	Etanercept was discontinued, but the event initially worsened; partial improvement followed plasma exchange. No rechallenge.
Minimum criteria	All four minimum elements appear present.
Duplicate / follow-up	Duplicate search and follow-up for exact dosing, final neurologic outcome, serial MRI, and later diagnosis of MS/NMOSD/MOGAD are required.
Recommendation	Process as a serious expected literature ICSR candidate and include in cumulative demyelination evaluation.

20. Efficacy and safety of dual-targeted therapy with tofacitinib and TNF inhibitors in refractory spondyloarthritis: a case series from a tertiary care center.

Agrawal A, Yadav SS, Balakrishnan C | Ther Adv Musculoskelet Dis; 2026 | 2026 | ID: 42146074

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	One of four refractory spondyloarthritis patients received etanercept plus tofacitinib for 18 months with no adverse event or laboratory abnormality. Off-label combination exposure; no conventional ICSR.
Assessment notes	Aligned with the user on 2026-09-14. Human case/case-series exposure retained, but no conventional Enbrel ICSR was established from the available information.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

21. Evaluating Baricitinib for Severe Paediatric Drug Reaction with Eosinophilia and Systemic Symptoms (DRESS) with Single-Cell Sequencing.

Yang D, Liu X, Jing W, Feng X, Lai C, Liu C, Xu Z, Zhang Y, Han J, Geng S, Li R, Li D, Cheng B, Wu Y, Liu Z, Lian J, Wang Z, Liu Y, Li X | J Inflamm Res; 2026 | 2026 | ID: 42099987

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Phenobarbital-induced pediatric DRESS predated etanercept; two doses were ineffective, then baricitinib succeeded. No etanercept adverse event reported; off-label lack-of-effect evidence.
Assessment notes	Aligned with the user on 2026-09-14. Human case/case-series exposure retained, but no conventional Enbrel ICSR was established from the available information.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

22. Prognostic Factors for Sideroblastic Anemia with B-cell Immunodeficiency, Periodic Fevers, and Developmental Delay Due to TRNT1 Gene Mutations: A Case Report and Systematic Review.

Su TH, Lee NC, Wang LC, Chiang BL, Yu HH | J Clin Immunol; 2026 Mar 07 | 2026 Mar 07 | ID: 41795040

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Off-label infant etanercept for TRNT1-related SIFD stabilized inflammation; no moderate/severe infection during follow-up and no new adverse event reported.
Assessment notes	Aligned with the user on 2026-09-14. Human case/case-series exposure retained, but no conventional Enbrel ICSR was established from the available information.
Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

23. Prompt clinical and electrophysiological remission of refractory peripheral neuropathy in long-standing rheumatoid arthritis with tocilizumab: a case report.

Huang H, Zhong X, Kuang S, Tan J, Tan L, Li B | Front Immunol; 2026 | 2026 | ID: 41766909

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Neuropathy was attributed to RA activity and arose after etanercept had been stopped; earlier etanercept was discontinued for cost/insufficient control, not an adverse reaction.
Assessment notes	Aligned with the user on 2026-09-14. Human case/case-series exposure retained, but no conventional Enbrel ICSR was established from the available information.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

Alignment/QC	Finalized after alignment/QC on 2026-09-14.
---------------------	---

No patient-level safety case identified

24. Increased Risk of Incident Uveitis Among Patients with Psoriasis: A Nationwide Population-Based Cohort Study.

Ehrenberg S, Elizur Y, Ben-Shabat N, David P, Sharif K, Bernstein YS, Abu Hilwe I, Cohen AD, Watad A, Amital H, Patt YS | Diagnostics (Basel); 2026 Feb 21 | 2026 Feb 21 | ID: 41750775

[Source record](#)

Full-text access	PMC/Europe PMC open full text
Publication disposition	Nationwide psoriasis cohort: etanercept exposure was associated with incident uveitis (OR 3.37, 95% CI 2.42-4.54), potentially confounded by disease severity. Signal/aggregate relevance; uveitis is not specifically listed in the USPI.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

25. Clinical features, treatment strategies, and long-term outcomes of Blau syndrome: a 10-year experience from a Chinese cohort.

Zhang J, Shen M | Adv Rheumatol; 2026 Feb 11 | 2026 Feb 11 | ID: 41673771

[Source record](#)

Full-text access	PMC/Europe PMC open full text
Publication disposition	Aggregate effectiveness, persistence, immunogenicity, tolerability, or off-label evidence; no individually extractable new literature ICSR.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

26. Necrotizing Soft Tissue Infection at a Self-Administered Subcutaneous Etanercept Injection Site in an Immunosuppressed Patient With Rheumatoid Arthritis: A Case Report.

Tai S, Takemoto M, Yamamoto Y, Nakano T, Ito T | Cureus; 2026 Jan | 2026 Jan | ID: 41640918

[Source record](#)

Full-text access	PMC/Europe PMC open full text
-------------------------	-------------------------------

Publication disposition	Potential valid serious ICSR: necrotizing soft-tissue infection at a habitual injection site, streptococcal toxic shock/septic shock, ICU care, debridement, and 105-day hospitalization. Serious infection/injection-site risk is expected; concomitant immunosuppression is a strong confounder.
Assessment notes	Aligned with the user on 2026-09-14. 1 potential publication-derived case(s) retained for procedural processing and duplicate review.
Aggregate / signal relevance	Known serious/opportunistic infection risk characterization, with important risk-factor and outcome context.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

Patient 1 - injection-site necrotizing soft-tissue infection and septic shock

Patient / reporter	Identifiable woman in her 60s Corresponding/first author of the publication Japan
Exposure	Self-administered etanercept 50 mg subcutaneously weekly for rheumatoid arthritis; treatment started approximately four months before presentation, usually injected into the medial thigh.
History / risk factors	Rheumatoid arthritis, chronic kidney disease/renal dysfunction at presentation, heavy long-term tobacco use, and regular alcohol use.
Concomitants	Methotrexate, tacrolimus, and prednisolone; vasopressors, surgery, penicillin G, clindamycin, and other acute-care treatment for the event.
Events	Necrotizing soft-tissue infection at the habitual injection site, Streptococcus pyogenes bacteremia, streptococcal toxic shock syndrome, septic shock, and acute kidney injury.
Chronology / outcome	One week of pain/discomfort at the injection site was initially considered a routine reaction. Fever and impaired ambulation progressed to septic shock, emergent debridement, repeat surgery, intensive care, and prolonged rehabilitation. The patient survived without amputation and was discharged ambulatory on hospital day 105.
Seriousness	Serious - life-threatening septic shock, hospitalization/prolongation, ICU treatment, and major surgery.
Expectedness	Expected at the serious-infection and injection-site-reaction level under the current Enbrel USPI; the exact necrotizing infection/STSS phenotype is more specific than the label wording.
Causality	Reasonable possibility. The anatomic and temporal relationship supports an injection-site portal and TNF inhibition plausibly increased infection risk. Concomitant immunosuppressants, comorbidity, smoking, alcohol exposure, and delayed care are important confounders.
Dechallenge / rechallenge	Etanercept was not continued during the acute event; recovery followed surgical and antimicrobial treatment. No rechallenge.
Minimum criteria	All four minimum elements appear present.
Duplicate / follow-up	Duplicate search and follow-up for last dose, lot, injection technique/site rotation, etanercept action, and complete concomitant doses are required.
Recommendation	Process as a serious expected literature ICSR candidate and evaluate injection-training/risk-minimization implications.

27. Recognition of Juvenile Ankylosing Spondylitis in an Adolescent Female Presenting to a Chiropractor.

Trager RJ, Lewis KL, Tao C, Borgia RE | Cureus; 2026 Jan | 2026 Jan | ID: 41625033

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Juvenile ankylosing spondylitis treated with etanercept with improvement; no adverse event reported.

Assessment notes	Aligned with the user on 2026-09-14. Human case/case-series exposure retained, but no conventional Enbrel ICSR was established from the available information.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

28. Hepatobiliary disorders associated with TNF-alpha inhibitors: a pharmacovigilance analysis of FAERS and JADER.

Chen H, Jiang S, Wang J, Zhang A, Zhu L | Front Immunol; 2025 | 2025 | ID: 41601665

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	FAERS/JADER hepatobiliary analysis: 3,949 FAERS and 120 JADER etanercept reports, but no significant etanercept disproportionality signal. Aggregate/reassuring comparative evidence.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

29. Toward Personalized Withdrawal of TNF-alpha Inhibitors in Non-Systemic Juvenile Idiopathic Arthritis: Predictors of Biologic-Free Remission and Flare.

Alexeeva EI, Tsulukiya IT, Dvoryakovskaya TM, Kriulin IA, Kudlay DA, Fetisova AN, Botova MS, Kriulina TY, Krekhova EA, Kondratyeva NM, Shingarova MS, Kokina MY, Shilova AN, Kostik MM | Pharmaceuticals (Basel); 2026 Jan 10 | 2026 Jan 10 | ID: 41599723

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Aggregate effectiveness, persistence, immunogenicity, tolerability, or off-label evidence; no individually extractable new literature ICSR.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

30. Hepatic Vascular Involvement in Adenosine Deaminase 2 Deficiency (DADA2): Case Reports and Literature Review.

Sparchez M, Damian L, Socaciu MA, Fufezan O, Sparchez Z | Diagnostics (Basel); 2026 Jan 07 | 2026 Jan 07 | ID: 41594165

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Two sisters with DADA2 received long-term etanercept; therapeutic benefit and no new etanercept adverse event reported.
Assessment notes	Aligned with the user on 2026-09-14. Human case/case-series exposure retained, but no conventional Enbrel ICSR was established from the available information.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

31. Advancing Knowledge of Acute Cutaneous Graft-Versus-Host Disease Wound Care: A Case Study.

Errichiello S, Visintini C, Rosignoli C, Cerne D, Petruzzellis G, Patriarca F, Palese A | J Wound Ostomy Continence Nurs; 2026 Jan-Feb 01 | 2026 Jan-Feb 01 | ID: 41540584

[Source record](#)

Full-text access	PMC/Europe PMC open full text
Publication disposition	Steroid-refractory acute cutaneous GVHD worsened shortly after off-label etanercept and the drug was stopped. Publication describes uncontrolled disease/lack of effect rather than a drug-attributed adverse reaction.
Assessment notes	Aligned with the user on 2026-09-14. Human case/case-series exposure retained, but no conventional Enbrel ICSR was established from the available information.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

32. Use of biologic drugs in juvenile idiopathic arthritis patients followed in an adult rheumatology clinic: real-life data from the HUR-BIO biologic registry.

Ata EB, Kilic L, Firlatan Yazgan B, Kart Bayram SG, Ekici M, Unaldi E, Kustas AA, Bulat B, Karadag O, Akdogan A, Apras Bilgen S, Kiraz S, Ertenli I, Bilginer Y, Ozen S, Kalyoncu U | Clin Rheumatol; 2026 Feb | 2026 Feb | ID: 41533222

[Source record](#)

Full-text access	PMC/Europe PMC open full text
Publication disposition	Aggregate effectiveness, persistence, immunogenicity, tolerability, or off-label evidence; no individually extractable new literature ICSR.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

33. A case report: Guillain-Barre syndrome probably associated with TNF inhibitor in Blau syndrome.

Han X, Jin Y, Liu C, Huang H, Ding F, Yang Z, Xu X, Bao S, Wang L, Ma J, Yao R, Jin Y | BMC Pediatr; 2026 Jan 05 | 2026 Jan 05 | ID: 41491690

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Potential valid serious ICSR: Guillain-Barre syndrome after Yisaipu (etanercept biosimilar), with hospitalization and full recovery. Neurologic/demyelinating reactions are expected; authors judged etanercept probably associated, with antecedent viral illness considered.
Assessment notes	Aligned with the user on 2026-09-14. 1 potential publication-derived case(s) retained for procedural processing and duplicate review.
Aggregate / signal relevance	Known demyelinating/neurologic risk characterization; clinically important phenotype/severity.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

Patient 1 - Guillain-Barre syndrome

Patient / reporter	Identifiable 10-year-old girl Corresponding/first author of the publication China
Exposure	Yisaipu, an etanercept biosimilar, 12.5 mg subcutaneously twice weekly with prednisone and methotrexate for relapsed Blau syndrome; event after approximately nine months.
History / risk factors	Blau syndrome with granulomatous skin, joint, and ocular disease; NOD2 mutation; recent runny nose without a clear systemic infection.
Concomitants	Prednisone 20 mg/day and methotrexate 7.5 mg weekly; subsequent Guillain-Barre treatment and tofacitinib as described in the publication.
Events	Guillain-Barre syndrome with limb pain, facial asymmetry, slurred speech, weakness, absent reflexes, CSF protein elevation, peripheral nerve damage, and cauda equina/root enhancement.
Chronology / outcome	Symptoms developed after nine months of biosimilar therapy. Infectious workup was largely negative, although low-level EBV findings and preceding coryza were considered. The patient fully recovered within one month and remained well at follow-up.
Seriousness	Serious - hospitalization/medically important demyelinating neuropathy with motor impairment.
Expectedness	Expected at the demyelinating/neurologic-reaction level under the current Enbrel USPI, although Guillain-Barre syndrome is a specific rare phenotype.
Causality	Reasonable possibility. Authors judged the event probably secondary to the TNF inhibitor; exposure duration and biologic plausibility support causality, while antecedent viral illness remains an alternative.
Dechallenge / rechallenge	Etanercept biosimilar was discontinued; full recovery followed treatment. No rechallenge.
Minimum criteria	All four minimum elements appear present.
Duplicate / follow-up	Check for prior publication or company report and follow up for exact onset, hospitalization dates, treatment details, and product manufacturer/lot.
Recommendation	Process as a serious expected literature ICSR candidate and include in cumulative neurologic risk evaluation.

34. Dual Antibody Positive Rheumatoid Feet.

Lazarus ME, Larsen TB, Napolitano JD, Hernandez EA | J Brown Hosp Med; 2025 | 2025 | ID: 41488442

Source record

Full-text access	PMC/Europe PMC open full text
------------------	-------------------------------

Publication disposition	Full text shows etanercept was changed because weekly self-injection was difficult, not because of an adverse reaction. No etanercept ICSR.
Assessment notes	Aligned with the user on 2026-09-14. Human case/case-series exposure retained, but no conventional Enbrel ICSR was established from the available information.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

35. Unusual Neuropsychiatric Presentation of *Cryptococcus neoformans* Meningoencephalitis in an Immunosuppressed Patient with Rheumatoid Arthritis: A Case Report.

Vidal-Canas S, Mayoral-Valencia MD, Artunduaga-Canas E, Pineda-Arias E, Canas DAB, Arturo-Terranova D | Diseases; 2025 Dec 17 | 2025 Dec 17 | ID: 41439945

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Potential valid serious ICSR: cryptococcal meningoencephalitis requiring hospitalization during long-term etanercept plus prednisolone. Opportunistic infection is expected; causality is confounded by corticosteroid use and RA.
Assessment notes	Aligned with the user on 2026-09-14. 1 potential publication-derived case(s) retained for procedural processing and duplicate review.
Aggregate / signal relevance	Known serious/opportunistic infection risk characterization, with important risk-factor and outcome context.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

Patient 1 - cryptococcal meningoencephalitis

Patient / reporter	Identifiable 53-year-old man Corresponding/first author of the publication Colombia
Exposure	Long-term etanercept for rheumatoid arthritis for more than two years; dose and exact dates not reported in the reviewed text.
History / risk factors	Rheumatoid arthritis with prolonged immunosuppression; no prior opportunistic infection reported.
Concomitants	Chronic prednisolone; empiric ceftriaxone before diagnosis; liposomal amphotericin B followed by fluconazole.
Events	<i>Cryptococcus neoformans</i> meningoencephalitis presenting with depression, anhedonia, withdrawal, irritability, confusion, dysarthria, vomiting, and urinary incontinence.
Chronology / outcome	Seven days of neuropsychiatric symptoms progressed over three days and led to hospital admission. CSF PCR and later culture confirmed <i>Cryptococcus</i> . Antifungal therapy produced gradual neurological and psychiatric improvement; final long-term outcome was not reported.
Seriousness	Serious - hospitalization and medically important central nervous system opportunistic infection.
Expectedness	Expected at the serious/opportunistic-infection level under the Enbrel USPI boxed warning; cryptococcal disease is consistent with impaired host defense.
Causality	Possible. Long-term etanercept plausibly contributed, but chronic prednisolone, rheumatoid arthritis, and combined immunosuppression are substantial confounders; authors emphasized the combined regimen rather than one agent.

Dechallenge / rechallenge	Etanercept action was not clearly reported; clinical improvement followed antifungal treatment. No rechallenge.
Minimum criteria	All four minimum elements appear present.
Duplicate / follow-up	Check for duplicate reporting and follow up for etanercept dose/action, corticosteroid dose, HIV status, final outcome, and sequelae.
Recommendation	Process as a serious expected literature ICSR candidate under applicable company procedure.

36. The diagnostic and therapeutic challenges of pyoderma gangrenosum in a 32-year-old woman with systemic lupus erythematosus: a case report.

Rahman AA, Datta A, Sabil SS, Barshan AD, Hasan MJ | Ann Med Surg (Lond); 2025 Dec | 2025 Dec | ID: 41377212

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Off-label etanercept successfully treated refractory pyoderma gangrenosum; no etanercept adverse event reported.
Assessment notes	Aligned with the user on 2026-09-14. Human case/case-series exposure retained, but no conventional Enbrel ICSR was established from the available information.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

37. Assessment of myocardial structure and function in rheumatoid arthritis patients treated with biologics: tumor necrosis factor inhibitors and anti-interleukin-6 versus conventional disease-modifying drugs.

Dubiel-Braszczyk B, Gumkowska-Sroka O, Owczarek AJ, Marcol A, Kurdybacha J, Kotyla K, Kotyla P | Reumatologia; 2025 | 2025 | ID: 41347103

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Aggregate effectiveness, persistence, immunogenicity, tolerability, or off-label evidence; no individually extractable new literature ICSR.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

38. Exploring the therapeutic effects of intensified immunosuppressive regimen for preengraftment syndrome after umbilical cord blood transplantation.

Liu D, Li X, Zhan L, Liu Y, Wang K, Wu X, Huang K, Fang J, Xu H | Clin Exp Med; 2025 Dec 03 | 2025 Dec 03 | ID: 41331399

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Historical-control transplant study: etanercept-containing intensified immunosuppression reduced severe aGVHD but increased CMV/EBV infection. Serious infection is expected and confounded by transplant, steroids, and other immunosuppression; aggregate only.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

39. Safety profile of TNF- alpha Inhibitors in pediatric patients: A post-marketing surveillance study based on the FAERS database.

Yang Y, Wang P, Li QX | PLoS One; 2025 | 2025 | ID: 41329755

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Pediatric FAERS analysis: 10,411 etanercept reports and broad signal characterization. Secondary analysis of spontaneous reports; no new literature ICSRs and duplicate inflation must be avoided.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

40. Serious Infections in Offspring Exposed to Tumor Necrosis Factor Inhibitors During Pregnancy: Comparison of Timing During Pregnancy and Placental Transfer Ability.

Flatman LK, Bernatsky S, St-Pierre Y, Beauchamp ME, Malhame I, Berard A, Vinet E | Arthritis Rheumatol; 2026 Apr | 2026 Apr | ID: 41327834

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Pregnancy/offspring cohort: no significant overall increase in serious infections; etanercept was in the low-placental-transfer reference group. Aggregate special-population evidence.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

41. Rare case report: a man with rheumatoid arthritis developed membranous nephropathy and ANCA-associated vasculitis successively.

Bao D, Cui Z, Yao Y, Lu M, Zheng D, Wang Y | BMC Nephrol; 2025 Dec 01 | 2025 Dec 01 | ID: 41327089

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Potential valid serious ICSR: membranous nephropathy after etanercept, followed later by MPO-ANCA vasculitis. Specific renal autoimmune events are not listed; membranous nephropathy has the stronger temporal relationship, while later vasculitis is heavily confounded.
Assessment notes	Aligned with the user on 2026-09-14. 1 potential publication-derived case(s) retained for procedural processing and duplicate review.
Aggregate / signal relevance	Potentially novel/specific autoimmune signal contribution; evaluate with cumulative case series and class evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

Patient 1 - membranous nephropathy followed by MPO-ANCA vasculitis

Patient / reporter	Identifiable 74-year-old man Corresponding/first author of the publication China
Exposure	Etanercept 25 mg subcutaneously twice weekly for severe seropositive rheumatoid arthritis; nephrotic syndrome began about one month after initiation and etanercept was later suspended.
History / risk factors	Seropositive rheumatoid arthritis; concurrent COVID-19 antigen positivity during the early renal presentation; no baseline ANCA or lupus serology evidence.
Concomitants	Methotrexate was later reintroduced; rituximab 1,600 mg cumulative for membranous nephropathy; later methylprednisolone and cyclophosphamide for vasculitis.
Events	Nephrotic syndrome with stage I membranous nephropathy, followed approximately six months after rituximab by severe acute kidney injury, hematuria, and MPO-ANCA-positive vasculitis with dialysis dependence.
Chronology / outcome	Proteinuria and hypoalbuminemia arose about one month after etanercept; biopsy at month 2 confirmed membranous nephropathy. Proteinuria improved after rituximab. Six months later, ANCA vasculitis caused creatinine 11.87 mg/dL; immunosuppression lowered creatinine but dialysis dependence persisted.
Seriousness	Serious - hospitalization/medical intervention, persistent major renal impairment, and dialysis dependence.
Expectedness	Unexpected. Membranous nephropathy and ANCA-associated vasculitis are not specifically listed in the current Enbrel USPI.
Causality	Possible for membranous nephropathy because of close onset after etanercept and published autoimmune renal precedent. Weaker/unassessable for later vasculitis because of the interval, rituximab exposure, rheumatoid arthritis, and COVID-19.
Dechallenge / rechallenge	Etanercept was suspended; persistent proteinuria required rituximab. No rechallenge. The later vasculitis did not resolve fully despite treatment.
Minimum criteria	All four minimum elements appear present.
Duplicate / follow-up	Duplicate search and follow-up for complete etanercept dates, renal course, alternative etiologies, and any pre-existing report are required.
Recommendation	Process as a serious unexpected literature ICSR candidate; code the sequential renal events distinctly and preserve separate causality assessments.

42. Global burden of TNF-alpha inhibitors associated demyelinating diseases: A global disproportionality analysis.

Kim TH, Park J, Jo H, Oh J, Woo HG, Yon DK | Medicine (Baltimore); 2025 Nov 21 | 2025 Nov 21 | ID: 41305703

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Global disproportionality analysis: etanercept showed a demyelinating-disease signal (ROR 1.93, 95% CI 1.83-2.04). Expected/known-risk characterization; no new literature ICSRs.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

43. On-Label Treatment Persistence Through 24 Months Among Patients with Active Psoriatic Arthritis Initiating Guselkumab or Subcutaneous Tumor Necrosis Factor Inhibitors.

Mease PJ, Walsh JA, Fitzgerald TP, Chakravarty SD, Adamson E, Emond B, Rossi C, Schwartzbein S, Yokoji K, Wang Y, Lefebvre P, Pilon D, Singla S, Merola JF | Rheumatol Ther; 2026 Feb | 2026 Feb | ID: 41239039

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Aggregate effectiveness, persistence, immunogenicity, tolerability, or off-label evidence; no individually extractable new literature ICSR.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

44. TNF-alpha inhibitor etanercept improves cerebrovascular function in elderly RA patients: findings from a randomized controlled trial.

Ren QQ, Chen P, Qiao L, Du YK, Wang RS, Huang XQ, Guo H, Yan J | BMC Rheumatol; 2025 Nov 12 | 2025 Nov 12 | ID: 41225655

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Clinical-study safety/benefit-risk evidence; no new spontaneous literature ICSR. Reconcile serious events with the study safety system where applicable.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

Alignment/QC	Finalized after alignment/QC on 2026-09-14.
---------------------	---

No patient-level safety case identified

45. Risk of pulmonary fungal infections associated with biologics: a FAERS database disproportionality analysis.

Li J, Han ZW, Gao SS, Guo Q, Cang HQ | Front Immunol; 2025 | 2025 | ID: 41190068

[Source record](#)

Full-text access	PMC/Europe PMC open full text
Publication disposition	FAERS disproportionality: 292 pulmonary fungal-infection reports with etanercept; median time to onset 393 days. Supports the established serious/opportunistic infection risk; no new literature ICSRs.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

46. The Association Between Serum Drug Concentration and a Flare in Rheumatoid Arthritis Patients Tapering TNF Inhibitors.

Layegh Z, Hooijberg F, Boekel L, Looijen AEM, van Mulligen E, Loeff FC, Dijk L, Dolhain RJEM, Rispens T, Wolbink GJ, de Jong PHP | Pharmaceuticals (Basel); 2025 Oct 08 | 2025 Oct 08 | ID: 41155623

[Source record](#)

Full-text access	PMC/Europe PMC open full text
Publication disposition	Aggregate effectiveness, persistence, immunogenicity, tolerability, or off-label evidence; no individually extractable new literature ICSR.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

47. Can We Successfully Discontinue Anti-Tumor Necrosis Factor-alpha Treatment in Children with Non-Systemic Juvenile Idiopathic Arthritis? The Experience of a Tertiary Center.

Alexeeva EI, Tsulukiya IT, Dvoryakovskaya TM, Kudlay DA, Kriulin IA, Botova MS, Kondratyeva NM, Krekhova EA, Shingarova MS, Kokina MY, Fetisova AN, Isaeva KB, Chomakhidze AM, Chibisova CV, Kostik MM | Biomedicines; 2025 Sep 24 | 2025 Sep 24 | ID: 41153616

[Source record](#)

Full-text access	PMC/Europe PMC open full text
-------------------------	-------------------------------

Publication disposition	Aggregate effectiveness, persistence, immunogenicity, tolerability, or off-label evidence; no individually extractable new literature ICSR.
Assessment notes	Aligned with the user on 2026-09-14. Publication-level aggregate assessment; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

48. Etanercept-induced sarcoidosis presenting with bilateral panuveitis: diagnostic value of ocular signs and therapeutic response to IL-17A inhibition-a case-based review.

Bonifazi T, Cerquaglia A, Iaccheri B | Clin Rheumatol; 2025 Dec | 2025 Dec | ID: 41107632

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Potential valid serious medically important ICSR: pulmonary sarcoidosis with bilateral granulomatous panuveitis/retinal vasculitis after long-term etanercept. Specific event is not listed in the USPI; positive dechallenge supports a reasonable possibility.
Assessment notes	Aligned with the user on 2026-09-14. 1 potential publication-derived case(s) retained for procedural processing and duplicate review.
Aggregate / signal relevance	Potentially novel/specific autoimmune signal contribution; evaluate with cumulative case series and class evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

Patient 1 - sarcoidosis with bilateral granulomatous panuveitis

Patient / reporter	Identifiable 61-year-old man Corresponding/first author of the publication Italy
Exposure	Long-term etanercept for chronic plaque psoriasis; approximately six years before event onset; exact dose not reported in the article text reviewed.
History / risk factors	Chronic plaque psoriasis, type 2 diabetes mellitus, and mild hepatic steatosis.
Concomitants	Subsequent prednisone, intravitreal dexamethasone, and secukinumab for the event and psoriasis.
Events	Biopsy-confirmed pulmonary sarcoidosis with bilateral granulomatous panuveitis, retinal vasculitis, and macular edema.
Chronology / outcome	Visual symptoms developed after approximately six years of etanercept. Etanercept was stopped in November 2020; corticosteroids improved inflammation but relapses/steroid dependence continued. Secukinumab and intravitreal dexamethasone were added, with complete sustained ocular remission through April 2025.
Seriousness	Serious - medically important and potentially sight-threatening; hospitalization was not reported.
Expectedness	Unexpected. Sarcoidosis, panuveitis, retinal vasculitis, and macular edema are not specifically listed in the current Enbrel USPI.
Causality	Reasonable possibility. The authors diagnosed etanercept-induced sarcoidosis; long exposure, exclusion of infection, biopsy confirmation, atypical ocular phenotype, and improvement after withdrawal support causality. Underlying psoriasis remains an alternative for uveitis but does not readily explain the full granulomatous syndrome.

Dechallenge / rechallenge	Positive/compatible dechallenge, although corticosteroids and secukinumab contributed; no rechallenge.
Minimum criteria	All four minimum elements appear present.
Duplicate / follow-up	Search for earlier versions/follow-up reports from the same authors and any pre-existing company case; follow up for dose, exact dates, and hospitalization details.
Recommendation	Process as a serious unexpected literature ICSR candidate under applicable procedure and evaluate cumulatively with paradoxical autoimmune/sarcoid-like reactions.

49. Immune checkpoint inhibitor-induced toxic epidermal necrolysis responding to repeated dosing of adjuvant therapy with etanercept.

LaMonica LC, Oldenburg R, Dorschner RA, Hinds B, Schneider JA | JAAD Case Rep; 2025 Oct | 2025 Oct | ID: 40995168

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	ICI-induced TEN predated repeated rescue etanercept. No etanercept adverse event identified; no conventional etanercept ICSR.
Assessment notes	Aligned with the user on 2026-09-14. Human case/case-series exposure retained, but no conventional Enbrel ICSR was established from the available information.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

50. Safety and Efficacy of Perispinal Etanercept for Chronic Stroke: A Randomized Clinical Trial.

Thijs VN, Cloud GC, Gilchrist N, Parsons B, Tilwala F, Ho JK, Ruthnam L, Stanislaus V, Sprigg N, Walker M, Bath PM, Churilov L, Bernhardt J | Neurology; 2025 Sep 23 | 2025 Sep 23 | ID: 40906977

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	No new spontaneous literature ICSR. Clinical-trial SAEs are study-source events requiring sponsor-database reconciliation.
Assessment notes	Aligned with the user on 2026-09-14. Off-label chronic-stroke trial found no efficacy benefit and similar SAE proportions; avoid duplicate case creation.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

No patient-level safety case identified

51. The Use of Etanercept in the Palliative Treatment of a Patient With Generalised Bullous Fixed Drug Eruption.

Pawlik O, Cowan T, Miller A | Australas J Dermatol; 2025 Nov | 2025 Nov | ID: 40898804

Source record

Full-text access	PMC/Europe PMC open full text
Publication disposition	Potential valid serious/fatal ICSR: urinary tract infection progressed to sepsis two days after etanercept. Infection is expected; causality is weak because of terminal metastatic cancer, polypharmacy, and palliative context.
Assessment notes	Aligned with the user on 2026-09-14. 1 potential publication-derived case(s) retained for procedural processing and duplicate review.
Aggregate / signal relevance	Known serious/opportunistic infection risk characterization, with important risk-factor and outcome context.
Alignment/QC	Finalized after alignment/QC on 2026-09-14.

Patient 1 - urinary tract infection, sepsis, fatal outcome

Patient / reporter	Identifiable 75-year-old woman Corresponding/first author of the publication Australia
Exposure	Single etanercept 50 mg subcutaneous dose for generalized bullous fixed drug eruption; off-label palliative treatment.
History / risk factors	Carcinoma of unknown primary with widespread metastases; generalized bullous fixed drug eruption; end-of-life care decision.
Concomitants	Celecoxib, denosumab, esomeprazole, fentanyl, gabapentin, haloperidol, ibuprofen, metoclopramide, ondansetron, oxycodone, paracetamol, simvastatin, tamsulosin, telmisartan/hydrochlorothiazide, cholecalciferol; prophylactic cephalexin after etanercept.
Events	Urinary tract infection progressing to sepsis; death.
Chronology / outcome	Infection began two days after the only etanercept dose. The family declined active sepsis management; the patient died in hospital several days later.
Seriousness	Serious - death, life-threatening infection, and hospitalization.
Expectedness	Expected at the serious-infection/sepsis level against the current Enbrel USPI boxed warning; fatal outcome is clinically consistent with the labeled risk.
Causality	Possible but weak. Close temporality supports a reasonable possibility, while terminal metastatic cancer, extensive polypharmacy, palliative goals, and untreated sepsis are major confounders.
Dechallenge / rechallenge	No meaningful dechallenge or rechallenge; only one dose was given and the patient died.
Minimum criteria	All four minimum elements appear present: identifiable patient, identifiable reporter, suspect/interacting product, and adverse event.
Duplicate / follow-up	Search sponsor safety data and related publications; follow up for culture results, infection source, prior symptoms, and any prior company report.
Recommendation	Process under applicable company and U.S. postmarketing procedure after duplicate review; preserve the authors' limited causal attribution.

Included records not reviewed in full

1. Drugs associated with retroperitoneal fibrosis: assessment of the 1969-2025 Food and Drug Administration (FDA) pharmacovigilance database.

Baldini S, Schifano N, Fernando K, Coschignano M, Villano A, Zais IE, Antonini G, Capogrosso P, Deho' F | Pharmacol Rep; 2026 Sep 11 | 2026 Sep 11 | ID: 42726440

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	FAERS retroperitoneal-fibrosis disproportionality identified etanercept among drugs with a signal. Unexpected potential aggregate signal requiring validation; no new literature ICSRs.
Aggregate / signal relevance	Unexpected potential signal requiring validation, case-level review, and confounding assessment.

Access route checked

2. Chronic nonbacterial osteomyelitis/chronic recurrent multifocal osteomyelitis: A case report and literature review.

Persad C, Donaldson N, Huica S | Mod Rheumatol Case Rep; 2026 Jun 29 | 2026 Jun 29 | ID: 42623272

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Abstract-limited CNO/CRMO case with sequential adalimumab, etanercept, and methotrexate changes for side effects/anti-drug antibodies. The etanercept-specific event is not stated; obtain full text before any case conclusion.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

Access route checked

3. Combination therapy with JAK inhibitors and TNF inhibitors in severe refractory rheumatoid arthritis: A monocentric case series.

Natalucci F, Mullem CV, Dierck S, Durez P | Joint Bone Spine; 2026 Jul 10 | 2026 Jul 10 | ID: 42431587

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Abstract-limited dual JAK/TNF-inhibitor case series. Some patients received etanercept; no major infections, thrombosis, or cardiovascular events reported. Patient-level product linkage requires full text.

Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.
-------------------------------------	---

Access route checked

4. Third salvage haematopoietic stem cell transplantation in a child with very early-onset IBD due to interleukin-10 receptor deficiency.

Gul K, Drabko K, Ussowicz M | BMJ Case Rep; 2026 Jul 01 | 2026 Jul 01 | ID: 42386341

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Child receiving salvage HSCT and etanercept for GVHD; no etanercept-attributed adverse event stated in the abstract.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

Access route checked

5. Biologic therapies in pediatric psoriasis: A single-center experience.

Merenzon S, Luna PC, Abad ME, Panizzardi A, Cano R, Larralde M | Arch Argent Pediatr; 2026 Sep 30 | 2026 Sep 30 | ID: 42377011

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Aggregate effectiveness, persistence, immunogenicity, tolerability, or off-label evidence; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

Access route checked

6. Pyoderma Gangrenosum Following Cesarean Section: A Case Report With Individualized Management.

Zheng Z, Xu S, Zeng X, Chen X, Liu X, Zhang S, Fu S | Case Rep Obstet Gynecol; 2026 | 2026 | ID: 42368393

Source record

Full-text status	Inaccessible
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.

Abstract-limited disposition	Post-cesarean pyoderma gangrenosum treated off-label with etanercept and other immunosuppressants; abstract reports healing without an etanercept adverse reaction. PMCID was indexed but full text was not retrievable on the review date.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

[Access route checked](#)

7. TNF inhibitors for the long-term management of juvenile idiopathic arthritis associated uveitis: real-life data from the ITHACA cohort.

Marino A, Khaleghi Hashemian D, Iannone C, Bochicchio C, Pandolfi M, Lommano G, Costi S, Baldo F, Rissotto F, Barresi C, Edefonti VC, Ambrogio F, Caporali R, Miserocchi E, Chighizola CB | Expert Opin Biol Ther; 2026 Jun | 2026 Jun | ID: 42365450

[Source record](#)

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Observational aggregate safety/risk-characterization evidence; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

[Access route checked](#)

8. Safety of Biologic and Targeted Synthetic Disease-Modifying Antirheumatic Drugs in Rheumatoid Arthritis: A Longitudinal Analysis.

Peng K, Yan VKC, Chan SCW, Shin JY, Lai EC, Pratt NL, Chan EWY, Lau CS, Li X | Drug Saf; 2026 Jun 26 | 2026 Jun 26 | ID: 42360669

[Source record](#)

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Observational aggregate safety/risk-characterization evidence; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

[Access route checked](#)

9. A cohort study of obese patients with moderate-to-severe psoriasis using biological medicines in Catalonia, Spain.

Riera-Arnau J, Wang D, Mollet J, Bellas L, Boy R, Gonzalez-Cruz C, Sabate M, Ballarin E, Garcia-Patos V, Aparicio G | Dermatol Reports; 2026 Jun 23 | 2026 Jun 23 | ID: 42334449

[Source record](#)

Full-text status	Abstract only
-------------------------	---------------

Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Aggregate effectiveness, persistence, immunogenicity, tolerability, or off-label evidence; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

[Access route checked](#)

10. Photodistributed RIME Syndrome Treated With Etanercept.

Javaheri ED, Harb D, Damon A, Borch-Christensen B, Dupuy E | *Pediatr Dermatol*; 2026 Jun 14 | 2026 Jun 14 | ID: 42289385

[Source record](#)

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Abstract-limited RIME successfully treated with etanercept; no adverse event stated.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

[Access route checked](#)

11. Prescription Pattern and Safety of Biologics in Autoimmune Rheumatologic Diseases in Tertiary Care Hospital of Bihar.

Shakur AA, Kumar R, Ranjan RK, Hameed S, Mohan L | *Clin Med Insights Arthritis Musculoskelet Disord*; 2026 | 2026 | ID: 42169865

[Source record](#)

Full-text status	Inaccessible
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Observational aggregate safety/risk-characterization evidence; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

[Access route checked](#)

12. Possible Association Between Etanercept Use During Breastfeeding and Infant Somnolence, Hypotonia, and Feeding Difficulties: A Case Report and Literature Review.

Eskiyurt B, Horoz E, Bakirli DC, Gungor M, Karadas B, Kaplan YC | *Breastfeed Med*; 2026 Jun | 2026 Jun | ID: 42093128

[Source record](#)

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Abstract-limited potential serious infant ICSR after exposure through breast milk: somnolence, hypotonia, feeding difficulty, infection, and emergency admission. Neurologic/feeding events are unexpected; infection is expected. Viral infection is an important alternative explanation.
Aggregate / signal relevance	Pregnancy/lactation special-population surveillance and infant-outcome monitoring.

[Access route checked](#)

13. Serious infection risk with systemic treatments for psoriasis: a cohort study from the British Association of Dermatologists Biologics and Immunomodulators Register (BADBIR).

Bright HRB, Smith CH, Laws P, Reynolds NJ, Phan DB, Lunt M, Warren RB, Yiu ZZN | Br J Dermatol; 2026 Jul 17 | 2026 Jul 17 | ID: 42082393

[Source record](#)

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Observational aggregate safety/risk-characterization evidence; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

[Access route checked](#)

14. IgA nephropathy with rheumatoid arthritis related to adalimumab.

Tufekci B, Kardas RC, Ogut B, Erden A | CEN Case Rep; 2026 Apr 29 | 2026 Apr 29 | ID: 42053669

[Source record](#)

Full-text status	Inaccessible
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	IgA nephropathy was attributed to adalimumab. Prior etanercept exposure was not associated with a reported adverse event.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

[Access route checked](#)

15. Response of ultrasound-assessed synovitis to baricitinib, in monotherapy and combined with methotrexate, compared with etanercept in rheumatoid arthritis: a randomised, international, multicentre trial.

Naredo E, Olivas-Vergara O, Borges PE, Recuero-Diaz S, Saraiva F, Martins-Martinho J, Costa F, Tenazinha C, Duarte-Monteiro AM, Melo AT, Guillen-Astete CA, Rodriguez-Garcia A, Blanco-Caceres B, Boteanu AL, Mera-Varela A, Perez-Pampin E, Golan YL, Campos Fernandez C, Fragio Gil JJ, Gonzalez Mazario R, Steiner M, Vergara-Dangond C, Paredes-Romero MB, Munoz-Fernandez S, Stoenoiu MS, Toukap AN, Durnez A, de Agustin de Oro JJ, Anez GA, Coronel L, Vicente-Rabaneda EF, Castaneda S, Llorente I, Padovano I, Gouze H, Leboime A, Breban M, Uson J, Villaverde-Garcia V, Miguelez-Sanchez JR, Perez Garcia C, Meraz-Ostiz JA, Polino L, Finzel S, Kanne AM, Jandova I, Mediero A, Herencia C, Herrero-Beaumont G, Largo R | Ann Rheum Dis; 2026 Jul | 2026 Jul | ID: 42025496

[Source record](#)

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Clinical-study safety/benefit-risk evidence; no new spontaneous literature ICSR. Reconcile serious events with the study safety system where applicable.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

[Access route checked](#)

16. Comparative risk of serious infections across biological drugs in patients with psoriatic arthritis or psoriasis: A target trial emulation using the Italian VALORE distributed database network.

Spini A, L'Abbate L, Ingrassiotta Y, Carollo M, Bellitto C, Leoni O, Zanforlini M, Ancona D, Stella P, Cavazzana A, Scapin A, Lopes S, Belleudi V, Ledda S, Carta P, Rossi P, Ejlli L, Sapigni E, Puccini A, Scarpelli RF, De Sarro G, Allotta A, Addario Pollina S, Da Cas R, Bucaneve G, Mangano AMP, Balducci F, Sorrentino C, Senesi I, Tuccori M, Gini R, Trama U, Bernardi FF, Mayer F, Alegiani SS, Massari M, Guarneri C, Gisondi P, Fontana A, Patorno E, Trifiro G | Pharmacol Res; 2026 Jun | 2026 Jun | ID: 42019563

[Source record](#)

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Clinical-study safety/benefit-risk evidence; no new spontaneous literature ICSR. Reconcile serious events with the study safety system where applicable.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

[Access route checked](#)

17. Drug-associated road traffic accidents: insights from an analysis of the FDA adverse event reporting system (FAERS) database.

Ma F, Shen N, Wu Y, Yu Y | Traffic Inj Prev; 2026 Apr 20 | 2026 Apr 20 | ID: 42008598

[Source record](#)

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.

Abstract-limited disposition	Aggregate pharmacovigilance/signal evidence; secondary analysis of existing reports, so no new literature ICSR is created.
Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.

[Access route checked](#)

18. Recombinant Human Tumor Necrosis Factor Receptor Fusion Protein as Treatment for Gout Flare.

Luo J, Xie Z, Zhang W, Liu S, Duan L | Int J Rheum Dis; 2026 Apr | 2026 Apr | ID: 41949339

[Source record](#)

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Clinical-study safety/benefit-risk evidence; no new spontaneous literature ICSR. Reconcile serious events with the study safety system where applicable.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

[Access route checked](#)

19. Divergent safety profiles of TNF inhibitors in pregnancy: a comprehensive pharmacovigilance analysis of the FAERS database.

Yan Z, Chen H, Sun J, Chen T, Zhang W, He Y, He J, Zhang C | J Autoimmun; 2026 May | 2026 May | ID: 41932089

[Source record](#)

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Aggregate pharmacovigilance/signal evidence; secondary analysis of existing reports, so no new literature ICSR is created.
Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.

[Access route checked](#)

20. Asthma Reporting with Anti-TNFalpha Drugs used in Inflammatory Joint Diseases: A Vigibase Study with Disproportionality Analysis.

Nocenti M, Montastruc F, Degboe Y, Guilleminault L | Lung; 2026 Mar 27 | 2026 Mar 27 | ID: 41893999

[Source record](#)

Full-text status	Abstract only
Status checked	2026-09-13

Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Aggregate pharmacovigilance/signal evidence; secondary analysis of existing reports, so no new literature ICSR is created.
Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.

[Access route checked](#)

21. A comprehensive study on drug-related dysphonia: a 20-year disproportionality analysis of the FAERS database.

Xia C, Gan Y, Liu J | Eur Arch Otorhinolaryngol; 2026 Jun | 2026 Jun | ID: 41863609

[Source record](#)

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Aggregate pharmacovigilance/signal evidence; secondary analysis of existing reports, so no new literature ICSR is created.
Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.

[Access route checked](#)

22. Comparative risk of psoriatic arthritis in psoriasis patients on immunomodulators.

Schmidt M, Dowdle TS, Golovko G, Munoz A | Proc (Bayl Univ Med Cent); 2026 | 2026 | ID: 41836845

[Source record](#)

Full-text status	Inaccessible
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Aggregate effectiveness, persistence, immunogenicity, tolerability, or off-label evidence; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

[Access route checked](#)

23. Risk of first and second primary keratinocyte cancers in relation to treatment of rheumatoid arthritis with JAKi, TNFi, and non-TNFi bDMARDs-a Swedish nationwide study.

Huss V, Bower H, Bjorklund M, Hellgren K, Frisell T, Delcoigne B, Di Giuseppe D, Askling J, ARTIS group | Ann Rheum Dis; 2026 Aug | 2026 Aug | ID: 41826213

[Source record](#)

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Observational aggregate safety/risk-characterization evidence; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

[Access route checked](#)

24. A case series of rheumatoid arthritis patients exposed to an etanercept biosimilar during pregnancy: Evidence from an increasingly accepted treatment option.

Kitada A, Takai C, Higuchi A, Miyagawa E, Ozawa N, Ogawa K, Umehara N, Murashima A, Kaneko K | Mod Rheumatol; 2026 Aug 31 | 2026 Aug 31 | ID: 41788075

[Source record](#)

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Pregnancy case series: 11 live births, with one preterm birth and one patent foramen ovale reported in aggregate. No patient-level linkage in the abstract; special-situation/aggregate follow-up rather than extractable individual cases from the abstract.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

[Access route checked](#)

25. Tumor Necrosis Factor-alpha Inhibition and the Unmasking of CNS Demyelination across a Large United States Health Research Network.

Muayad J, Mendes J, Mendes F, Chauhan MZ, Ibrahim S, Abdelsalam D, Sallam AB, Phillips PH, Lee AG | Ophthalmology; 2026 Jul | 2026 Jul | ID: 41720406

[Source record](#)

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Observational aggregate safety/risk-characterization evidence; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

[Access route checked](#)

26. Toxic epidermal necrolysis during chemo-immunotherapy treatment with pembrolizumab.

Iglesias-Santamaria A, Rodriguez Gonzalez N | J Oncol Pharm Pract; 2026 Feb 20 | 2026 Feb 20 | ID: 41719190

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Pembrolizumab-associated TEN predated rescue etanercept; no new etanercept adverse event described in the abstract.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

Access route checked

27. Reactive Infectious Mucocutaneous Eruption (RIME): An Australian Case Series.

Moore H, Ryan E, Stevenson A | Australas J Dermatol; 2026 Jun | 2026 Jun | ID: 41693604

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Abstract-limited RIME case series. Etanercept exposure is not patient-linked in the abstract and no etanercept adverse event is described; obtain full text.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

Access route checked

28. Tumour necrosis factor-alpha inhibitors, immune-mediated inflammatory diseases, and bloodstream infections: results from a nationwide case-control study.

Leding C, Meddis A, Holler JG, Burisch J, Kragstrup TW, Skov L, Benfield T | Clin Microbiol Infect; 2026 Jun | 2026 Jun | ID: 41690515

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Observational aggregate safety/risk-characterization evidence; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

Access route checked

29. Successful Long-Term Management of Psoriatic Arthritis With Apremilast Following Multiple Myeloma Diagnosis During Etanercept Therapy: A 20-Month Follow-up.

Nigro A | Ann Pharmacother; 2026 Sep | 2026 Sep | ID: 41656754

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Abstract/title-limited potential serious ICSR: multiple myeloma diagnosed during etanercept therapy. Specific expectedness and causality remain unresolved; obtain the letter and perform duplicate follow-up.
Aggregate / signal relevance	Malignancy surveillance; full-text acquisition and cumulative review are needed.

Access route checked

30. Cardiovascular Adverse Events of JAK versus TNF Inhibitors using the Korean Pharmacovigilance Database.

Yoon J, Kim S, Yang BR | Cardiology; 2026 Jan 30 | 2026 Jan 30 | ID: 41615861

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Aggregate pharmacovigilance/signal evidence; secondary analysis of existing reports, so no new literature ICSR is created.
Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.

Access route checked

31. IL-6 as a Potential Sensitive Serum Biomarker in Stevens-johnson Syndrome/Toxic Epidermal Necrolysis: Two Case Reports.

Filoni A, Calogiuri G, Congedo M, Pietroleonardo L, Conte G, Petrachi F, Sordi E, Congedo ES, Nettis E, Foti C | Recent Adv Inflamm Allergy Drug Discov; 2026 Jan 02 | 2026 Jan 02 | ID: 41486989

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Abstract-limited two-patient SJS/TEN treatment report. Etanercept appears therapeutic, with no post-etanercept adverse event stated; confirm in full text.

Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.
-------------------------------------	--

Access route checked

32. Increased TNF-alpha in SJS/TEN induced by PD-1 inhibitors supports the combination therapy of etanercept and systemic corticosteroids.

Xiong H, Shen Z | Mol Immunol; 2026 Jan | 2026 Jan | ID: 41418419

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Five PD-1-inhibitor SJS/TEN patients received etanercept plus corticosteroids; no severe etanercept-related adverse events reported. Aggregate off-label evidence only.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

Access route checked

33. Tocilizumab-induced bullous rheumatoid neutrophilic dermatitis: a rare steroid-resistant adverse effect managed with etanercept.

Sivaprakasam T, Lien M, Gill A, Riswold K, Fanciullo J | Mod Rheumatol Case Rep; 2026 Jan 06 | 2026 Jan 06 | ID: 41342400

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Tocilizumab-induced bullous rheumatoid neutrophilic dermatitis predated rescue etanercept. No etanercept adverse event reported.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

Access route checked

34. Early Initiation of TNF Inhibitors for Tubulointerstitial Nephritis and Uveitis (TINU).

Song BM, VanDevoorde R, Graham TB, Gangaputra S | Ocul Immunol Inflamm; 2026 Jan | 2026 Jan | ID: 41287192

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.

Abstract-limited disposition	Observational aggregate safety/risk-characterization evidence; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

Access route checked

35. Prescribing and switching patterns of biologic therapy in patients with psoriasis: real-world experience.

Loo CH, Thevarajah S, Tang MM, Robinson S | Clin Exp Dermatol; 2026 Feb 24 | 2026 Feb 24 | ID: 41216914

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Aggregate effectiveness, persistence, immunogenicity, tolerability, or off-label evidence; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

Access route checked

36. Drug-induced osteoporosis/osteopenia: a pharmacovigilance analysis using the FDA Adverse Event Reporting System database.

Wang Y, Huang G, Fu X, Wang Z, Mao W, Zheng G | Clin Exp Rheumatol; 2026 May | 2026 May | ID: 41196268

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Aggregate pharmacovigilance/signal evidence; secondary analysis of existing reports, so no new literature ICSR is created.
Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.

Access route checked

37. Evaluation of anti-drug antibodies against therapeutic monoclonal antibodies and related product in Japanese patients with rheumatoid arthritis and their clinical impact.

Shibata H, Nishimura K, Tsukagoshi E, Ishii-Watabe A, Saito Y, Yamada S, Masuoka S, Hirose W, Kawai S, Nanki T | Eur J Pharm Sci; 2026 Jan 01 | 2026 Jan 01 | ID: 41177310

Source record

Full-text status	Abstract only
-------------------------	---------------

Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Aggregate effectiveness, persistence, immunogenicity, tolerability, or off-label evidence; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

[Access route checked](#)

38. Changes in weight associated with tumor necrosis factor inhibition in psoriatic arthritis: results from a retrospective cohort study.

Kharouf F, Sheane BJ, Gao S, Pereira D, Cook RJ, Gladman DD, Chandran V | Clin Rheumatol; 2025 Dec | 2025 Dec | ID: 41134488

[Source record](#)

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Aggregate effectiveness, persistence, immunogenicity, tolerability, or off-label evidence; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

[Access route checked](#)

39. Effect of treat-to-target strategies on maternal and neonatal outcomes of rheumatoid arthritis: a multicentre real-world ANSWER cohort study.

Hiramatsu Y, Kotani T, Nakamura E, Yoshikawa A, Hashimoto M, Onishi A, Murata K, Yamamoto N, Murakami K, Hirano T, Maeda Y, Ebina K, Sendo S, Son Y, Amuro H, Hara R, Katayama M, Yamamoto W, Takeuchi T | Rheumatology (Oxford); 2026 Jan 08 | 2026 Jan 08 | ID: 41134194

[Source record](#)

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Aggregate effectiveness, persistence, immunogenicity, tolerability, or off-label evidence; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

[Access route checked](#)

40. Discontinuation versus continuation of maintenance treatment with tumor necrosis factor inhibitors in patients with rheumatoid arthritis with low disease activity or remission: A randomized double-blind placebo-controlled trial.

Ward MM, Weinstein A, Alejandro-Silva P, Matsumoto AK, Konatalapalli R, Stahl N, Kerr GS, Mikdashi J, Kempf P, Shah NR, Danielides S, Ghafouri M, Olenginski TP, Fike A, Balyozova-Dinkov D, Thiele R, Yao L, Paul S, Constantinescu F | Semin Arthritis Rheum; 2025 Dec | 2025 Dec | ID: 41045868

Source record

Full-text status	Inaccessible
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Clinical-study safety/benefit-risk evidence; no new spontaneous literature ICSR. Reconcile serious events with the study safety system where applicable.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

Access route checked

41. Hypersensitivity reactions to biologics in chronic rheumatic diseases: prevalence and associated factors.

Bouden S, Hajjem A, Rouached L, Ben Tekaya A, Ben Dhia S, Mahmoud I, Tekaya R, Saidane O, Abdelmoula L | Expert Opin Drug Saf; 2025 Oct 12 | 2025 Oct 12 | ID: 41001848

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Observational aggregate safety/risk-characterization evidence; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

Access route checked

42. Drug-induced cough risk: A pharmacovigilance study of FDA adverse event reporting system database.

Rui Y, Xin T, Chen Y, Xiang B, Chen C, Chen Z | Respir Med; 2025 Nov | 2025 Nov | ID: 40975140

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Aggregate pharmacovigilance/signal evidence; secondary analysis of existing reports, so no new literature ICSR is created.
Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.

Access route checked

43. Fatal Toxic Epidermal Necrolysis-Like Lupus Erythematosus in a Patient With Metastatic Histiocytic Sarcoma.

Maronese CA, Derlino F, Termini D, Buffon S, Sarno L, Genovese G, Boggio FL, Marzano AV | Int J Dermatol; 2026 Feb | 2026 Feb | ID: 40944357

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Title-only/abstract unavailable. Fatal TEN-like lupus appears to predate any possible rescue etanercept; exposure and post-exposure safety cannot be confirmed. Obtain full text.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

Access route checked

44. Anti-TNF-alpha Treatment Improves the Live Birth Rate and Reduces the Risk of Premature Delivery in Patients with Recurrent Spontaneous Abortion.

Chen S, Li Y, Sun C, Yang J, Li S, Feng Q, Feng X, Li Z, Zhang K, Liu Y | Tohoku J Exp Med; 2026 Apr 15 | 2026 Apr 15 | ID: 40903244

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Aggregate pregnancy/special-population evidence; no individually extractable new literature ICSR on the available information.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

Access route checked

45. Paradoxical psoriasis in pediatric tumor necrosis factor-alpha inhibitor therapy database.

Piao Y, Xu X, Yao X, Li Y, Sun Y, Han T, Wang X, Mao H | Pediatr Res; 2026 Feb | 2026 Feb | ID: 40702205

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Aggregate effectiveness, persistence, immunogenicity, tolerability, or off-label evidence; no individually extractable new literature ICSR.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

Access route checked

46. Efficacy and Safety of Etanercept in Japanese Patients With Stevens-Johnson Syndrome and Toxic Epidermal Necrolysis Unresponsive to Systemic Steroid Therapy: A Multicenter, Open-Label, Single-Arm Study.

Kimura H, Oginezawa M, Hama N, Watanabe Y, Yamaguchi Y, Nakajima S, Watanabe H, Abe R | J Dermatol; 2025 Oct | 2025 Oct | ID: 40657848

[Source record](#)

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Clinical-study safety/benefit-risk evidence; no new spontaneous literature ICSR. Reconcile serious events with the study safety system where applicable.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

[Access route checked](#)

47. Successful treatment of etanercept- and adalimumab-resistant pyoderma gangrenosum with spesolimab, moderate-dose corticosteroids, and minocycline.

Zhang H, Wu C, Jin H | J Dermatolog Treat; 2025 Dec | 2025 Dec | ID: 39828267

[Source record](#)

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Abstract-limited treatment failure: pyoderma gangrenosum resistant to etanercept/adalimumab; no new adverse event stated.
Aggregate / signal relevance	No new signal identified; retain as contextual effectiveness, tolerability, exposure, or special-use evidence.

[Access route checked](#)

48. Infection and infestation-related adverse events of biologics in psoriasis: insights from the Food and Drug Administration Adverse Event Reporting System (FAERS).

Fang R, Zhou Y, Han L, Chen W, Sun Y, Li J | Expert Opin Drug Saf; 2025 Dec | 2025 Dec | ID: 39365557

[Source record](#)

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human etanercept exposure with patient-level, aggregate safety, special-situation, off-label-use, lack-of-effect, tolerability, or signal relevance.
Abstract-limited disposition	Aggregate pharmacovigilance/signal evidence; secondary analysis of existing reports, so no new literature ICSR is created.

Aggregate / signal relevance	Relevant to aggregate safety or signal evaluation; does not independently establish causality or incidence.
---	---

Access route checked

Excluded records

ID	Record	Reason
42721873	Peptide ligands targeting GP64 for the purification of Baculovirus from insect cell lysates. J Chromatogr A; 2026 Sep 03 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42719014	Biologic and targeted synthetic therapies in ankylosing spondylitis: a pharmacological review. Front Pharmacol; 2026 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
42717500	SOX30 Facilitates Triple-Negative Breast Cancer Metastasis via TNFR2-NF-B Signaling and Tumor Microenvironment Remodeling. Adv Sci (Weinh); 2026 Sep 09 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42704198	Practical Saudi Guidelines on management of moderate-to-severe psoriasis: 2026 update. J Dermatolog Treat; 2026 Dec Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
42695019	AMOTL2 inhibits lymph node metastasis in gastric cancer by suppressing TGF-beta/Smad signaling and is destabilized by the E3 ubiquitin ligase SMURF1. Int J Biol Sci; 2026 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
42690624	Switchback from biosimilar tumor necrosis factor-alpha inhibitors to reference medicines: a review. Expert Rev Clin Immunol; 2026 Sep 03 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
42688897	The Sicilian Web pIAtform for Rheumatology Network: complete regional implementation and first-year real-world drug utilisation. Front Digit Health; 2026 Source record	Utilization, policy, economic, or access study without new etanercept safety findings.
42671010	Multi-Technique Integration Identifies O-GlcNAc Transferase in Fibroblast-Like Synoviocytes as a Therapeutic Target for Rheumatoid Arthritis. Adv Sci (Weinh); 2026 Aug 31 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
42632595	Disease-modifying antirheumatic drugs for hand osteoarthritis: A systematic review and network meta-analysis. Hand Surg Rehabil; 2026 Aug 22 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
42618212	Prevalence and clinical relevance of anti-drug antibodies in psoriatic arthritis: a systematic review. RMD Open; 2026 Aug 19 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
42613410	Impact of Regional Healthcare Policy Interventions on Biosimilar Use: A 10-year Evaluation of TNFalpha Inhibitors Utilization in Italy. Pharmaceut Med; 2026 Aug 18 Source record	Utilization, policy, economic, or access study without new etanercept safety findings.
42612498	Protein-protein interactions and self-association of etanercept and immunoglobulin G1 in the bulk phase and at the air-water interface: Effects of NaCl and sucrose. J Colloid Interface Sci; 2026 Aug 06 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42583531	A stratified approach to juvenile idiopathic arthritis: leveraging machine learning to uncover subgroups of patients following treatment with etanercept. Rheumatol Adv Pract; 2026 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.

ID	Record	Reason
42559858	Single-Atom Control of Aromaticity and Excited-State Dynamics in Endohedral Zirconium-Antimony Zintl Clusters. Angew Chem Int Ed Engl; 2026 Aug 06 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42541852	Safety and efficacy of immunosuppressants for recurrent reproductive failure: A systematic review and meta-analysis. J Reprod Immunol; 2026 Jul 29 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
42534265	PD-1hiCXCR5-CD4+T Peripheral Helper Cells Were Enriched and Potentially Predicted Clinical Response to Etanercept Therapy in Rheumatoid Arthritis. MedComm (2020); 2026 Aug Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42528346	Neurobehavioral Consequences of Obesity: The Role of Inflammation. Clin Psychopharmacol Neurosci; 2026 Aug 31 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42518383	The Development of Green Schiff Base-Coated Papers Using Empty Palm Fruit Bunch Biomass for Enhanced Wet Strength. ACS Omega; 2026 Jul 14 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42468831	TNF-alpha modulation in spinal fusion: high-dose TNF-alpha is associated with failed arthrodesis, while etanercept is associated with successful fusion in a rat model. Spine J; 2026 Jul 17 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
42467355	Budget impact analysis of medication reviews by junior pharmacists in polypharmacy patients: a hospital perspective. Int J Clin Pharm; 2026 Oct Source record	Utilization, policy, economic, or access study without new etanercept safety findings.
42446813	Long-term Comparative Adherence and Switch Rates in Patients Receiving Advanced Therapies for Rheumatoid Arthritis After Use of One TNF Inhibitor. Rheumatol Ther; 2026 Jul 14 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42440279	Disease-modifying antirheumatic drugs (DMARDs) for rheumatoid arthritis after failure of biologic or targeted synthetic therapy: a systematic review and network meta-analysis. Cochrane Database Syst Rev; 2026 Jul 13 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
42438916	Tumor necrosis factor inhibitor prescribing and persistence by specialty in radiographic axial spondyloarthritis: a Korean claims study. Korean J Intern Med; 2026 Jul Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42433293	Clinical Relevant Immunosuppressive Drugs Differentially Modulate Axonal Outgrowth from Human Stem Cell-Derived Neurons. bioRxiv; 2026 Jul 02 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
42426413	Infection risks associated with b/tsDMARDs in rheumatoid arthritis: a systematic review and network meta-analysis. Eur J Clin Pharmacol; 2026 Jul 10 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
42410574	Oligoarticular juvenile idiopathic arthritis: epidemiological, clinical, therapeutic and outcome profile of a Tunisian cohort. BMC Pediatr; 2026 Jul 06 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.

ID	Record	Reason
42391431	Tuberculosis Diagnosis and Prevention in Children on Biological Treatment: Clinical Challenges and Considerations. Turk Arch Pediatr; 2026 Jun 10 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
42390709	Immunobiological Therapy in Moderate-to-Severe Psoriasis: A Retrospective Cohort Study Investigating the Effects of Inadequate Therapeutic Compliance on Drug Survival. Dermatol Ther (Heidelb); 2026 Sep Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42386495	Uptake and Use of Biologic Therapies in Paediatric Immune-Mediated Inflammatory Diseases: An Australian Population-Based Study. Pharmacoepidemiol Drug Saf; 2026 Jul Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42363823	Etanercept attenuates TNFalpha-mediated kidney injury in a rat model of brain death kidney donation. Am J Physiol Renal Physiol; 2026 Aug 01 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
42341070	The Washington State Prescription Drug Affordability Board's selection of drugs for affordability review. J Manag Care Spec Pharm; 2026 Jul Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42333672	Biologic drugs for induction and maintenance of remission in Crohn's disease: a network meta-analysis. Cochrane Database Syst Rev; 2026 Jun 23 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
42327458	A Systematic Review of Literature: TNF-alpha Blockers and JAK Inhibitors for the Treatment of Stevens-Johnson Syndrome, Toxic Epidermal Necrolysis, and Severe Forms of Erythema Multiforme. Health Sci Rep; 2026 Jun Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
42324432	Healthcare utilization and costs in patients with rheumatoid arthritis using biologics or tofacitinib: a nationwide, population-based study. Clin Rheumatol; 2026 Aug Source record	Utilization, policy, economic, or access study without new etanercept safety findings.
42309492	Etanercept suppresses rheumatoid arthritis development via modulating miR-125a-3p. Toxicol Appl Pharmacol; 2026 Sep Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
29999671	Etanercept StatPearls [Internet]; 2006 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
42261172	Antidrug Antibodies and Serum Etanercept Levels in Rheumatoid Arthritis: A Narrative Review. Curr Rheumatol Rev; 2026 Jun 08 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42226371	TB risk during treatment with biological agents and Janus kinase inhibitors: an umbrella review. Int J Tuberc Lung Dis; 2026 Jun 01 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
42222213	Morphological analysis of bronchoalveolar lavage fluid in diagnosing pulmonary aspergilloma in a patient with rheumatoid arthritis: A case report. Exp Ther Med; 2026 Jul Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.

ID	Record	Reason
42217399	Screening molecular recognition element-based SWCNT optical sensors for the inflammatory cytokine TNF-alpha. Biosens Bioelectron; 2026 Oct 15 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42204623	Circulating immune cell biomarkers in Psoriatic Arthritis: associations with clinical manifestations and treatment response in the TOFA-PREDICT trial. Arthritis Res Ther; 2026 May 28 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42204611	Aberrant expression of Gremlin1 induces trophoblast senescence in the placenta of advanced maternal age pregnancy. J Transl Med; 2026 May 27 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
42196396	Genome-Wide Association Study of Psoriasis, Psoriatic Arthritis, Anti-TNF-alpha Response, and Polygenic Risk Score in a Russian Cohort. Int J Mol Sci; 2026 May 15 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42179641	A Dual-Functioning Embolic Microsphere Platform for Combined Antiangiogenic and Anti-Inflammatory Therapy for Rheumatoid Arthritis. ACS Omega; 2026 May 19 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
42177286	Impact of JAK-inhibition on pain and biphasic P2X7R expression on CD4+ T cells in experimental arthritis. Sci Rep; 2026 May 23 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
42155459	Interface Between Ophthalmology and Rheumatology in Uveitis and Retinal Vasculitis in Adult Patients, When Does Who Need Whom? Klin Monbl Augenheilkd; 2026 May Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
42153172	Effect of a financial incentive scheme on promoting prescription of biosimilars: a interrupted time-series analyses. Ann Clin Epidemiol; 2026 Apr 01 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42138454	Ten-Year Public Expenditure Savings Associated with TNF Inhibitor Biosimilars under Australia's Pharmaceutical Benefits Scheme. Clin Pharmacol Ther; 2026 Sep Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42131412	Tumor necrosis factor-alpha-mediated inflammatory bone loss: Pathogenic mechanisms and therapeutic potential of its inhibitors. Tzu Chi Med J; 2026 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
42122940	An Overview of Rheumatoid Arthritis-Associated Dry Eye Disease, Scleritis, and Peripheral Ulcerative Keratitis. J Clin Med; 2026 Apr 23 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
42119677	ADAM17 inhibition by the common antihistamine drug fexofenadine dampens soluble proinflammatory TNF-alpha release. Biochem Pharmacol; 2026 Aug Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42110545	Fcgamma receptor expression on monocytes and association with etanercept efficacy in rheumatoid arthritis: a prospective cohort study. Front Pharmacol; 2026 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.

ID	Record	Reason
42106953	Discovery, development, and characterization of SPY002 and SPY072, two novel extended half-life monoclonal antibodies targeting TL1A: in vitro properties, in vivo pharmacology, pharmacokinetics, and preclinical safety. MAbs; 2026 Dec Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
42095068	Positron Emission Tomography imaging of tumor necrosis factor in lung injury. Ups J Med Sci; 2026 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
42082935	Correction: Comparative efficacy and safety of etanercept and adalimumab in the treatment of polyarticular juvenile idiopathic arthritis. BMC Pediatr; 2026 May 04 Source record	Correction, retraction, or notice without new interval safety information.
42082137	[TNF-alpha Inhibitor-Induced Pulmonary Sarcoidosis]. Pneumologie; 2026 May 04 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42041798	Etanercept in Spinal Cord Injury: A Systematic Review. Brain Sci; 2026 Mar 31 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
42041098	Immunoregulation by DC and T cells in psoriasis with probable immunotherapeutic approaches. Int Rev Immunol; 2026 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
42023360	Prescription pattern assessment of pharmacotherapeutics used in the management of amyloidosis secondary to rheumatoid arthritis via systematic review and network meta-analysis. J Family Med Prim Care; 2026 Feb Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
42012299	International consensus on dose reduction of biologics for patients with psoriasis: The DR. Delphi study. J Eur Acad Dermatol Venereol; 2026 Sep Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42011511	Predictors of inactive disease and remission in children and young adults with juvenile idiopathic arthritis treated with etanercept. Rheumatology (Oxford); 2026 May 05 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
42005678	Demographic and Clinical Insights Into Pyoderma Gangrenosum: A Retrospective Cross-Sectional Study From a Tertiary Care Hospital. Health Sci Rep; 2026 Apr Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41967254	Recurrent pregnancy loss and targeted immunotherapy: Mechanistic insights and the role of biologic disease-modifying anti-rheumatic drugs. J Reprod Immunol; 2026 Jun Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
41966083	Pulmonary rheumatoid nodules in a patient treated with golimumab. ARP Rheumatol; 2026 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41951459	Safety of synthetic and biological DMARDs: a systematic literature review informing the 2025 update of the EULAR recommendations for the management of rheumatoid arthritis. Ann Rheum Dis; 2026 Jun Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.

ID	Record	Reason
41909707	Drug development in psoriatic arthritis: a trialrove-based landscape analysis (1999-2025). Front Immunol; 2026 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
41903158	IL6/IL10/TLR4 Govern Immunogenic Cell Death in Aortic Dissection. Cardiovasc Ther; 2026 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41899422	Anti-Inflammatory and Synaptic Protective Effects of TNF-alpha Inactivation in the MDX Mouse Model. Curr Issues Mol Biol; 2026 Mar 03 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
41889659	Treatment patterns of biologic disease-modifying anti-rheumatic drugs in juvenile idiopathic arthritis: a population-based study in Korea. J Rheum Dis; 2026 Apr 01 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41882495	Wogonin Mitigates Depression by Inhibiting TNF-alpha/TNFR1/CXCL1 Signalling-Mediated Astrocyte Activation. J Cell Mol Med; 2026 Mar Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
41850317	Effects of Bone Morphogenetic Protein Agonist Small Molecule, SB4, on Osteogenic Differentiation of Adipose-Derived Mesenchymal Stem Cells. J Bone Metab; 2026 Feb Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41843558	Computational modeling-directed combination treatment with etanercept and mifepristone mitigates neuroinflammation in a mouse model of Gulf War Illness. PLoS One; 2026 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
41841636	Coverage Generosity of Novel Antirheumatic Drugs in Medicare Advantage and Stand-Alone Part D Plans. Arthritis Rheumatol; 2026 Mar 17 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41832369	Selective Inhibition of Tumor Necrosis Factor for Attenuating Alzheimer's Disease: Strategies Targeting Neuroinflammation. Inflammation; 2026 Mar 14 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
41826544	Effects of sialylated oligosaccharides on the N- and O-glycosylation of etanercept in recombinant CHO cells. Appl Microbiol Biotechnol; 2026 Mar 13 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
41826212	EULAR recommendations for the management of rheumatoid arthritis with synthetic and biologic disease-modifying antirheumatic drugs: 2025 update. Ann Rheum Dis; 2026 Jun Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41824614	Cost-Utility and Budget Impact Analysis of Tumor Necrosis Factor-Alpha Inhibitors for the Treatment of Refractory Nonsystemic Juvenile Idiopathic Arthritis in Thailand. Value Health Reg Issues; 2026 Mar 13 Source record	Utilization, policy, economic, or access study without new etanercept safety findings.
41823702	Real-world use of biologics for non-systemic juvenile idiopathic arthritis: Information from a Japanese hospital claims database. Mod Rheumatol; 2026 Aug 31 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.

ID	Record	Reason
41821126	Predicting clinical response in psoriatic arthritis through integrative analysis of transcriptomics and proteomics. Arthritis Res Ther; 2026 Mar 12 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41801332	Improvement of protein purity in etanercept production through process optimization in recombinant CHO cell-based transient gene expression system. Bioprocess Biosyst Eng; 2026 Apr Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
41780543	Camptodactyly-Arthropathy-Coxa Vara-Pericarditis Syndrome without Camptodactyly: A Pediatric Case and Review of the Literature. Klin Padiatr; 2026 Mar 04 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41769311	Financial reimbursement incentives in the use of biosimilars for rheumatoid arthritis in Japan. J Pharm Policy Pract; 2026 Source record	Utilization, policy, economic, or access study without new etanercept safety findings.
41754879	Biological Treatment of Psoriasis-Data So Far. Pharmaceuticals (Basel); 2026 Feb 21 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
41737212	Mincle-dependent Th17 adjuvanticity requires TNFR1 signaling in myeloid cells. Front Immunol; 2026 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
31644159	Tumor Necrosis Factor Antagonists StatPearls [Internet]; 2012 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
31643177	Etanercept StatPearls [Internet]; 2012 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
41694362	Comparative risk of tuberculosis infection with different TNF-alpha inhibitors in immune-mediated inflammatory diseases: a systematic review and network meta-analysis. Front Immunol; 2026 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
41694229	Assessing the repurposing potential of disease-modifying antirheumatic drug targets to reduce Alzheimer's disease risk: a Mendelian randomization study. Brain Behav Immun Health; 2026 Mar Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41672949	Impact of Biologics on Cardiovascular Events in Ankylosing Spondylitis: A Meta-Analysis. Int J Rheum Dis; 2026 Feb Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
41671937	Tumor necrosis factor alpha inhibition improves fetal growth in a rat model of preeclampsia. Placenta; 2026 Mar 25 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
41669682	Rhein protects against renal aging and fibrotic injury by multiple targets through inhibition of TNF-alpha-mediated autophagy and necroptosis crosstalk. Front Pharmacol; 2026 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
41667031	Integration of network pharmacology, lipidomics, and transcriptomics analysis to reveal the mechanisms underlying the synergy between susceptibility factor TNF-alpha and Polygonum multiflorum-induced idiosyncratic liver injury in mice. Chem Biol Interact; 2026 Apr 01 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.

ID	Record	Reason
41648205	Screening Molecular Recognition Element-Based SWCNT Optical Sensors for the Inflammatory Cytokine TNF-alpha. bioRxiv; 2026 Jan 24 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41648060	Current and Emerging Therapies for Uveitis in Axial Spondyloarthritis: A Scoping Review. Mediterr J Rheumatol; 2026 Mar Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
41642633	RETRACTED: Cordaro et al. Role of Etanercept and Infliximab on Nociceptive Changes Induced by the Experimental Model of Fibromyalgia. Int. J. Mol. Sci. 2022, 23, 6139. Int J Mol Sci; 2026 Feb 04 Source record	Correction, retraction, or notice without new interval safety information.
41639989	Clinical Features and Outcome of Patients With Juvenile Spondyloarthropathy in a Tertiary Hospital in the Philippines. Clin Pediatr (Phila); 2026 Jun Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41633063	Structural modifications of the tumor necrosis factor-alpha inhibitor Enbrel affect its therapeutic efficacy in a mouse model of rheumatoid arthritis. J Pharmacol Exp Ther; 2026 Mar Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
41623121	TNF-alpha Inhibitors and HBV Reactivation Risk in HBsAg-/Anti-HBc+ Patients: A Systematic Review and Meta-Analysis. Liver Int; 2026 Mar Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
41618901	Shaping Antimalarials: A Geometry-First Approach to PfCLK3 Covalent Inhibitors. J Med Chem; 2026 Feb 12 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
41605105	Effects of arginine on the interfacial behavior of proteins. J Colloid Interface Sci; 2026 May Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41565595	Genome-wide association and haplotype analyses reveal genetic architecture of seed dormancy in grain sorghum with implications for preharvest sprouting tolerance. Plant Genome; 2026 Mar Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41533706	A head-to-head comparison of TNF-alpha inhibitors as the first biologic treatment of rheumatoid arthritis. Rheumatology (Oxford); 2026 Feb 04 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41528783	Impact of secukinumab with modified nourishing blood and moisturising decoction on superficial fungal infections in patients with psoriasis with blood-dryness pattern. J Wound Care; 2026 Jan 02 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41510938	Recent advances in biologic therapies for ankylosing spondylitis: A 2024 update. Allergol Immunopathol (Madr); 2026 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
41483721	In-depth O-glycosylation characterization and comparison of commercially available etanercept biosimilars by using Electron Activated Dissociation. J Pharm Biomed Anal; 2026 Apr 15 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.

ID	Record	Reason
41465591	Circulating Aggrecan, Biglycan, and Decorin as Biomarkers of Osteoarticular Alterations in Juvenile Idiopathic Arthritis-A Preliminary Study. Int J Mol Sci; 2025 Dec 18 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41457704	Measuring the Impact: Magnetic Resonance Imaging Response of Sacroiliac Joints to Tumor Necrosis Factor Inhibitors in Youth With Axial Disease. Arthritis Rheumatol; 2026 Jul Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41456871	TNF-alpha partially modulates the endothelial dysfunction during the acute phase of Trypanosoma cruzi infection. Br J Pharmacol; 2026 May Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41448991	Evaluation of the placebo and treatment effect overtime in randomised clinical trials evaluating the efficacy of biologics in axial spondyloarthritis: systematic review and meta-analysis. Ann Rheum Dis; 2026 Mar Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
41439725	Targeting inflammation in endometriosis: emerging therapeutic options. Expert Opin Investig Drugs; 2025 Dec Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
41430310	Estrogen receptor 1 activation suppresses microglia-derived Tnf-alpha signaling as a photoreceptor self-protection mechanism. J Neuroinflammation; 2025 Dec 22 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41425114	Pyoderma Gangrenosum with Biological Agents Therapy: A Systematic Review. Clin Cosmet Investig Dermatol; 2025 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
41418665	Neutralizing endocan reduces blood pressure and improves endothelial function in angiotensin II-induced hypertensive mice. Biomed Pharmacother; 2026 Jan Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
41409427	Genomics-driven drug repurposing and novel targets identification for sickle cell disease in Saudi patients. Front Bioinform; 2025 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41399576	Evaluating the Safety and Effectiveness of Perispinal Etanercept for Post-Stroke Recovery: A Systematic Review. Cureus; 2025 Nov Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
41396376	A systematic review of therapeutic and paradoxical roles of tumor necrosis factor alpha inhibitors in autoimmune blistering diseases. Inflammopharmacology; 2026 Jan Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
41364167	Influence of anti-tumor necrosis factor (TNF) treatments on T cell cytokine production in patients with inflammatory joint diseases - comparison of etanercept and anti-TNF monoclonal antibodies. A double-blind, prospective, placebo-controlled study. J Physiol Pharmacol; 2025 Oct Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41351367	Hepatitis B reactivation linked to tumor necrosis factor-alpha inhibitors in rheumatoid arthritis: a systematic review and meta-analysis. Cell Mol Biol (Noisy-le-grand); 2025 Dec 06 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.

ID	Record	Reason
41346622	Pharmacogenomic landscape of TNF inhibitors in the Middle Eastern Qatari population. Front Immunol; 2025 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41346010	Efficacy and Safety of Biologics in the Treatment of Pediatric Psoriatic Arthritis: A Systematic Review. J Cutan Med Surg; 2026 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41333465	Effectiveness of "tumor necrosis factor inhibitors" in monogenic hereditary recurrent fevers in children and adolescents: a systematic review. Front Immunol; 2025 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
41306781	A comparative analysis of biologics market dynamics in 12 countries: (Bio)similar and sustainability. Front Pharmacol; 2025 Source record	Utilization, policy, economic, or access study without new etanercept safety findings.
41286205	Trends in immunomodulatory therapy for the treatment of chronic uveitis in the United States. J Ophthalmic Inflamm Infect; 2025 Nov 25 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41257213	Unexpected Role of TNFalpha Signaling in the Resolution of Postoperative Pain in Mice. J Pain Res; 2025 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
41252768	Neutrophil-derived TNF-alpha triggers ACSL4-mediated lipid peroxidation in post-hepatectomy liver injury. Int Immunopharmacol; 2026 Jan 01 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
41251889	Clinical and Real-World Evidence on Etanercept Biosimilar Switching: A Narrative Literature Review of Efficacy and Safety. Adv Ther; 2026 Jan Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
41232618	Microglia depletion improves hippocampal circuit function after mild traumatic brain injury in male mice. Brain Behav Immun; 2026 Jan Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
41230865	The effect of the nonselective TNF inhibitor etanercept and of the selective TNF inhibitor XPro1595 on lesioned supraspinatus muscle. Biosci Rep; 2025 Dec 08 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
41230051	Presumed abdominal tuberculosis in a patient of recalcitrant Juvenile Idiopathic Arthritis associated uveitis treated with Adalimumab. Oman J Ophthalmol; 2025 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41223251	snoRNA Snord3 promotes rheumatoid arthritis by epigenetic regulation of ESM1 in fibroblast-like synoviocytes in mice. Sci Transl Med; 2025 Nov 12 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
41205006	Multifunctional lactic acid bacteria isolated from traditional Makdous. Antonie Van Leeuwenhoek; 2025 Nov 08 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
41197934	Bempedoic Acid mitigates BCG-induced depression in mice by modulating TNF-alpha/NF-B signaling and restoring brain serotonin contents. Brain Res; 2025 Dec 15 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.

ID	Record	Reason
41179704	Synthesized Depside Molecules Suppress the Progression of Colorectal Cancer by Binding VDAC1/PHB/MMP9 Being at the Crossroads of Stemness, Motility, Apoptosis, and Metabolism. MedComm (2020); 2025 Nov Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
41176600	Inflammation associated microglial expansion disrupts hippocampal glial network communication, driving postoperative neurocognitive impairment. J Neuroinflammation; 2025 Nov 01 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
41505571	Not reported StatPearls [Internet]; 2025 11 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
41160371	Long-term persistence of biological agents in the treatment of patients with rheumatoid arthritis: a systematic literature review and meta-analysis. Clin Rheumatol; 2026 Jan Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
41146314	The development of a clinical prediction model for response to methotrexate, tofacitinib, and etanercept in patients with Psoriatic Arthritis. Arthritis Res Ther; 2025 Oct 27 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41145722	Biologic Therapies and Major Cardiovascular Events in Psoriasis: Updated Systematic Review and Meta-analysis. Dermatol Ther (Heidelb); 2025 Dec Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
41131425	Did a Non-Medical Biosimilar Switching Policy Cause an Increase in Non-Biologic/Biosimilar Health Care Resource Utilization or Cost in Patients With Inflammatory Arthritis? Arthritis Care Res (Hoboken); 2026 Feb Source record	Utilization, policy, economic, or access study without new etanercept safety findings.
41075047	TNF-alpha Inhibition Modulates CX3CR1, Pyroptosis-related Genes, and BDNF to Alleviate Anxiety-like Behavior in Type 2 Diabetic Rats. J Neuroimmune Pharmacol; 2025 Oct 11 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41044520	Comprehensive identification of immune-related biomarkers and therapeutic targets in preeclampsia: integrative bioinformatics and experimental validation. BMC Pregnancy Childbirth; 2025 Oct 03 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
41033058	Orthogonal biosimilarity testing of etanercept: A green and white analytical approach. Talanta; 2026 Feb 01 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41024167	Childhood-onset Takayasu arteritis: clinical presentation, challenges and disease course. Pediatr Rheumatol Online J; 2025 Sep 29 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
41021051	Biological therapy in a patient with coexistence of multiple sclerosis and ankylosing spondylitis: a case based review. Rheumatol Int; 2025 Sep 29 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
41021022	Scoping review of biosimilar disease-modifying antirheumatic drugs in pregnancy: evidence gaps and proposed outcome reporting framework. Rheumatol Int; 2025 Sep 29 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.

ID	Record	Reason
41011290	The Impact of 24-Month Etanercept Therapy on Changes in Adiponectin, Leptin and Tenascin C Levels in the Blood of Children with Juvenile Idiopathic Arthritis. Pharmaceuticals (Basel); 2025 Sep 22 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
40993922	A Novel Combined Therapeutic Approach to Endometriosis: Exosomes Derived from Human Wharton's Jelly Mesenchymal Stem Cells and Etanercept. Curr Mol Med; 2025 Sep 22 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
40968104	Feasibility of Rapid Regulatory Differentiation of TNF Receptor 2-Fc Fusion Protein Products from Various Manufacturers in the Chinese Market Using a Novel Mass Spectrometry-Based Multi-attribute Method (MAM). J Am Soc Mass Spectrom; 2025 Oct 01 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
40960077	TNF-alpha inhibitor therapy for granuloma annulare. J Dermatolog Treat; 2025 Dec Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
40952425	Impact of Biologic Therapy, School Success, Parent's Education and Socioeconomic Status on Transition Readiness in Adolescents with Juvenile Idiopathic Arthritis and Their Parents. Indian Pediatr; 2025 Nov Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
40927444	Analysis of the potential for immunosuppression of infants with in-utero and breast milk exposure to antitumor necrosis factor alpha agents: are all agents equally safe? Int J Womens Dermatol; 2025 Oct Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
40920065	Comment on: Evaluation of the nocebo effect after switching from etanercept or adalimumab originator to a biosimilar: a retrospective study of patients with inflammatory rheumatism. Clin Exp Rheumatol; 2025 Dec Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
40912139	Impact of degradation in subcutaneous tissue and lymphatic fluid on absorption of Fc-fusion proteins following subcutaneous administration. Drug Metab Pharmacokinet; 2025 Oct Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
40911995	Bone marrow immune remodeling in depression: TNF/NF-B mediated leukocyte redistribution and construction of an interpretable predictive model. Int Immunopharmacol; 2025 Nov 14 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
40905522	Systemic immunomodulating therapies for epidermal necrolysis (Stevens-Johnson syndrome/toxic epidermal necrolysis): A systematic review and meta-analysis. J Dtsch Dermatol Ges; 2026 Jan Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
40900466	Interleukin-17 Inhibitors and Early Major Adverse Cardiovascular Events. JAMA Dermatol; 2025 Nov 01 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
40899440	Association of Pharmacologic Markers of Anti-Tumor Necrosis Factor-alpha Activity and Etanercept Effectiveness in Juvenile Idiopathic Arthritis. Pharmacol Res Perspect; 2025 Oct Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
40882291	Medicines Policy in Action: The Impact on Volume and Cost of Biologic Medicines After Biosimilar Introduction. Value Health Reg Issues; 2025 Nov Source record	Utilization, policy, economic, or access study without new etanercept safety findings.

ID	Record	Reason
40856907	Management of Erythrodermic Psoriasis with Systemic Therapies: A Systematic Review. Am J Clin Dermatol; 2025 Nov Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
40836411	Different effects of tumor necrosis factor monoclonal antibody and receptor fusion protein on bone metabolism. Int Immunopharmacol; 2025 Sep 23 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
40798883	Galectin-9 inhibition of the MIF-CD74/CD44 pathway suppresses chronic arthritis. Mol Ther; 2025 Nov 05 Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
40781859	Retrospective Review on Safety and Efficacy of Combination Biologic Therapy for Psoriasis. Australas J Dermatol; 2025 Nov Source record	No etanercept exposure in the study cohort; etanercept appears only in cited prior literature.
40762072	The Efficacy and Safety of Tumor Necrosis Factor Alpha Inhibitors in the Treatment of Noninfectious Uveitis: A Systematic Review and Meta-Analysis. J Ocul Pharmacol Ther; 2025 Nov Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
40611412	Prevalence and Impact of Antibodies Against TNF Alpha Inhibitors in Rheumatoid Arthritis and Spondyloarthritis: Systematic Review and Meta-Analysis with Subgroup Analysis. Curr Drug Saf; 2026 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
40560105	Lessons from TNF-alpha Inhibitor-Induced Alopecia Areata: Does TNF-alpha Operate as a Hair Follicle Immune Privilege Guardian under Inflammatory Conditions? J Invest Dermatol; 2025 Oct Source record	Mechanistic commentary without new patient-level or primary interval safety data.
40494065	Comparison and analysis of biological drug consumption in two Italian hospital settings: Governance actions and prescribing appropriateness. J Healthc Qual Res; 2025 Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.
40402160	Evaluating changes in baseline characteristics and drug-utilization pattern in patients with moderate-to-severe psoriasis: findings from the British Association of Dermatologists Biologics and Immunomodulators Register (BADBIR) cohort. Clin Exp Dermatol; 2025 Sep 25 Source record	Utilization, policy, economic, or access study without new etanercept safety findings.
40393718	Systematic review and meta-analysis of the efficacy of biologic and targeted synthetic therapies in sarcoidosis. Thorax; 2025 Sep 15 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
40256995	Recommendations for the Use of Disease-Modifying Antirheumatic Drugs in Pregnancy and Reproductive Health for Patients With Rheumatic Disease: A Scoping Review. Arthritis Care Res (Hoboken); 2025 Oct Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
40152016	Use of Biologic Therapy in AA Amyloidosis Patients Undergoing Dialysis-A Systematic Literature Review. Hemodial Int; 2025 Oct Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
39716799	A Comprehensive Review on Plant Bioactive Compounds-based Novel Drug Delivery System for the Treatment of Rheumatoid Arthritis. Pharm Nanotechnol; 2026 Source record	Secondary review without a new in-scope patient-level etanercept case or material interval primary safety finding.
39057748	Effects of Etanercept on Experimental Osteoarthritis in Rats: Role of Histone Deacetylases. Cartilage; 2026 Jun Source record	No new in-scope etanercept patient-level case, safety outcome, special situation, or material aggregate safety finding after title/abstract screening.

ID	Record	Reason
38594949	Effect of using scan body accessories and inter-implant distances on the accuracy of complete arch implant digital impressions: An in vitro study. J Prosthodont; 2025 Oct Source record	Non-human, preclinical, analytical, or mechanistic publication without an in-scope human safety case.
34662086	Biosimilars Use in Medicine for Inflammatory Diseases StatPearls [Internet]; 2026 01 Source record	Reference or educational record without new interval safety data.
31424836	Etanercept StatPearls [Internet]; 2026 01 Source record	Reference or educational record without new interval safety data.
29494032	Tumor Necrosis Factor Inhibitors StatPearls [Internet]; 2026 01 Source record	Reference or educational record without new interval safety data.

Overall assessment

- Case processing: nine potential individual literature ICSRs warrant duplicate/source-data review. PMID 42598350 was excluded from the individual case count after alignment because documented opportunistic infection followed etanercept discontinuation and upadacitinib exposure in advanced occult HIV. PMID 42652926 remained contextual rather than an Enbrel ICSR because infections were described as TEN/ICU complications during multimodal immunosuppression.
- Known-risk characterization: the literature reinforces the USPI boxed warning for serious infections and the warning for neurologic/demyelinating reactions. Fatal or prolonged outcomes were concentrated in patients with major alternative risk factors, including metastatic cancer, chronic corticosteroids, transplant/GVHD, combination immunosuppression, and delayed treatment.
- Potential signal topics: paradoxical sarcoidosis/uveitis, renal autoimmune disease, pediatric uveitis/psoriasis/IBD, and retroperitoneal fibrosis merit cumulative evaluation. Disproportionality and observational findings cannot establish incidence or causality and should be triangulated with internal case series, exposure data, and epidemiology.
- Special situations and off-label use were common. Lactational exposure, pregnancy cohorts, perispinal use, severe cutaneous reaction rescue, graft-versus-host disease, autoinflammatory syndromes, and dual targeted therapy should remain visible in periodic aggregate review even when no conventional ICSR was established.

Limitations

- Forty-eight included publications could not be reviewed in full; all conclusions for those records are explicitly abstract- or title-limited. Access may change after the review date.
- The title-only letter PMID 41656754 and abstract-limited lactation case PMID 42093128 require source acquisition/follow-up before final operational coding and causality assessment.
- No sponsor global safety database, company core data sheet, prior literature case inventory, exposure denominator, or study safety database was available. Duplicate status and prior reporting therefore remain unresolved.
- Spontaneous-report disproportionality analyses are vulnerable to duplicate reports, stimulated and selective reporting, missing covariates, confounding by indication, and lack of exposure denominators; they identify hypotheses rather than causal effects.
- Observational and transplant studies frequently reported aggregate outcomes without patient-level linkage. Those counts were not converted into individual ICSRs.
- PubMed Date - Publication can reflect electronic and issue-level dates differently; records returned by the exact query were retained and the database date behavior was documented.
- Expectedness was assessed against the publicly available U.S. Enbrel prescribing information current at review. A controlling company RSI/SOP could produce different operational listedness or reporting decisions.

Next actions

- Perform duplicate searches and case processing for the nine potential individual literature ICSRs under the controlling company and U.S. procedures.
- Obtain and medically review full text/source follow-up for PMIDs 41656754 and 42093128, prioritizing exact exposure dates, event chronology, seriousness, outcome, and reporter causality.
- Reconcile clinical-trial and registry safety observations, especially PMIDs 40906977 and 42465193, with the applicable sponsor/study safety systems before creating cases.
- Evaluate retroperitoneal fibrosis, pediatric autoimmune disorders/uveitis, sarcoidosis-like reactions, and renal autoimmune injury in cumulative signal-management and periodic aggregate reporting processes.
- Update full-text access and conduct the next scheduled PubMed surveillance cycle using the same broad-plus-case-sensitivity strategy.

References

1. Current U.S. Enbrel prescribing information (DailyMed set ID a002b40c-097d-47a5-957f-7a7b1807af7f) (accessed 2026-09-13)
<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=a002b40c-097d-47a5-957f-7a7b1807af7f>
2. ICH E2D(R1): Post-Approval Safety Data - Definitions and Standards for Management and Reporting of Individual Case Safety Reports (accessed 2026-09-13)
[https://database.ich.org/sites/default/files/ICH_E2D\(R1\)_Step4_FinalGuideline_2025_0819.pdf](https://database.ich.org/sites/default/files/ICH_E2D(R1)_Step4_FinalGuideline_2025_0819.pdf)
3. PubMed - U.S. National Library of Medicine (accessed 2026-09-13)
<https://pubmed.ncbi.nlm.nih.gov/>