

Otezla (Apremilast) Literature Safety Surveillance Report

Otezla / apremilast | PubMed | 2025-09-13 to 2026-09-13

Report date	2026-09-13
Version / status	1.0 / Final after alignment/QC
Prepared by	Rita Rui-Ci Lin, PhD
Jurisdiction	United States / FDA
Reference safety information	Current FDA-approved Otezla/Otezla XR US Prescribing Information available at the time of review
RSI date	Updated 2026-09-02; revised 09/2026
Reporting framework	ICH E2D(R1), supplemented by applicable FDA postmarketing requirements; ICH E2C(R2) used for aggregate/PBRER relevance

This portfolio report supports transparent literature surveillance and medical review. It does not replace company case-processing procedures, duplicate review, local reporting rules, or regulatory medical judgment.

Executive summary

- A reproducible PubMed search retrieved and screened 177 unique records published from 13 September 2025 through 13 September 2026. Sixty-five publications were retained: 37 case-report/case-series or case-like patient publications and 28 other clinical-trial, cohort, registry, or pharmacovigilance publications.
- Full text was accessible and reviewed for 27 included publications; 38 were assessed from title/abstract and metadata only. The supplemental case-sensitivity search returned 66 records and added no records beyond the broad search, while broad-title review identified two untagged therapeutic cases.
- Confirmed preliminary literature ICSR candidates comprised four adverse events in the oral lichen planus case series (nausea, oral thrush, hypersalivation, and significant weight loss), one expected headache case in acrodermatitis continua, and one serious fatal decompensated-heart-failure case-processing candidate requiring database reconciliation because of major confounding.
- Two additional potential unexpected cases remained unresolved without full text: recurrent widespread dermatophytosis and dyshidrotic eczema. An unspecified prior apremilast intolerance in another report was insufficiently described for coding or final validity assessment.
- No new confirmed safety signal was established. Priority aggregate topics were serious infection, malignancy/tumor findings, psychiatric outcomes, unusual infections, combination therapy, and dose-related tolerability; gastrointestinal intolerance, headache, and weight decrease remained consistent with the current USPI.

Retrieved	Deduplicated	Screened	Included	Excluded
177	177	177	65	112
Full text available	Full text reviewed	Full text unavailable	Publications	Potential cases*
27	27	38	65	6

*Potential cases are publication-derived candidates; final processing and submission are procedure- and region-dependent.

Scope, database, and methods

Product terms	apremilast; Otezla; CC-10004
Database / interface	PubMed / PubMed / NCBI E-utilities
Timeframe	2025-09-13 to 2026-09-13
Search executed	2026-09-13 America/Los_Angeles
Date field	Date - Publication
Exact query	(apremilast[Title/Abstract] OR Otezla[Title/Abstract] OR "CC-10004"[Title/Abstract] OR apremilast[Supplementary Concept]) AND ("2025/09/13"[Date - Publication] : "2026/09/13"[Date - Publication])
Supplemental methods	A 66-record case-sensitivity search used Case Reports/Letter publication types plus case, series, patient, and therapeutic-title terms. It yielded no records outside the 177-record broad search. Broad-search titles were also reviewed to capture untagged cases.
Limits	None; None
Search notes	PubMed Date - Publication was applied inclusively. Sixty-six records met the supplemental sensitivity query; 37 case-report/case-series or case-like patient publications were retained after screening, including two untagged cases identified through broad-title review.

Screening reconciliation

The search retrieved 177 record(s); 177 unique record(s) were retained, 177 were screened, 65 were included, and 112 were excluded. Full text was available for 27 included publication(s), and 27 were reviewed in full.

Full-text availability

ID	Publication	Status	Review basis
42626542	Durable, Anatomically Confined Clearance of Scalp Psoriasis and Associated Pruritus After Single Bilateral Greater Occipital Nerve Block.	Public/publisher full text reviewed	full text
42621332	Successful Addition of Topical Tapinarof for Residual Psoriatic Lesions During Apremilast Therapy: A Case Report.	Public/publisher full text reviewed	full text
42615322	Case Report: Successful Treatment With Apremilast of SAPHO Syndrome and Refractory Pain.	Subscription / not accessed	abstract
42583969	Efficacy and safety of different doses of apremilast in mild to-moderate psoriasis: A randomized controlled study.	Public/publisher full text reviewed	full text
42576419	Dual Targeted Therapy as a Treatment Strategy for Refractory Psoriatic Arthritis: Real-World Effectiveness and Safety From a Prospective Cohort.	Public/publisher full text reviewed	full text
42569513	Oral lichen planus and apremilast: Case series and literature review.	Public/publisher full text reviewed	full text
42568089	Effect of apremilast on enthesal bone damage in psoriasis patients at risk of developing psoriatic arthritis - data from the prospective, interventional EPOS study.	Public/publisher full text reviewed	full text
42555537	Psoriatic patients with cancer: a multicentric real-life study comparing Risankizumab and Apremilast.	Subscription / not accessed	abstract
42473780	Deucravacitinib in Active Psoriatic Arthritis: Efficacy and Safety up to 52 Weeks From the Randomized, Double-Blind, Phase 3 POETYK PsA-2 Trial.	Subscription / not accessed	abstract
42464053	Effectiveness and Safety of Apremilast in Immune Checkpoint Inhibitor-Associated Psoriasis: A Retrospective Multicenter Study From the EADV Task Force "Dermatology for Cancer Patients".	Subscription / not accessed	title only
42454042	Apremilast for acquired reactive perforating collagenosis with metabolic and infectious comorbidities: a case report.	Public/publisher full text reviewed	full text
42406589	Dyshidrotic Eczema Mimicking Palmoplantar Pustulosis During Apremilast Treatment: A Diagnostic Pitfall.	Subscription / not accessed	title only
42384964	Progression from oligoarticular to polyarticular psoriatic arthritis and apremilast as a disease modifier: Novel insights from FOREMOST.	Public/publisher full text reviewed	full text
42366928	Adverse Event Profile of Apremilast: Pharmacovigilance Study Based on FDA Adverse Event Reporting System (FAERS).	Subscription / not accessed	abstract
42344901	Breaking the barrier: oral tacrolimus plus apremilast rescues acute generalized pustular psoriasis with severe comorbidities-a case report.	Public/publisher full text reviewed	full text
42290267	Pharmacokinetic and bioequivalence study of apremilast tablets in healthy Chinese subjects under fasting and fed conditions.	Subscription / not accessed	abstract
42252545	Apremilast for Acrodermatitis Continua of Hallopeau: Report of Two Cases and Review of the Literature.	Public/publisher full text reviewed	full text
42247059	Real-world effectiveness and safety of apremilast in psoriatic arthritis: results from the multicenter Italian MAPSI II study.	Subscription / not accessed	abstract
42186313	Case Report: Successful Treatment of Refractory Palmoplantar Pustulosis With Spesolimab and Apremilast.	Subscription / not accessed	title only
42177023	Safety Profile of Systemic Therapy for the Management of Psoriasis in Patients With Diabetes Mellitus: Data From the BIOBADADERM Prospective Cohort.	Subscription / not accessed	abstract
42169962	Apremilast combined with low-dose corticosteroids for lichenoid drug eruption following programmed cell death protein 1 inhibitor and lenvatinib therapy: A case report.	Public/publisher full text reviewed	full text

ID	Publication	Status	Review basis
42088509	Acute erythrodermic psoriasis complicated by systemic capillary leak syndrome following secukinumab therapy: a case report.	Public/publisher full text reviewed	full text
42082393	Serious infection risk with systemic treatments for psoriasis: a cohort study from the British Association of Dermatologists Biologics and Immunomodulators Register (BADBIR).	Subscription / not accessed	abstract
42079624	Case Report: Upadacitinib and apremilast combination therapy for guselkumab-induced paradoxical eczema in psoriasis.	Public/publisher full text reviewed	full text
42051104	Treatment of Erythema Annulare Centrifugum-Like Parapsoriasis With Apremilast.	Subscription / not accessed	title only
41988533	Sex-specific adverse event profiles of PDE4 inhibitors: a comparative big-data pharmacovigilance study of apremilast, crisaborole, and roflumilast in FAERS (2004-2025).	Public/publisher full text reviewed	full text
41970101	Apremilast as an Adjuvant in Refractory Reactive Arthritis: A Retrospective Observational Study.	Public/publisher full text reviewed	full text
41822892	From apremilast to JAK inhibitors-salvage treatment strategies for refractory palmoplantar pustulosis: case series.	Public/publisher full text reviewed	full text
41812983	Sequential small-molecule therapy for lymphocytic cicatricial alopecia: A multicenter prospective cohort pilot study.	Subscription / not accessed	abstract
41811225	Apremilast: A Novel and Effective Therapy for Pityriasis Lichenoides Chronica.	Subscription / not accessed	title only
41770262	Behcet's disease occurred after brodalumab initiation in a patient with chronic non-bacterial osteitis: a case-based literature review.	Subscription / not accessed	abstract
41693611	A Case of Bullous Pemphigoid Coexisted With Psoriasis Vulgaris Successfully Treated by Apremilast.	Subscription / not accessed	title only
41670195	Effectiveness of Apremilast in Patients With Palmoplantar Pustulosis: A 28-Week Real-World Study.	Subscription / not accessed	abstract
41656754	Successful Long-Term Management of Psoriatic Arthritis With Apremilast Following Multiple Myeloma Diagnosis During Etanercept Therapy: A 20-Month Follow-up.	Subscription / not accessed	title only
41612624	Apremilast for Recalcitrant Erythema Nodosum: A Case Series.	Subscription / not accessed	title only
41577192	Apremilast drug survival and tolerability in real-world practice.	Subscription / not accessed	title only
41537947	Outcomes in Patients with Psoriasis Following Apremilast Treatment: Results from the German Psoriasis Registry PsoBest.	Public/publisher full text reviewed	full text
41523413	Erosive Oral Lichen Planus Treated With Upadacitinib Amid Systemic Psoriatic Therapy.	Public/publisher full text reviewed	full text
41503778	Apremilast Associated Clinical Improvement in Bullous Pemphigoid With Plaque Psoriasis.	Subscription / not accessed	title only
41395763	Amicrobial Pustulosis of the Folds Successfully Treated With Apremilast: Report of Two Cases and Review of the Literature.	Subscription / not accessed	abstract
41393637	Refractory Chronic Plaque Psoriasis and Psoriatic Arthritis Successfully Managed With Combined Secukinumab and Apremilast Therapy: A Case Report.	Public/publisher full text reviewed	full text
41369607	The impact of apremilast on cardiometabolic and inflammation indexes in psoriatic patients at high cardiovascular risk: A real-world multicenter retrospective observational study.	Subscription / not accessed	title only
41369155	Results from the 32-week, phase 3 DISCREET study of apremilast in patients with moderate to severe genital psoriasis.	Public/publisher full text reviewed	full text
41340213	Apremilast, Methotrexate and NB-UVB Phototherapy for Moderate to Severe Psoriasis: Efficacy, Safety, and Immunomodulation in Comparison.	Subscription / not accessed	abstract
41321437	Sequential Use of Apremilast, Total Glucosides of Paeony, and Periodontal Therapy in Refractory Plurimucosal Lichen Planus: A Case Report.	Public/publisher full text reviewed	full text
41297955	Apremilast in Japanese patients with palmoplantar pustulosis: A randomized, Phase 3 trial.	Public/publisher full text reviewed	full text

ID	Publication	Status	Review basis
41282415	Drug-induced headache reports: a comprehensive disproportionality and time-to-onset pharmacovigilance study using the FAERS database (2018-2024).	Public/publisher full text reviewed	full text
41239561	Successful Treatment of Post-Transplant Generalized Pustular Psoriasis With Apremilast.	Subscription / not accessed	title only
41220238	Susceptibility to Dermatophytosis in SDR9C7-Nonsyndromic Epidermal Differentiation Disorder: Observation of Cutaneous Inflammation Involving IRF4 and IL-17.	Subscription / not accessed	abstract
41177920	Apremilast for Oral Mucosal-Predominant Resistant Pemphigus Vulgaris: A Promising Adjunctive Treatment.	Subscription / not accessed	title only
41137291	Apremilast as a novel therapeutic option for psoriasis coexisting primary sclerosing cholangitis and ulcerative colitis: A case report.	Public/publisher full text reviewed	full text
41093045	Clinical, therapeutic, and stigma-related challenges in leprosy and the emerging role of apremilast in managing leprosy reactions.	Subscription / not accessed	abstract
41076185	[Translated article] Patient With Neuropathic Ulcers and Morphea Treated With Apremilast.	Subscription / not accessed	title only
41072663	Psychiatric Adverse Effects of Biologic and Novel Systemic Agents for Psoriasis and Inflammatory Bowel Disease: A Case Series and Literature Review.	Subscription / not accessed	abstract
40985950	Comparative Efficacy of Traditional Unani Medicine Formulations Versus Apremilast for Chronic Plaque Psoriasis: A Randomized Controlled Trial.	Abstract only	abstract
40973989	Prospective, Open-Label, Multicenter Study of Apremilast as Maintenance Therapy for Psoriasis Patients in Remission With Biologics.	Subscription / not accessed	abstract
40964939	Apremilast in the treatment of pityriasis lichenoides et varioliformis acuta: a case report.	Subscription / not accessed	abstract
40962185	Real-world safety of apremilast: A pharmacovigilance analysis using the FDA Adverse Event Reporting System (FAERS).	Subscription / not accessed	title only
40947396	Apremilast for refractory major recurrent aphthous stomatitis involving the posterior pharyngeal wall: a case report.	Subscription / not accessed	abstract
40866267	Nasal Mucosal Manifestation of Behcet's Disease.	Public/publisher full text reviewed	full text
40866213	Autoimmune Hemolytic Anemia in a Patient with Generalized Pustular Psoriasis Treated with Brodalumab: A Case Report.	Subscription / not accessed	abstract
40865544	Use of Apremilast for the Treatment of Immune Checkpoint Inhibitor Psoriasis and Psoriatic Arthritis.	Public/publisher full text reviewed	full text
40833728	Comparative Risk of Infection and Prevalence of Combination Targeted Therapy in Psoriatic Arthritis.	Public/publisher full text reviewed	full text
40776428	Sustained Resolution of Chronic Idiopathic Erythema Nodosum With Off-Label Apremilast.	Subscription / not accessed	title only
40737559	Efficacy and safety of apremilast in paediatric patients with moderate-to-severe plaque psoriasis: 52-week results from the SPROUT randomized controlled trial.	Subscription / not accessed	abstract

Detailed full-text medical review

1. Durable, Anatomically Confined Clearance of Scalp Psoriasis and Associated Pruritus After Single Bilateral Greater Occipital Nerve Block.

Lally J, Forman JL, Puelle M, et al. | Cureus. 2026 Jul. doi:10.7759/cureus.113086. | 2026 Jul | ID: 42626542

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	No conventional apremilast ICSR. Apremilast provided only temporary benefit and was stopped after insurance denial, not because of an adverse event.
Assessment notes	Single exposed patient. Access-related discontinuation and limited effectiveness were documented; no apremilast adverse reaction was reported.
Aggregate / signal relevance	Contextual evidence on treatment access and durability; no new safety signal.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

2. Successful Addition of Topical Tapinarof for Residual Psoriatic Lesions During Apremilast Therapy: A Case Report.

Kawano N, Nakashima C, Otsuka A | Cureus. 2026 Jul. doi:10.7759/cureus.112995. | 2026 Jul | ID: 42621332

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	No conventional apremilast ICSR. No treatment-related adverse event was reported during apremilast, tapinarof, or combination treatment.
Assessment notes	Single 86-year-old man with plaque psoriasis and psoriatic arthritis; successful adjunctive treatment report.
Aggregate / signal relevance	Reassuring combination-use observation; no new safety signal.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

3. Efficacy and safety of different doses of apremilast in mild to-moderate psoriasis: A randomized controlled study.

Anil A, Saravanan A, Budania A, et al. | Indian J Pharmacol. 2026 Jul 01. doi:10.4103/ijp.ijp_896_25. | 2026 Jul 01 | ID: 42583969

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	No publication-derived ICSR because adverse events were reported as unlinked study-arm aggregates, not patient-linked cases.
Assessment notes	Randomized 16-week study in 124 patients. Nausea, vomiting, diarrhea, and headache were reported; no serious adverse events. The 30 mg twice-daily group had significantly more adverse events than the 20 mg and 10 mg groups. Clinical-trial origin is not itself an ICSR exclusion; duplicate reconciliation is a separate step.

Aggregate / signal relevance	Include or concisely summarize in periodic aggregate review as dose-related clinical-trial tolerability evidence; reconcile with the clinical safety database if accessible. No new signal identified.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

4. Dual Targeted Therapy as a Treatment Strategy for Refractory Psoriatic Arthritis: Real-World Effectiveness and Safety From a Prospective Cohort.

Lucas Ribeiro A, Al-Zahir Z, Carrizo Abarza V, et al. | ACR Open Rheumatol. 2026 Aug. doi:10.1002/acr2.90084. | 2026 Aug | ID: 42576419

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	One serious, unexpected patient-level case-processing/follow-up candidate was identified: fatal decompensated heart failure during ustekinumab-apremilast treatment. Two diarrhea events were reported as aggregate combination-therapy events.
Assessment notes	Causality for the fatality could not be established because of pre-existing tachycardia-induced cardiomyopathy and concurrent NSAID use.
Aggregate / signal relevance	Important combination-therapy safety evidence; database reconciliation and duplicate review are required before case creation or submission.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

Fatal decompensated heart failure

Patient / reporter	Identifiable participant in a prospective psoriatic arthritis cohort Corresponding/first author of the publication Publication source country/site as reported
Exposure	Concurrent ustekinumab plus apremilast; duration at event not reported in the publication extract.
History / risk factors	Pre-existing tachycardia-induced cardiomyopathy
Concomitants	Ustekinumab and a nonsteroidal anti-inflammatory drug
Events	Fatal decompensated heart failure
Chronology / outcome	Fatal decompensation occurred during combination therapy; detailed onset, hospital course, and actions taken were not reported
Seriousness	Serious - death and life-threatening/hospitalization implications
Expectedness	Unexpected; decompensated heart failure is not listed in the September 2026 USPI
Causality	Unassessable/weak for apremilast. Authors could not establish causality; major confounding includes pre-existing tachycardia-induced cardiomyopathy and concurrent NSAID use
Dechallenge / rechallenge	Not applicable/unknown because the outcome was fatal
Minimum criteria	Minimum criteria appear sufficient for case-processing assessment; verify source-data linkage
Duplicate / follow-up	Reconcile with the cohort/study safety database and partner reports before determining whether this is new or duplicate
Recommendation	Create or update a safety case as appropriate after database reconciliation; submission depends on study ownership, causality, and regional requirements

5. Oral lichen planus and apremilast: Case series and literature review.

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	Six newly described apremilast-exposed patients were reviewed. Four preliminary literature ICSR candidates were identified; one possible lack-of-effect observation and one no-event exposure were also present.
Assessment notes	Nine earlier published cases summarized in the review are secondary citations and require duplicate exclusion rather than processing as new cases.
Aggregate / signal relevance	Off-label oral lichen planus experience; expected nausea and weight decrease plus unexpected oral thrush and hypersalivation warrant cumulative review.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

Patient 2 - nausea

Patient / reporter	Identifiable 64-year-old woman Corresponding/first author of the publication Publication source country/site as reported
Exposure	Apremilast dissolved formulation followed by oral 30 mg twice daily for oral lichen planus; approximately 3 months; off-label use.
History / risk factors	Not reported
Concomitants	Acitretin, dexamethasone swish-and-spit, clotrimazole as needed, oral tacrolimus as needed
Events	Nausea
Chronology / outcome	Nausea occurred during treatment; detailed onset and outcome not reported
Seriousness	Non-serious on reported information
Expectedness	Expected; nausea is listed in the September 2026 USPI
Causality	Reasonable possibility; temporal exposure is reported, but multiple concomitant treatments confound attribution
Dechallenge / rechallenge	Not reported
Minimum criteria	All four minimum criteria appear present
Duplicate / follow-up	Check against any sponsor/author report and literature duplicates; follow up for onset, action taken, and outcome
Recommendation	Process under applicable company and regional procedure

Patient 3 - oral thrush

Patient / reporter	Identifiable 72-year-old woman Corresponding/first author of the publication Publication source country/site as reported
Exposure	Dissolved apremilast 60 mg in water for oral lichen planus; approximately 6 months; off-label use.
History / risk factors	Not reported
Concomitants	Clobetasol 0.05% gel as needed
Events	Oral thrush
Chronology / outcome	Oral thrush occurred during treatment; onset, treatment, and outcome not reported
Seriousness	Non-serious on reported information

Expectedness	Unexpected; oral thrush is not listed in the September 2026 USPI
Causality	Possible but substantially confounded by topical clobetasol and underlying oral disease
Dechallenge / rechallenge	Not reported
Minimum criteria	All four minimum criteria appear present
Duplicate / follow-up	Check duplicates and follow up for microbiologic confirmation, treatment, outcome, and corticosteroid exposure
Recommendation	Process under applicable company and regional procedure

Patient 5 - hypersalivation

Patient / reporter	Identifiable 84-year-old woman Corresponding/first author of the publication Publication source country/site as reported
Exposure	Apremilast 30 mg twice daily for oral lichen planus; approximately 6 months; off-label use.
History / risk factors	Not reported
Concomitants	Lidocaine mouthwash and mycophenolate mofetil
Events	Hypersalivation
Chronology / outcome	Hypersalivation occurred during treatment; action taken and outcome not reported
Seriousness	Non-serious on reported information
Expectedness	Unexpected; hypersalivation is not listed in the September 2026 USPI
Causality	Possible; concomitant lidocaine mouthwash, mycophenolate, and oral disease limit attribution
Dechallenge / rechallenge	Not reported
Minimum criteria	All four minimum criteria appear present
Duplicate / follow-up	Check duplicates and follow up for onset, alternative causes, action taken, and outcome
Recommendation	Process under applicable company and regional procedure

Patient 6 - significant weight loss

Patient / reporter	Identifiable 75-year-old woman Corresponding/first author of the publication Publication source country/site as reported
Exposure	Apremilast 30 mg twice daily for oral lichen planus; approximately 4 months; off-label use.
History / risk factors	Not reported
Concomitants	Not reported
Events	Significant weight loss leading to discontinuation
Chronology / outcome	About 75% disease improvement preceded discontinuation for significant weight loss; subsequent outcome not reported
Seriousness	Non-serious on reported information; no regulatory seriousness criterion was stated
Expectedness	Expected; weight decrease is included in the September 2026 USPI
Causality	Reasonable possibility supported by treatment discontinuation; alternative causes and amount of weight loss were not reported
Dechallenge / rechallenge	Apremilast discontinued; post-discontinuation weight outcome not reported

Minimum criteria	All four minimum criteria appear present
Duplicate / follow-up	Check duplicates and follow up for amount/rate of weight loss, medical consequences, and recovery
Recommendation	Process under applicable company and regional procedure

6. Effect of apremilast on enthesal bone damage in psoriasis patients at risk of developing psoriatic arthritis - data from the prospective, interventional EPOS study.

Simon D, Minopoulou I, Bayat S, et al. | Arthritis Res Ther. 2026 Aug 08. doi:10.1186/s13075-026-03873-z. | 2026 Aug 08 | ID: 42568089

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	No publication-derived ICSR. Safety results were aggregate and no new safety signal was reported in 20 treated patients.
Assessment notes	Prospective interventional EPOS study; patient-level adverse-event narratives were not provided.
Aggregate / signal relevance	Reassuring clinical-study evidence; no new signal.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

7. Apremilast for acquired reactive perforating collagenosis with metabolic and infectious comorbidities: a case report.

Huang F, Tang L, Huang M, et al. | Front Immunol. 2026. doi:10.3389/fimmu.2026.1671943. | 2026 | ID: 42454042

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	No conventional apremilast ICSR. Dose taper and discontinuation followed clinical improvement and were not attributed to toxicity.
Assessment notes	Single off-label therapeutic case in acquired reactive perforating collagenosis; no apremilast adverse event was reported.
Aggregate / signal relevance	Potential off-label therapeutic-use information; no safety signal.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

8. Progression from oligoarticular to polyarticular psoriatic arthritis and apremilast as a disease modifier: Novel insights from FOREMOST.

Coates LC, Gladman DD, Merola JF, et al. | Rheumatology (Oxford). 2026 Jun 30. doi:10.1093/rheumatology/keag351. | 2026 Jun 30 | ID: 42384964

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	No publication-derived ICSR. Findings were aggregate and no new safety signals were reported through 48 weeks.

Assessment notes	FOREMOST clinical-trial analysis of oligoarticular to polyarticular psoriatic arthritis progression.
Aggregate / signal relevance	Relevant clinical-trial risk characterization; no new signal.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

9. Breaking the barrier: oral tacrolimus plus apremilast rescues acute generalized pustular psoriasis with severe comorbidities-a case report.

Tang L, He Y, Qiao Z, et al. | Front Immunol. 2026. doi:10.3389/fimmu.2026.1801541. | 2026 | ID: 42344901

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	No conventional apremilast ICSR. No apremilast-specific adverse event was reported.
Assessment notes	Combination treatment with oral tacrolimus and apremilast in acute generalized pustular psoriasis with severe comorbidities.
Aggregate / signal relevance	Off-label combination-use context; no new safety signal.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

10. Apremilast for Acrodermatitis Continua of Hallopeau: Report of Two Cases and Review of the Literature.

Uchida M, Hamada T, Kawashima H, et al. | J Dermatol. 2026 Aug. doi:10.1111/1346-8138.70347. | 2026 Aug | ID: 42252545

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	Case 2 is a valid literature ICSR candidate for headache; non-serious and expected. Case 1 had no adverse event.
Assessment notes	Earlier cases summarized in the review are secondary literature and require duplicate tracing.
Aggregate / signal relevance	Expected tolerability information and off-label acrodermatitis continua experience.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

Case 2 - headache

Patient / reporter	Identifiable patient described as Case 2 Corresponding/first author of the publication Publication source country/site as reported
Exposure	Apremilast for acrodermatitis continua of Hallopeau; dosing and duration as reported in the full article.
History / risk factors	Not reported
Concomitants	Not reported
Events	Headache leading to a treatment change

Chronology / outcome	Headache developed during apremilast therapy and treatment was changed; detailed outcome not reported
Seriousness	Non-serious on reported information
Expectedness	Expected; headache is listed in the September 2026 USPI
Causality	Reasonable possibility based on treatment-emergent onset and change in therapy; detailed alternative causes were not reported
Dechallenge / rechallenge	Not reported
Minimum criteria	All four minimum criteria appear present
Duplicate / follow-up	Search for prior reports and treat earlier cases summarized in the review as secondary/possible duplicates
Recommendation	Process under applicable company and regional procedure

11. Apremilast combined with low-dose corticosteroids for lichenoid drug eruption following programmed cell death protein 1 inhibitor and lenvatinib therapy: A case report.

Meng X, Li D, Zhou B, et al. | JAAD Case Rep. 2026 Jun. doi:10.1016/j.jdcr.2026.03.058. | 2026 Jun | ID: 42169962

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	No apremilast ICSR. The lichenoid drug eruption preceded apremilast and was attributed to a PD-1 inhibitor plus lenvatinib; apremilast was used therapeutically.
Assessment notes	Flag for aggregate review as a potential off-label therapeutic application, not as an established new indication. Formal PBRER inclusion is conditional on relevance to the approved benefit-risk profile and company procedure.
Aggregate / signal relevance	Off-label-use/medical-information relevance; no apremilast safety signal from this publication alone.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

12. Acute erythrodermic psoriasis complicated by systemic capillary leak syndrome following secukinumab therapy: a case report.

Xu R, Gao X, Zhang L | Front Immunol. 2026. doi:10.3389/fimmu.2026.1813490. | 2026 | ID: 42088509

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	No apremilast ICSR. Systemic capillary leak syndrome occurred after secukinumab and before apremilast was introduced as subsequent treatment.
Assessment notes	The serious event was attributed to secukinumab on the reported chronology.
Aggregate / signal relevance	Therapeutic-context evidence only for apremilast; no new apremilast signal.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

13. Case Report: Upadacitinib and apremilast combination therapy for guselkumab-induced paradoxical eczema in psoriasis.

Yang L, Zhou J, Ruan Z, Shi K | Front Immunol. 2026. doi:10.3389/fimmu.2026.1696255. | 2026 | ID: 42079624

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	No apremilast ICSR. Paradoxical eczema was attributed to guselkumab before apremilast; no adverse events were reported during apremilast-upadacitinib combination therapy.
Assessment notes	Single off-label combination-treatment case.
Aggregate / signal relevance	Reassuring combination-use observation; no new safety signal.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

14. Sex-specific adverse event profiles of PDE4 inhibitors: a comparative big-data pharmacovigilance study of apremilast, crisaborole, and roflumilast in FAERS (2004-2025).

Huang B, Gu S, Wang S, et al. | Front Pharmacol. 2026. doi:10.3389/fphar.2026.1761303. | 2026 | ID: 41988533

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	No new ICSRs. This was a secondary disproportionality analysis of existing FAERS reports.
Assessment notes	The study described sex-related differences for apremilast, including dizziness, palpitations, and infection-related reporting, and reported a median onset of 24 days among evaluable reports.
Aggregate / signal relevance	Signal-detection evidence requiring confirmation because spontaneous-reporting data lack denominators and are vulnerable to reporting and indication biases.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

15. Apremilast as an Adjuvant in Refractory Reactive Arthritis: A Retrospective Observational Study.

Arfeen N, Singh S, Shankar V, Kishore K | Cureus. 2026 Mar. doi:10.7759/cureus.104968. | 2026 Mar | ID: 41970101

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	No publication-derived ICSR. No serious infections or severe adverse events were reported among 12 off-label patients; observations were aggregate.
Assessment notes	Retrospective study of apremilast as adjunctive therapy in refractory reactive arthritis.
Aggregate / signal relevance	Small off-label cohort with reassuring safety observations; no new signal.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

16. From apremilast to JAK inhibitors-salvage treatment strategies for refractory palmoplantar pustulosis: case series.

Pan Y, Jin D, Meng F, et al. | Front Med (Lausanne). 2026. doi:10.3389/fmed.2026.1743408. | 2026 | ID: 41822892

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	No conventional adverse-reaction ICSRs. Nine patients stopped apremilast because of inadequate effectiveness; no apremilast adverse event was described.
Assessment notes	Patient outcomes were presented as an off-label salvage-treatment case series.
Aggregate / signal relevance	Aggregate off-label lack-of-effect/durability information; not an adverse-reaction signal.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

17. Outcomes in Patients with Psoriasis Following Apremilast Treatment: Results from the German Psoriasis Registry PsoBest.

Augustin M, Rustenbach SJ, von Kiedrowski R, et al. | Dermatol Ther (Heidelb). 2026 Feb. doi:10.1007/s13555-025-01631-8. | 2026 Feb | ID: 41537947

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	No independent spontaneous ICSRs were created from the publication because events were presented as registry aggregates without sufficient patient-level linkage.
Assessment notes	Common labeled events predominated. Forty-four adverse-event discontinuations, 14 malignancies, and 11 post-exposure deaths were reported; suicide and one death of unknown cause were considered possibly related by the authors.
Aggregate / signal relevance	Important long-term registry evidence. Cross-check deaths, malignancies, and discontinuations against the registry/sponsor safety database and evaluate psychiatric and malignancy topics cumulatively.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

18. Erosive Oral Lichen Planus Treated With Upadacitinib Amid Systemic Psoriatic Therapy.

Ames E, Sanders MS, Cotter D | Cureus. 2025 Dec. doi:10.7759/cureus.98831. | 2025 Dec | ID: 41523413

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	No conventional apremilast ICSR. Prior apremilast treatment was ineffective, without a reported adverse reaction.
Assessment notes	Possible lack-of-effect special situation subject to company procedure; subsequent upadacitinib treatment was the focus.

Aggregate / signal relevance	Off-label effectiveness context; no new safety signal.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

19. Refractory Chronic Plaque Psoriasis and Psoriatic Arthritis Successfully Managed With Combined Secukinumab and Apremilast Therapy: A Case Report.

AlQusaimi R, AlRujaib F, AlSharhan F, et al. | Cureus. 2025 Nov. doi:10.7759/cureus.96555. | 2025 Nov | ID: 41393637

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	No conventional apremilast ICSR. No weight loss, gastrointestinal intolerance, mood disturbance, infection, or other adverse event was reported.
Assessment notes	Single combination-treatment case involving secukinumab plus apremilast.
Aggregate / signal relevance	Reassuring combination-use observation; no new safety signal.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

20. Results from the 32-week, phase 3 DISCREET study of apremilast in patients with moderate to severe genital psoriasis.

Merola JF, Guenther L, Lynde C, et al. | J Eur Acad Dermatol Venereol. 2026 Feb. doi:10.1111/jdv.70110. | 2026 Feb | ID: 41369155

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	No publication-derived ICSRs because serious and non-serious events were reported as unlinked trial aggregates.
Assessment notes	Diarrhea, nausea, and headache predominated. Five serious treatment-emergent adverse events, including one considered treatment-related, and three depression-related withdrawals were reported without patient-level narratives.
Aggregate / signal relevance	Known-risk and serious-event clinical-trial evidence; reconcile serious-event terms and depression withdrawals with the study safety database.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

21. Sequential Use of Apremilast, Total Glucosides of Paeony, and Periodontal Therapy in Refractory Plurimucosal Lichen Planus: A Case Report.

Yang T, Zhu Z, Yang J, et al. | Case Rep Dent. 2025. doi:10.1155/crid/2405830. | 2025 | ID: 41321437

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	No conventional apremilast ICSR. No significant adverse events were reported during long-term follow-up.

Assessment notes	Sequential off-label treatment for refractory plurimucosal lichen planus.
Aggregate / signal relevance	Off-label therapeutic-use context; no new safety signal.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

22. Apremilast in Japanese patients with palmoplantar pustulosis: A randomized, Phase 3 trial.

Terui T, Okubo Y, Kobayashi S, et al. | J Eur Acad Dermatol Venereol. 2026 Jun. doi:10.1111/jdv.70166. | 2026 Jun | ID: 41297955

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	No publication-derived ICSR. Expected gastrointestinal events and headache plus five serious treatment-emergent adverse events were presented in aggregate.
Assessment notes	Randomized phase 3 palmoplantar pustulosis trial; no deaths, depression, suicide, or self-injury were reported.
Aggregate / signal relevance	Off-label/clinical-development safety evidence; serious-event terms should be checked against the study database.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

23. Drug-induced headache reports: a comprehensive disproportionality and time-to-onset pharmacovigilance study using the FAERS database (2018-2024).

Alzarea AI, Ishaqui AA, Maqsood MB, et al. | Front Pain Res (Lausanne). 2025. doi:10.3389/fpain.2025.1670648. | 2025 | ID: 41282415

Source record

Full-text access	Public/publisher full text reviewed
Publication disposition	No new ICSRs. The study was a secondary FAERS disproportionality and time-to-onset analysis.
Assessment notes	Apremilast showed substantial reporting volume and disproportionality for headache; headache is expected in the September 2026 USPI.
Aggregate / signal relevance	Known-risk signal characterization; spontaneous-reporting limitations preclude incidence or causality conclusions.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

24. Apremilast as a novel therapeutic option for psoriasis coexisting primary sclerosing cholangitis and ulcerative colitis: A case report.

Gao J, Xiao Y, Tan P, et al. | Medicine (Baltimore). 2025 Oct 24. doi:10.1097/MD.00000000000045232. | 2025 Oct 24 | ID: 41137291

Source record

Full-text access	Public/publisher full text reviewed
------------------	-------------------------------------

Publication disposition	No conventional apremilast ICSR. No gastrointestinal adverse event, infection, or other complication was reported during 48 weeks.
Assessment notes	Single patient with psoriasis, primary sclerosing cholangitis, and ulcerative colitis.
Aggregate / signal relevance	Special-comorbidity and off-label context; no new safety signal.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

25. Nasal Mucosal Manifestation of Behcet's Disease.

Akiyama H, Otsuka Y, Masuda Y, et al. | Intern Med. 2026 Apr 01. doi:10.2169/internalmedicine.6014-25. | 2026 Apr 01 | ID: 40866267

[Source record](#)

Full-text access	Public/publisher full text reviewed
Publication disposition	No apremilast ICSR. No major adverse effects were attributed to apremilast; colchicine was reduced because of suspected adverse effects.
Assessment notes	Single Behcet disease case with nasal mucosal involvement treated with colchicine, apremilast, and prednisolone.
Aggregate / signal relevance	Rare-disease-manifestation treatment context; no new apremilast safety signal.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

26. Use of Apremilast for the Treatment of Immune Checkpoint Inhibitor Psoriasis and Psoriatic Arthritis.

Ghosh N, Reid P, Sparks JA, et al. | Arthritis Care Res (Hoboken). 2025 Dec. doi:10.1002/acr.25604. | 2025 Dec | ID: 40865544

[Source record](#)

Full-text access	Public/publisher full text reviewed
Publication disposition	No independent publication-derived ICSR was established. Six of 21 patients discontinued for expected intolerance: diarrhea in four and nausea in two.
Assessment notes	Cancer progression and deaths occurred in patients with advanced malignancy and could not be attributed to apremilast from the publication.
Aggregate / signal relevance	Expected tolerability and oncology-use evidence; cross-check patient-level source data if available.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

27. Comparative Risk of Infection and Prevalence of Combination Targeted Therapy in Psoriatic Arthritis.

Wu A, Zhang A, Guo Y, et al. | JAMA Dermatol. 2025 Nov 01. doi:10.1001/jamadermatol.2025.2980. | 2025 Nov 01 | ID: 40833728

[Source record](#)

Full-text access	Public/publisher full text reviewed
Publication disposition	No publication-derived ICSR. Outcomes were reported as aggregate claims-based comparative data.
Assessment notes	Apremilast-containing combinations were common. No statistically significant increase in serious or opportunistic infection was found versus standard therapy.
Aggregate / signal relevance	Comparative serious-infection risk evidence; no new signal in this analysis.
Alignment/QC	Finalized after user-reviewer alignment/QC on 2026-09-13

No patient-level safety case identified

Included records not reviewed in full

1. Case Report: Successful Treatment With Apremilast of SAPHO Syndrome and Refractory Pain.

Pickering ME, Blanchard L, Malochet-Guinamand S, et al. | Int J Rheum Dis. 2026 Aug. doi:10.1111/1756-185x.70833. | 2026 Aug | ID: 42615322

Source record

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	One-line abstract reported successful treatment of SAPHO syndrome and refractory pain; no adverse event was described.
Aggregate / signal relevance	Retain as off-label exposed-patient literature; safety assessment requires full text.

Access route checked

2. Psoriatic patients with cancer: a multicentric real-life study comparing Risankizumab and Apremilast.

Raimondo A, Balato A, Guarneri C, et al. | Dermatology. 2026 Aug 05. doi:10.1159/000553458. | 2026 Aug 05 | ID: 42555537

Source record

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	Abstract reports one cancer recurrence/progression among 66 apremilast patients; patient-level causality details were unavailable.
Aggregate / signal relevance	Aggregate malignancy monitoring; full text required.

Access route checked

3. Deucravacitinib in Active Psoriatic Arthritis: Efficacy and Safety up to 52 Weeks From the Randomized, Double-Blind, Phase 3 POETYK PsA-2 Trial.

Mease PJ, Chandran V, Armstrong AW, et al. | Arthritis Rheumatol. 2026 Jul 20. doi:10.1002/art.70280. | 2026 Jul 20 | ID: 42473780

Source record

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	Serious adverse events occurred in 3.8% of the apremilast reference arm, but event terms were not provided in the abstract.

Aggregate / signal relevance	Aggregate trial evidence; acquire full text and reconcile study data.
-------------------------------------	---

Access route checked

4. Effectiveness and Safety of Apremilast in Immune Checkpoint Inhibitor-Associated Psoriasis: A Retrospective Multicenter Study From the EADV Task Force "Dermatology for Cancer Patients".

Koumaki D, Koumprentziotis IA, Apalla Z, et al. | Int J Dermatol. 2026 Jul 16. doi:10.1111/ijd.70592. | 2026 Jul 16 | ID: 42464053

Source record

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	Multicenter patient series published as a letter with no abstract; reportability and patient-level safety cannot be assessed.
Aggregate / signal relevance	Safety-focused off-label oncology/psoriasis evidence; acquire full text.

Access route checked

5. Dyshidrotic Eczema Mimicking Palmoplantar Pustulosis During Apremilast Treatment: A Diagnostic Pitfall.

Yatsuzuka K, Muto J, Sasaki C, Fujisawa Y | J Dermatol. 2026 Sep. doi:10.1111/1346-8138.70383. | 2026 Sep | ID: 42406589

Source record

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	Title identifies dyshidrotic eczema during apremilast treatment. Potential unexpected literature ICSR; minimum criteria, seriousness, chronology, and causality remain unconfirmed.
Aggregate / signal relevance	High-priority full-text acquisition and follow-up.

Access route checked

6. Adverse Event Profile of Apremilast: Pharmacovigilance Study Based on FDA Adverse Event Reporting System (FAERS).

Gan K, Liu J, Shen J, et al. | Exp Dermatol. 2026 Jul. doi:10.1111/exd.70303. | 2026 Jul | ID: 42366928

Source record

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance

Abstract-limited disposition	Secondary FAERS analysis reported 60 signals involving psychiatric, infection, allergic-reaction, and tumor topics.
Aggregate / signal relevance	Signal-detection evidence, not new ICSRs; requires full-text appraisal and confirmation.

[Access route checked](#)

7. Pharmacokinetic and bioequivalence study of apremilast tablets in healthy Chinese subjects under fasting and fed conditions.

Lu P, Yao F, Wang J, et al. | Int J Clin Pharmacol Ther. 2026 Sep. doi:10.5414/CP204869. | 2026 Sep | ID: 42290267

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	Bioequivalence study reported no serious adverse events and described apremilast as well tolerated; individual non-serious events were not provided.
Aggregate / signal relevance	Aggregate clinical-study evidence.

[Access route checked](#)

8. Real-world effectiveness and safety of apremilast in psoriatic arthritis: results from the multicenter Italian MAPSI II study.

Schenone C, Serban T, Tramontano G, et al. | Clin Rheumatol. 2026 Jul. doi:10.1007/s10067-026-08173-0. | 2026 Jul | ID: 42247059

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	Abstract reports 38 adverse events, mainly gastrointestinal, two serious adverse events, and 23 adverse-event discontinuations.
Aggregate / signal relevance	Acquire full text to identify serious-event terms and determine patient linkage.

[Access route checked](#)

9. Case Report: Successful Treatment of Refractory Palmoplantar Pustulosis With Spesolimab and Apremilast.

Jiang L, Lin Z, Guo J, et al. | Int J Rheum Dis. 2026 Jun. doi:10.1111/1756-185x.70697. | 2026 Jun | ID: 42186313

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13

Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	No abstract. Retained as an apremilast-exposed case report involving palmoplantar pustulosis.
Aggregate / signal relevance	Off-label case; safety outcome unknown.

[Access route checked](#)

10. Safety Profile of Systemic Therapy for the Management of Psoriasis in Patients With Diabetes Mellitus: Data From the BIOBADADERM Prospective Cohort.

Lluch-Galcerà JJ, Carrascosa JM, Gonzalez-Quesada A, et al. | Actas Dermosifiliogr. 2026 May 22. doi:10.1016/j.ad.2026.104688. | 2026 May 22 | ID: 42177023

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	Apremilast was associated with fewer diabetes-related adverse events than methotrexate in the abstract.
Aggregate / signal relevance	Aggregate comparative-safety evidence.

[Access route checked](#)

11. Serious infection risk with systemic treatments for psoriasis: a cohort study from the British Association of Dermatologists Biologics and Immunomodulators Register (BADBIR).

Bright HRB, Smith CH, Laws P, et al. | Br J Dermatol. 2026 Jul 17. doi:10.1093/bjd/ljag174. | 2026 Jul 17 | ID: 42082393

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	One analysis suggested increased serious-infection risk versus adalimumab, but sensitivity and recurrent-event analyses were inconsistent.
Aggregate / signal relevance	Signal-evaluation priority; no new ICSRs from aggregate data.

[Access route checked](#)

12. Treatment of Erythema Annulare Centrifugum-Like Parapsoriasis With Apremilast.

Lian W, Kang Y, Tang H, et al. | J Dermatol. 2026 Jun. doi:10.1111/1346-8138.70220. | 2026 Jun | ID: 42051104

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	No abstract. Retained as an exposed-patient report of erythema annulare centrifugum-like parapsoriasis treated with apremilast.
Aggregate / signal relevance	Off-label case; safety outcome unknown.

[Access route checked](#)

13. Sequential small-molecule therapy for lymphocytic cicatricial alopecia: A multicenter prospective cohort pilot study.

Li Y, Shao G, Tao Q, et al. | J Am Acad Dermatol. 2026 Aug. doi:10.1016/j.jaad.2026.03.011. | 2026 Aug | ID: 41812983

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	Three mild adverse events occurred across a sequential regimen; terms and attribution were unavailable in the abstract.
Aggregate / signal relevance	Full text required for product attribution.

[Access route checked](#)

14. Apremilast: A Novel and Effective Therapy for Pityriasis Lichenoides Chronica.

Lade N, Madhumitha RS, Pedapalli N, Krishna S | Indian Dermatol Online J. 2026 Mar 11. doi:10.4103/idoj.idoj_975_25. | 2026 Mar 11 | ID: 41811225

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	Untagged therapeutic case with no abstract; article body was not accessible during review.
Aggregate / signal relevance	Off-label case; full-text acquisition required.

[Access route checked](#)

15. Behcet's disease occurred after brodalumab initiation in a patient with chronic non-bacterial osteitis: a case-based literature review.

Suzuki K, Akiyama M, Saito K, Kaneko Y | Rheumatol Int. 2026 Mar 02. doi:10.1007/s00296-026-06096-2. | 2026 Mar 02 | ID: 41770262

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	Abstract attributes Behcet disease to brodalumab; apremilast was subsequent treatment. No apremilast event was described in the abstract.
Aggregate / signal relevance	Likely no apremilast ICSR; confirm in full text.

Access route checked

16. A Case of Bullous Pemphigoid Coexisted With Psoriasis Vulgaris Successfully Treated by Apremilast.

Kumagai H, Ototake Y, Watanabe T, et al. | J Dermatol. 2026 May. doi:10.1111/1346-8138.70189. | 2026 May | ID: 41693611

Source record

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	No abstract. Disease reportedly relapsed after apremilast withdrawal and improved after restart, but safety details were unavailable.
Aggregate / signal relevance	Exposed-patient case; no assessable adverse event from available information.

Access route checked

17. Effectiveness of Apremilast in Patients With Palmoplantar Pustulosis: A 28-Week Real-World Study.

Takahashi Y, Hagino T, Saeki H, et al. | J Dermatol. 2026 Apr. doi:10.1111/1346-8138.70184. | 2026 Apr | ID: 41670195

Source record

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	Diarrhea occurred in six of 15 patients, including one discontinuation; no serious adverse events were reported.
Aggregate / signal relevance	Expected aggregate tolerability evidence.

Access route checked

18. Successful Long-Term Management of Psoriatic Arthritis With Apremilast Following Multiple Myeloma Diagnosis During Etanercept Therapy: A 20-Month Follow-up.

Nigro A | Ann Pharmacother. 2026 Sep. doi:10.1177/10600280261420425. | 2026 Sep | ID: 41656754

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	Multiple myeloma occurred during etanercept therapy before apremilast. Full text is needed to confirm subsequent safety.
Aggregate / signal relevance	Special-comorbidity and sequential-treatment context.

[Access route checked](#)

19. Apremilast for Recalcitrant Erythema Nodosum: A Case Series.

Grafanaki K, Boziou M, Lallas A, et al. | Int J Dermatol. 2026 Jul. doi:10.1111/ijd.70308. | 2026 Jul | ID: 41612624

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	Case series with no abstract; patient count and safety outcomes were unavailable.
Aggregate / signal relevance	Off-label case series; acquire full text.

[Access route checked](#)

20. Apremilast drug survival and tolerability in real-world practice.

Varvara ST, Chaitidis N, Daviti M, et al. | J Am Acad Dermatol. 2026 May. doi:10.1016/j.jaad.2026.01.026. | 2026 May | ID: 41577192

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	No abstract. Safety and tolerability assessment requires full text.
Aggregate / signal relevance	Acquire full text.

[Access route checked](#)

21. Apremilast Associated Clinical Improvement in Bullous Pemphigoid With Plaque Psoriasis.

Kitayama S, Makino T, Takemoto K, et al. | J Dermatol. 2026 Mar. doi:10.1111/1346-8138.70132. | 2026 Mar | ID: 41503778

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	No abstract. Retained as an apremilast-exposed case involving bullous pemphigoid and plaque psoriasis.
Aggregate / signal relevance	Safety outcome unknown; acquire full text.

Access route checked

22. Amicrobial Pustulosis of the Folds Successfully Treated With Apremilast: Report of Two Cases and Review of the Literature.

Bettolini L, Maronese CA, Bighetti S, et al. | J Dermatol. 2026 Feb. doi:10.1111/1346-8138.70113. | 2026 Feb | ID: 41395763

Source record

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	Two exposed cases; no adverse event was mentioned in the abstract.
Aggregate / signal relevance	Off-label case series; full text needed to confirm safety outcomes.

Access route checked

23. The impact of apremilast on cardiometabolic and inflammation indexes in psoriatic patients at high cardiovascular risk: A real-world multicenter retrospective observational study.

Raimondo A, Megna M, Donnarumma M, et al. | J Am Acad Dermatol. 2026 Mar. doi:10.1016/j.jaad.2025.11.047. | 2026 Mar | ID: 41369607

Source record

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	No abstract. Cardiometabolic safety assessment requires full text.
Aggregate / signal relevance	Acquire full text.

Access route checked

24. Apremilast, Methotrexate and NB-UVB Phototherapy for Moderate to Severe Psoriasis: Efficacy, Safety, and Immunomodulation in Comparison.

Balestrino A, Lembo S, Manzo R, et al. | Photodermatol Photoimmunol Photomed. 2026 Jan. doi:10.1111/phpp.70066. | 2026 Jan | ID: 41340213

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	The abstract describes good tolerability but gives no adverse-event terms or counts.
Aggregate / signal relevance	Aggregate comparative-treatment evidence; full text needed.

[Access route checked](#)

25. Successful Treatment of Post-Transplant Generalized Pustular Psoriasis With Apremilast.

Tsakamoto T, Iwata Y, Sugiura K | J Dermatol. 2026 Feb. doi:10.1111/1346-8138.70061. | 2026 Feb | ID: 41239561

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	No abstract. Post-transplant generalized pustular psoriasis represents an important special-population exposure.
Aggregate / signal relevance	Acquire full text for patient-level safety assessment.

[Access route checked](#)

26. Susceptibility to Dermatophytosis in SDR9C7-Nonsyndromic Epidermal Differentiation Disorder: Observation of Cutaneous Inflammation Involving IRF4 and IL-17.

Tajiri M, Takeichi T, Teye K, et al. | J Dermatol. 2026 Jan. doi:10.1111/1346-8138.70048. | 2026 Jan | ID: 41220238

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	Abstract reports recurrent widespread tinea during apremilast and proposes biological plausibility. Potential valid ICSR; provisionally non-serious and unexpected.
Aggregate / signal relevance	High-priority full-text acquisition and duplicate/follow-up assessment.

[Access route checked](#)

27. Apremilast for Oral Mucosal-Predominant Resistant Pemphigus Vulgaris: A Promising Adjunctive Treatment.

Zhang Q, Yu L, Wan L, et al. | Oral Dis. 2026 Mar. doi:10.1111/odi.70134. | 2026 Mar | ID: 41177920

Source record

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	Untagged therapeutic case with no abstract; safety outcome unknown.
Aggregate / signal relevance	Off-label pemphigus case; acquire full text.

Access route checked

28. Clinical, therapeutic, and stigma-related challenges in leprosy and the emerging role of apremilast in managing leprosy reactions.

Gayoso Cantero D, Fernandez-Gonzalez P, Chamorro-Tojeiro S, et al. | Travel Med Infect Dis. 2025. doi:10.1016/j.tmaid.2025.102918. | 2025 | ID: 41093045

Source record

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	Abstract attributed toxicities to other leprosy treatments; no apremilast adverse event was identified.
Aggregate / signal relevance	Off-label treatment context; confirm in full text.

Access route checked

29. [Translated article] Patient With Neuropathic Ulcers and Morphea Treated With Apremilast.

Guzman LM, Montero J, Gutierrez C, Postigo C | Actas Dermosifiliogr. 2025. doi:10.1016/j.ad.2025.10.013. | 2025 | ID: 41076185

Source record

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	No abstract. Retained as an exposed-patient report involving neuropathic ulcers and morphea.
Aggregate / signal relevance	Safety outcome unknown; acquire full text.

Access route checked

30. Psychiatric Adverse Effects of Biologic and Novel Systemic Agents for Psoriasis and Inflammatory Bowel Disease: A Case Series and Literature Review.

Velez LA, Portley MK, Khan S, et al. | J Acad Consult Liaison Psychiatry. 2025. doi:10.1016/j.jaclp.2025.09.003. | 2025 | ID: 41072663

Source record

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	The abstract does not establish whether either new psychiatric case involved apremilast.
Aggregate / signal relevance	Full text required; psychiatric effects are an established labeled risk topic.

Access route checked

31. Comparative Efficacy of Traditional Unani Medicine Formulations Versus Apremilast for Chronic Plaque Psoriasis: A Randomized Controlled Trial.

Bashir S, Bhat MDA, Jamal MA, Ayesha R | Altern Ther Health Med. 2025 Sep 24. | 2025 Sep 24 | ID: 40985950

Source record

Full-text status	Abstract only
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	Safety was a study objective, but the abstract provides no safety results.
Aggregate / signal relevance	Acquire full text.

Access route checked

32. Prospective, Open-Label, Multicenter Study of Apremilast as Maintenance Therapy for Psoriasis Patients in Remission With Biologics.

Kamiya K, Yamaguchi Y, Saeki H, et al. | J Dermatol. 2026 Jan. doi:10.1111/1346-8138.17968. | 2026 Jan | ID: 40973989

Source record

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	Thirty-four adverse events occurred in 23 patients, mainly diarrhea, vomiting, and headache; all were mild, resolved, and without sequelae.
Aggregate / signal relevance	Expected aggregate findings; no patient-linked ICSR from the abstract.

[Access route checked](#)

33. Apremilast in the treatment of pityriasis lichenoides et varioliformis acuta: a case report.

Zhou J, Jing M, Liu M, et al. | J Dermatolog Treat. 2025 Dec. doi:10.1080/09546634.2025.2562302. | 2025 Dec | ID: 40964939

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	Abstract reports no relapse or adverse event during 12 months of apremilast treatment.
Aggregate / signal relevance	No apparent ICSR; off-label PLEVA evidence.

[Access route checked](#)

34. Real-world safety of apremilast: A pharmacovigilance analysis using the FDA Adverse Event Reporting System (FAERS).

Chen ZY, Du Y, Guo H | J Am Acad Dermatol. 2026 Jan. doi:10.1016/j.jaad.2025.09.039. | 2026 Jan | ID: 40962185

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	No abstract. This is a secondary FAERS study; findings could not be appraised.
Aggregate / signal relevance	Signal-detection evidence pending full-text review.

[Access route checked](#)

35. Apremilast for refractory major recurrent aphthous stomatitis involving the posterior pharyngeal wall: a case report.

Yang T, Yang J, Liu Q, Zhu Z | Oral Surg Oral Med Oral Pathol Oral Radiol. 2025 Dec. doi:10.1016/j.oooo.2025.08.003. | 2025 Dec | ID: 40947396

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	No adverse event was reported in the abstract.
Aggregate / signal relevance	No apparent ICSR; off-label recurrent aphthous stomatitis case.

[Access route checked](#)

36. Autoimmune Hemolytic Anemia in a Patient with Generalized Pustular Psoriasis Treated with Brodalumab: A Case Report.

Sugimoto T, Kinoshita Y, Ito K, et al. | J Nippon Med Sch. 2026 Jun 26. doi:10.1272/jnms.JNMS.2026_93-301. | 2026 Jun 26 | ID: 40866213

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	Apremilast was previously stopped because of unspecified side effects; terms are insufficient for coding or final case validity. Autoimmune hemolytic anemia occurred during brodalumab treatment.
Aggregate / signal relevance	Acquire full text/follow-up for the unspecified apremilast intolerance.

[Access route checked](#)

37. Sustained Resolution of Chronic Idiopathic Erythema Nodosum With Off-Label Apremilast.

Aronov R, Gottesman SP, Shah PR | Int J Dermatol. 2026 Feb. doi:10.1111/ijd.70002. | 2026 Feb | ID: 40776428

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	No abstract. Retained as an off-label apremilast-exposed erythema nodosum report.
Aggregate / signal relevance	Safety outcome unknown; acquire full text.

[Access route checked](#)

38. Efficacy and safety of apremilast in paediatric patients with moderate-to-severe plaque psoriasis: 52-week results from the SPROUT randomized controlled trial.

Paller AS, Fiorillo L, Becker E, et al. | Br J Dermatol. 2025 Nov 18. doi:10.1093/bjd/ljaf305. | 2025 Nov 18 | ID: 40737559

[Source record](#)

Full-text status	Subscription / not accessed
Status checked	2026-09-13
Screening reason	Human apremilast exposure with patient-level, aggregate safety, special-situation, off-label-use, or signal relevance
Abstract-limited disposition	The pediatric SPROUT trial reported no new safety signals through 52 weeks.
Aggregate / signal relevance	Aggregate pediatric clinical-trial evidence.

Excluded records

ID	Record	Reason
42683998	Comments on "Efficacy and safety of different doses of apremilast in mild to moderate psoriasis". Indian J Pharmacol. 2026 Sep 01. doi:10.4103/ijp.ijp_1055_26. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
42665023	Cardiometabolic Associations of Dermatological Treatments. Part II: Targeted and Biologic Therapies. J Am Acad Dermatol. 2026 Aug 28. doi:10.1016/j.jaad.2026.08.090. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
42661859	Morphine and nicotine intake in high drinking in the dark mice is reduced by informatics-nominated and translationally relevant compounds. Front Psychiatry. 2026. doi:10.3389/fpsyt.2026.1830225. Source record	Non-human/preclinical or mechanistic publication without an in-scope human safety case.
42634603	Correction to 'Adverse Event Profile of Apremilast: Pharmacovigilance Study Based on FDA Adverse Event Reporting System (FAERS)'. Exp Dermatol. 2026 Aug. doi:10.1111/exd.70351. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
42599765	The evolving landscape of phosphodiesterase inhibitors in atopic dermatitis management. Expert Opin Pharmacother. 2026 Aug 14. doi:10.1080/14656566.2026.2715709. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
42590198	Potential Blood Biomarkers Predicting Treatment Response in Psoriasis: A Systematic Review and Meta-Analysis. J Clin Med. 2026 Aug 05. doi:10.3390/jcm15156096. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
42587407	Systemic Treatment of Psoriasis: Current Evidence on Efficacy and Safety. J Dermatol. 2026 Aug 12. doi:10.1111/1346-8138.70457. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
42563042	Deucravacitinib 5-Year Safety and Efficacy Results in Plaque Psoriasis: A Phase 3 Open-Label Extension of Randomized Clinical Trials. Am J Clin Dermatol. 2026 Aug 07. doi:10.1007/s40257-026-01055-w. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
42562675	[Idiopathic and secondary recurrent aphthous stomatitis: A narrative review]. Rev Med Interne. 2026 Aug 06. doi:10.1016/j.revmed.2026.07.009. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
42540112	Management of mucocutaneous and joint involvement of Behcet's syndrome: a systematic literature review informing the 2025 update of the EULAR recommendations. EULAR Rheumatol Open. 2026 Jun. doi:10.1016/j.ero.2026.02.017. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
42501510	A systemic myeloid-driven Th1 hyper-response characterizes inflammatory oral ulceration. Mol Immunol. 2026 Sep. doi:10.1016/j.molimm.2026.07.009. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
42497846	Icotrokinra (Icotyde) for psoriasis. Med Lett Drugs Ther. 2026 Aug 03. doi:10.58347/tml.2026.1760b. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
42474276	Targeted beta-Glucan-Veiled Oral Apremilast Nanotherapy Modulates Key Dysbiosis-Associated Gut Microbiota and Alleviates Ulcerative Colitis-Associated Anxiety, Depression, and Neuropsychiatric Behaviors. Adv Sci (Weinh). 2026 Jul 20. doi:10.1002/adv.76566. Source record	Non-human/preclinical or mechanistic publication without an in-scope human safety case.

ID	Record	Reason
42457837	A green electrochemical sensor based on Fe/N-graphene hybrid nanostructure for trace-level determination of apremilast in biological and pharmaceutical samples. Sci Rep. 2026 Jul 15. doi:10.1038/s41598-026-62081-6. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
42445175	PDE4 inhibitor mitigates activated CD8+ T cells through NF-kappaB signaling in Behcet's syndrome. Front Immunol. 2026. doi:10.3389/fimmu.2026.1834685. Source record	Non-human/preclinical or mechanistic publication without an in-scope human safety case.
42432372	Reduction of monocyte activation and oxidative stress by phosphodiesterase 4 blockade in Behcet's syndrome. Clin Rheumatol. 2026 Sep. doi:10.1007/s10067-026-08292-8. Source record	Non-human/preclinical or mechanistic publication without an in-scope human safety case.
42432263	Repurposing apremilast for alzheimer's disease: multitarget modulation of cAMP-PI3K/Akt-GSK-3beta and NF-kappaB signaling. Metab Brain Dis. 2026 Jul 11. doi:10.1007/s11011-026-01906-9. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
42420332	Decoding cytokine interactions for psoriasis therapy through computational repurposing of antihypertensive drugs. Sci Rep. 2026 Jul 08. doi:10.1038/s41598-026-47049-w. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
42415035	A novel antibacterial-immunomodulatory injectable hydrogel for periodontitis management: an in vitro study. BMC Oral Health. 2026 Jul 07. doi:10.1186/s12903-026-09158-w. Source record	Non-human/preclinical or mechanistic publication without an in-scope human safety case.
42342652	Emerging synthetic drugs for the management of hidradenitis suppurativa: a comprehensive update. Expert Opin Pharmacother. 2026 Jul. doi:10.1080/14656566.2026.2695100. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
42296289	A Systematic Review of Apremilast as a Therapeutic Option for Lichen Planus. Adv Skin Wound Care. 2026 Sep 01. doi:10.1097/ASW.0000000000000491. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
42225554	Triazenyl Furans as Diels-Alder Dienes. J Am Chem Soc. 2026 Jun 17. doi:10.1021/jacs.6c06794. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
42198365	Development and Optimization of an Apremilast-Loaded Nanoemulsion Gel for Topical Psoriasis Treatment with In Vitro Anti-Inflammatory Studies Using RAW 264.7 Cells. Pharmaceuticals (Basel). 2026 Apr 28. doi:10.3390/ph19050691. Source record	Non-human/preclinical or mechanistic publication without an in-scope human safety case.
42194775	Biological Therapy Leads to a Reduction in Systemic Inflammation but Leaves Serum Uric Acid Unmodified in Moderate-to-Severe Plaque Psoriasis: A Prospective Longitudinal Cohort Study. J Clin Med. 2026 May 15. doi:10.3390/jcm15103817. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
42191498	Effect of apremilast on whole-body magnetic resonance imaging of peripheral and axial inflammation in patients with psoriatic arthritis. Ann Rheum Dis. 2026 Jul. doi:10.1016/j.ard.2026.04.010. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
42166818	Natural PDE4 inhibitors from plants: A comprehensive review of discovery, structure-activity relationships, and clinical translation potential. Eur J Med Chem. 2026 Oct 05. doi:10.1016/j.ejmech.2026.118960. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
42144714	PDE4 Inhibition in Dermatologic Disease: Impacts Beyond Inflammation. Int J Dermatol. 2026 Oct. doi:10.1111/ijd.70456. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.

ID	Record	Reason
42144121	Mechanistic enhancement of oral bioavailability through a coamorphous apremilast-aceclofenac systems: integrated LC-MS/MS Bioanalysis, in vivo pharmacokinetics, and PBPK modeling. Eur J Pharm Biopharm. 2026 Aug. doi:10.1016/j.ejpb.2026.115099. Source record	Non-human/preclinical or mechanistic publication without an in-scope human safety case.
42141519	Systematic review and network meta-analysis of biologics and small molecules for scalp psoriasis. J Eur Acad Dermatol Venereol. 2026 May 15. doi:10.1111/jdv.70506. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
42133282	Summary of Research: Apremilast Improves Skin Outcomes in Pediatric Plaque Psoriasis of Shorter Disease Duration: 52-Week Results from the SPROUT Phase 3 Trial. Dermatol Ther (Heidelb). 2026 May. doi:10.1007/s13555-026-01714-0. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
42105955	Immune cell-targeted nanocarrier delivery systems for inflammatory bowel disease therapy: mechanisms and strategies. Int J Pharm. 2026 Jun 05. doi:10.1016/j.ijpharm.2026.126963. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
42089905	Apremilast therapy increases CD39+CD4+ T cells in peripheral blood of patients with psoriatic disease: a retrospective observational pilot study. Rheumatol Int. 2026 May 06. doi:10.1007/s00296-026-06114-3. Source record	Non-human/preclinical or mechanistic publication without an in-scope human safety case.
42067124	The effect of apremilast on epicardial adipose tissue in psoriasis. J Invest Dermatol. 2026 Sep. doi:10.1016/j.jid.2026.04.009. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
42047106	Glycolic acid-integrated nanostructured lipid carriers of apremilast and quercetin co-delivery for the management of psoriasis. Ther Deliv. 2026 Apr. doi:10.1080/20415990.2026.2662182. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
42041098	Immunoregulation by DC and T cells in psoriasis with probable immunotherapeutic approaches. Int Rev Immunol. 2026. doi:10.1080/08830185.2026.2650139. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
42039187	CD4+ and CD8+ T cells contribute to psoriasis phenotype when integrated into human skin equivalents for drug testing. Front Immunol. 2026. doi:10.3389/fimmu.2026.1790531. Source record	Non-human/preclinical or mechanistic publication without an in-scope human safety case.
42033062	Refractory Psoriatic Lesions in Japanese Patients With Biologics. J Dermatol. 2026 Jun. doi:10.1111/1346-8138.70289. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41978521	Safety of biologic therapy in psoriasis patients with a previous malignancy: Retrospective study using TriNetX. J Dtsch Dermatol Ges. 2026 Apr 14. doi:10.1111/ddg.70051. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41948989	Palmoplantar pustulosis: pathogenesis, differential diagnosis, and treatment. J Dtsch Dermatol Ges. 2026 Apr. doi:10.1111/ddg.70238x. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
41936119	DMARDs and gout therapy in patients with chronic arthritis and end-stage renal disease: a descriptive guide. Acta Clin Belg. 2026 Aug. doi:10.1080/17843286.2026.2654069. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
41934673	3-Aminoisoquinolines inhibit selectively phosphodiesterase 4B in KRAS-mutated colorectal cancer cell lines in-vitro and in-vivo. Anticancer Drugs. 2026 Mar 10. doi:10.1097/CAD.0000000000001819. Source record	Non-human/preclinical or mechanistic publication without an in-scope human safety case.

ID	Record	Reason
41900935	Pharmacomicrobiomics in Psoriasis: Microbiome-Drug Interactions Across Systemic Treatments. Life (Basel). 2026 Mar 04. doi:10.3390/life16030415. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
41900834	From Convenience to Clinical Efficacy: Selective TYK2 Inhibition in Psoriasis and the Evolving Role of Next-Generation Oral Targeted Therapies. Pharmaceutics. 2026 Mar 11. doi:10.3390/pharmaceutics18030347. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
41899096	Identification of Drug Repurposing Opportunities of Immunomodulatory Drugs for Inflammatory Bowel Disease Through Inverse Pharmacovigilance Signal Detection in the FAERS Database. J Clin Med. 2026 Mar 12. doi:10.3390/jcm15062172. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41884836	The IL-23/IL-17 axis in Behcet's syndrome pathogenesis: from immunological perspectives to therapeutic implications. Front Immunol. 2026. doi:10.3389/fimmu.2026.1761519. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
41876291	EULAR recommendations for the management of Behcet's syndrome: 2025 update. Ann Rheum Dis. 2026 Jun. doi:10.1016/j.ard.2026.02.009. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
41830495	PDE4 inhibition in pediatric psoriasis: analysis of the SPROUT study on apremilast. Expert Opin Pharmacother. 2026 Feb. doi:10.1080/14656566.2026.2644381. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
41747955	Impact of deucravacitinib on NLR and other inflammatory biomarkers of cardiovascular risk in psoriasis: Posthoc analyses of phase 3 trials. J Invest Dermatol. 2026 Sep. doi:10.1016/j.jid.2026.01.043. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41737427	Efficacy and Safety of Small Molecule Inhibitor Therapies for Vitiligo: A Systematic Review. Health Sci Rep. 2026 Feb. doi:10.1002/hsr.2.71842. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
41732176	Phosphodiesterase inhibitors as emerging therapeutics for skeletal disorders: A comprehensive review of mechanisms and repurposing potential. Bone Rep. 2026 Jun. doi:10.1016/j.bonr.2026.101905. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
41732098	On-label persistence in psoriasis after switching to guselkumab, tumor necrosis factor inhibitors, interleukin-17 inhibitors, or apremilast from other advanced therapies. J Dermatolog Treat. 2026 Dec. doi:10.1080/09546634.2026.2631903. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41730429	Acantholytic disorders: Update on pathophysiology, diagnosis, and management. J Am Acad Dermatol. 2026 Jul. doi:10.1016/j.jaad.2026.02.074. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
41730175	Drugs for atopic dermatitis. Med Lett Drugs Ther. 2026 Mar 02. doi:10.58347/tml.2026.1749a. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41726992	PDE4 Inhibitor Apremilast Rebalances Inflammatory Responses to Pseudomonas aeruginosa Infection in CF Rats. bioRxiv. 2026 Feb 10. doi:10.64898/2026.02.08.704692. Source record	Non-human/preclinical or mechanistic publication without an in-scope human safety case.
41723962	Treatment Landscape for Epidermolysis Bullosa Simplex: A Review of Established and Emerging Therapies. Pediatr Dermatol. 2026 Aug. doi:10.1111/pde.70147. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.

ID	Record	Reason
41708581	Comment on: "Apremilast for Oral Mucosal-Predominant Resistant Pemphigus Vulgaris: A Promising Adjunctive Treatment". Oral Dis. 2026 Feb 18. doi:10.1111/odi.70260. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41691303	Topical delivery of high-drug-loading nanoparticle gels for psoriasis treatment. J Nanobiotechnology. 2026 Feb 14. doi:10.1186/s12951-026-04120-y. Source record	Non-human/preclinical or mechanistic publication without an in-scope human safety case.
41657310	Plakoglobin phosphorylation at serine 665 is capable of stabilizing cadherin-mediated adhesion in keratinocytes. JCI Insight. 2026 Feb 09. doi:10.1172/jci.insight.190359. Source record	Non-human/preclinical or mechanistic publication without an in-scope human safety case.
41657209	Two-Year Real-World Effectiveness of Deucravacitinib in Psoriasis: The Analysis Stratified by Prior Apremilast or Biologic Therapy. J Dermatol. 2026 Apr. doi:10.1111/1346-8138.70175. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41647765	PDE4 Inhibitor-Responsive Dermatoses: An Emerging Concept in Dermatology. J Clin Aesthet Dermatol. 2025 Dec. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
41643746	Apremilast improves skin outcomes in pediatric plaque psoriasis of shorter disease duration: 52-week results from the SPROUT phase 3 trial. J Am Acad Dermatol. 2026 Jun. doi:10.1016/j.jaad.2026.01.072. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41596733	Systemic Treatment Strategies for Patients with Psoriasis and Psoriatic Arthritis in the Setting of ANA Positivity or Lupus Spectrum Disease: A Comprehensive Systematic Review. Int J Mol Sci. 2026 Jan 22. doi:10.3390/ijms27021093. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
41594619	Trends in Inhibitors, Structural Modifications, and Structure-Function Relationships of Phosphodiesterase 4: A Review. Biomolecules. 2026 Jan 03. doi:10.3390/biom16010079. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
41502380	Relative Efficacy of Immunomodulatory Monotherapies for Psoriasis of the Scalp: A Network Meta-Analysis Study. J Cosmet Dermatol. 2026 Jan. doi:10.1111/jocd.70662. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
41487658	Apremilast in osteoarthritis: exploring its therapeutic mechanisms. Drugs Context. 2025. doi:10.7573/dic.2025-7-8. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
41476526	Characterization of the Interaction between Human alpha1-Acid Glycoprotein and Apremilast Enantiomers: HPLC, Isothermal Titration Calorimetry, Ultracentrifugation, and Docking Studies. ACS Omega. 2025 Dec 23. doi:10.1021/acsomega.5c07756. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41443295	Apremilast-mediated protection against Abeta-induced cytotoxicity correlates with PI3K/Akt pathway activation. Neuroscience. 2026 Feb 16. doi:10.1016/j.neuroscience.2025.12.054. Source record	Non-human/preclinical or mechanistic publication without an in-scope human safety case.
41399715	Global Research Trends in Apremilast for Psoriasis: A Bibliometric Analysis (2008-2024). Clin Cosmet Investig Dermatol. 2025. doi:10.2147/CCID.S547013. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41396268	Apremilast ameliorates methotrexate-induced renal injury in rats: role of TLR4/NF-kappaB/P38 MAPK/caspase-3 and Nrf2/HO-1 signaling pathways. Naunyn Schmiedebergs Arch Pharmacol. 2026 Mar. doi:10.1007/s00210-025-04846-w. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.

ID	Record	Reason
41391704	Oral Roflumilast for Long-term Management of Behcet Spectrum Disorders: A Multicenter Observational Analysis. Actas Dermosifiliogr. 2026 Apr. doi:10.1016/j.ad.2025.104561. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41387650	Summary of Research: Apremilast in Japanese Patients with Palmoplantar Pustulosis: A Randomized, Phase 3 Trial. Dermatol Ther (Heidelb). 2026 Feb. doi:10.1007/s13555-025-01583-z. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41350512	Deucravacitinib in Plaque Psoriasis After Inadequate Response to Apremilast: Phase 3 POETYK Analysis. Dermatol Ther (Heidelb). 2026 Jan. doi:10.1007/s13555-025-01606-9. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41343116	Effectiveness of Tofacitinib in Patients with Psoriatic Arthritis Initiating Monotherapy Versus Combination Therapy: Results from the CorEvitas Psoriatic Arthritis/Spondyloarthritis Registry. Rheumatol Ther. 2026 Feb. doi:10.1007/s40744-025-00811-4. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41300749	Integrative Bioinformatics Analysis Reveals Key Regulatory Genes and Therapeutic Targets in Ulcerative Colitis Pathogenesis. Genes (Basel). 2025 Nov 01. doi:10.3390/genes16111296. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41275881	Intensive biological DMARD-first strategy versus standard step-up care in psoriatic arthritis (STAMP): 1-year results from a multicentre, open-label, randomised controlled trial comparing two treat-to-target strategies. Lancet Rheumatol. 2026 Jan. doi:10.1016/S2665-9913(25)00223-1. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41234514	Beyond Monotherapy: Exploring the Efficacy and Safety of Dual Biologic Strategies in Rheumatic Diseases. Biologics. 2025. doi:10.2147/BTT.S565137. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
41232356	Apremilast attenuates hepatic steatosis and metabolic dysfunction in a murine model of MASLD: Implications for patients with Psoriatic disease. Biomed Pharmacother. 2025 Dec. doi:10.1016/j.biopha.2025.118757. Source record	Non-human/preclinical or mechanistic publication without an in-scope human safety case.
41224305	Multicentre phase II open study assessing the efficacy and safety of apremilast in children and adults with epidermolysis bullosa simplex generalised: study protocol for the EBULO study. BMJ Open. 2025 Nov 12. doi:10.1136/bmjopen-2025-103194. Source record	Protocol/design publication without reportable interval safety results.
41211948	Treatment Survival and Reasons for Discontinuation in Patients with Recalcitrant Folliculitis Decalvans. Acta Derm Venereol. 2025 Nov 10. doi:10.2340/actadv.v105.44185. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41185038	Apremilast improves cardiomyocyte cohesion and arrhythmia in different models for arrhythmogenic cardiomyopathy. Stem Cell Res Ther. 2025 Nov 04. doi:10.1186/s13287-025-04755-y. Source record	Non-human/preclinical or mechanistic publication without an in-scope human safety case.
41157273	PDE4-Selective Inhibition in Chronic Obstructive Pulmonary Disease and Pulmonary Fibrosis: Different Agents or Different Targets? Life (Basel). 2025 Oct 14. doi:10.3390/life15101600. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
41153741	Seborrheic Dermatitis Revisited: Pathophysiology, Diagnosis, and Emerging Therapies-A Narrative Review. Biomedicines. 2025 Oct 09. doi:10.3390/biomedicines13102458. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
41148453	Immune checkpoint inhibitor associated lichenoid eruptions: a review of non-steroidal systemic maintenance therapies. Support Care Cancer. 2025 Oct 28. doi:10.1007/s00520-025-10054-2. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.

ID	Record	Reason
41138891	Integrated experimental, computational and machine learning approaches for the development of Apremilast-Aceclofenac coamorphous systems. Int J Pharm. 2025 Dec 25. doi:10.1016/j.ijpharm.2025.126283. Source record	Non-human/preclinical or mechanistic publication without an in-scope human safety case.
41124883	Identification of a novel PDE4 inhibitor inspired by leoligin-derived lignans. Eur J Med Chem. 2026 Jan 15. doi:10.1016/j.ejmech.2025.118285. Source record	Non-human/preclinical or mechanistic publication without an in-scope human safety case.
41085970	Apremilast Versus Placebo for Genital Erosive Lichen Planus in Women: A Randomized Controlled Trial. J Low Genit Tract Dis. 2026 Jan 01. doi:10.1097/LGT.0000000000000915. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41082944	Apremilast attenuates methotrexate-induced hepatic injury in rats; insights into TLR4/NF-kappaB/P38 MAPK/caspase-3 and alpha-klotho/Nrf2/HO-1 signaling network interplay. Toxicol Appl Pharmacol. 2025 Dec. doi:10.1016/j.taap.2025.117596. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41082170	Retention Rates of Biological Drugs in Spondyloarthritis: A 24-Month Observational Study in Patients Aged 60 Years or Older. Drugs Real World Outcomes. 2025 Dec. doi:10.1007/s40801-025-00514-w. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41069636	Assessing Treatment Efficacy for Dermatologic Immune-Related Adverse Events: A Systematic Review. JID Innov. 2025 Nov. doi:10.1016/j.xjidi.2025.100410. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
41060491	Effects of IL17/23 Inhibitors on Markers of Subclinical Atherosclerosis in Patients with Psoriasis: An Observational Study. Dermatol Ther (Heidelb). 2025 Dec. doi:10.1007/s13555-025-01549-1. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41031619	Time-Dependent Resolution of an Atropisomeric 1-Arylpyrrole by a Novel 1-Arylethylamine Saltforming Agent. Chirality. 2025 Oct. doi:10.1002/chir.70054. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41029430	Cost-effectiveness of deucravacitinib versus apremilast of moderate-to-severe plaque psoriasis in China. BMC Health Serv Res. 2025 Sep 30. doi:10.1186/s12913-025-13403-3. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41028666	An assessment of the prescribing preferences of Irish dermatology consultants for the treatment of severe psoriasis in the setting of a cancer diagnosis. Ir J Med Sci. 2025 Dec. doi:10.1007/s11845-025-04113-0. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
41024667	Impact of methotrexate administration route on drug survival in psoriasis: Results from PSOBIOEQ. J Eur Acad Dermatol Venereol. 2026 Feb. doi:10.1111/jdv.70044. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
40995751	Dupilumab in papuloerythroderma of Ofuji: therapeutic efficacy and paradoxical flares in a case-based review. J Dermatolog Treat. 2025 Dec. doi:10.1080/09546634.2025.2562300. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
40991306	Prices and Spending for Phosphodiesterase 4 Inhibitors in Pulmonary and Dermatologic Disease. JAMA Dermatol. 2025 Nov 01. doi:10.1001/jamadermatol.2025.3289. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
40985567	Roflumilast for Oral Ulcers in Behcet's Disease and Recurrent Aphthous Stomatitis. J Dermatol. 2025 Nov. doi:10.1111/1346-8138.17972. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
40955533	Can Week 4 PASI Response Serve as an Early Predictor of Apremilast Efficacy in Psoriasis? A Single-Centre Preliminary Study. Acta Derm Venereol. 2025 Sep 16. doi:10.2340/actadv.v105.44624. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.

ID	Record	Reason
40939775	Therapeutic potential of phosphodiesterase inhibitor-loaded nanomicelles to treat endotoxin-induced anterior uveitis. Int J Pharm. 2025 Nov 10. doi:10.1016/j.ijpharm.2025.126162. Source record	Non-human/preclinical or mechanistic publication without an in-scope human safety case.
40890443	PDE4 inhibitor apremilast ameliorates TNBS-induced irritable bowel syndrome in mice by activating the Nrf-2 signaling pathway in enteric glial cells. Acta Pharmacol Sin. 2026 Jan. doi:10.1038/s41401-025-01649-w. Source record	Non-human/preclinical or mechanistic publication without an in-scope human safety case.
40846809	A systematic review and network meta-analysis comparing the efficacy and safety of deucravacitinib versus selected treatments for moderate to severe plaque psoriasis. Clin Rheumatol. 2025 Oct. doi:10.1007/s10067-025-07597-4. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
40836369	A Review of Phase III and Long-Term Data for Deucravacitinib for Plaque Psoriasis. Int J Dermatol. 2026 Feb. doi:10.1111/jid.70023. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
40767996	Benefits of Earlier Apremilast Initiation in Patients with Psoriasis and Limited Skin Involvement: Results from a Real-World Retrospective Study. Dermatol Ther (Heidelb). 2025 Oct. doi:10.1007/s13555-025-01466-3. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
40719230	Initiation of apremilast treatment decreases prescribed topical therapy amount in patients with psoriasis: a health insurance claims study in Japan. J Dermatolog Treat. 2025 Dec. doi:10.1080/09546634.2025.2535686. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
40715011	Questionnaire Survey on the Treatment of Psoriasis Patients Who Achieved Remission With Biologics. J Dermatol. 2025 Oct. doi:10.1111/1346-8138.17871. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
40560394	Balancing efficacy and hepatotoxicity: a comprehensive review of oral medications in psoriasis management. Naunyn Schmiedebergs Arch Pharmacol. 2025 Dec. doi:10.1007/s00210-025-04334-1. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
40522330	Treatment Algorithm Suggestion for Hailey-Hailey Disease. J Cutan Med Surg. 2025. doi:10.1177/12034754251344213. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
40468645	A cost-effectiveness analysis of deucravacitinib vs. apremilast in moderate-to-severe psoriasis patients in Japan. J Med Econ. 2025 Dec. doi:10.1080/13696998.2025.2515771. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
40341768	The efficacy of apremilast in pemphigus: a systematic review of case reports. Dermatol Reports. 2025 Nov 05. doi:10.4081/dr.2025.10245. Source record	Secondary review without a new in-scope patient-level apremilast case or material interval safety finding retained for this report.
39807542	Real-world psoriasis treatment patterns and disease burden in Germany, with a focus on biologics and apremilast: data from a German statutory health insurance database. J Med Econ. 2025 Dec. doi:10.1080/13696998.2025.2452054. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
39163466	Deucravacitinib StatPearls [Internet]. 2026 01. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.
34283444	Apremilast StatPearls [Internet]. 2026 01. Source record	No new in-scope apremilast safety information or exposed-patient case requiring full-text safety review after title/abstract screening.

Overall assessment

- The interval evidence was broadly consistent with the known apremilast safety profile. Gastrointestinal intolerance, headache, and weight decrease were repeatedly observed and remain expected against the September 2026 USPI.
- No literature finding alone established a new causal safety signal. Serious infection, malignancy, psychiatric outcomes, unusual infections, and combination-treatment observations should remain under cumulative signal review because several publications were aggregate, confounded, or based on spontaneous-reporting data.
- PMID 42169962 is not an apremilast ICSR because apremilast treated an event attributed to other drugs. It is retained as a potential off-label therapeutic application; a single case does not establish a new indication, and formal PBRER inclusion is conditional on relevance and company procedure.
- PMID 42583969 is not a publication-derived ICSR because its adverse events are unlinked study-arm aggregates, not because clinical-trial reports are categorically excluded or presumed duplicate. It is relevant to periodic aggregate reporting as dose-related tolerability evidence.
- FDA periodic reporting terminology and submission route depend on the application and any authorization to submit a PBRER instead of a PADER/PAER. This report records PV assessment and routing considerations but does not itself constitute a regulatory submission.

Limitations

- PubMed was the only bibliographic database searched; Embase, regional databases, conference proceedings, and non-indexed local literature were outside scope.
- Thirty-eight included publications were not reviewed in full. Title/abstract-only judgments are provisional and may change after full-text acquisition.
- Published aggregate counts cannot be converted into individual cases without patient linkage. Study ownership, sponsor databases, partner exchanges, and prior case identifiers were unavailable for duplicate reconciliation.
- Expectedness was assessed against the September 2026 FDA-approved USPI; company core data sheets or another jurisdictional RSI could produce different results.
- FAERS disproportionality studies are subject to underreporting, stimulated reporting, missing data, duplication, confounding, and lack of exposure denominators; they cannot establish incidence or causality.
- This independent educational report does not replace company medical review, standard operating procedures, case processing, or regional reporting requirements.

Next actions

- Obtain and review the 38 inaccessible full texts, prioritizing PMIDs 42406589, 41220238, 42464053, 42247059, 42082393, 41072663, and 40866213.
- Reconcile the fatal heart-failure case, oral-lichen-planus cases, ACH headache case, serious trial events, registry deaths/malignancies, and depression withdrawals with applicable sponsor, study, partner, and global safety databases.
- Apply company causality, MedDRA coding, seriousness, expectedness, follow-up, and reporting procedures to each valid or potential case.
- Carry forward aggregate topics into periodic signal review and document whether each publication is included in the relevant PADER/PAER/PBRER section under the governing procedure.
- Repeat the PubMed search on the next scheduled surveillance date and use the same broad-search plus case-sensitivity strategy for comparability.

References

1. PubMed broad search - Otezla/apremilast, 2025-09-13 to 2026-09-13 (accessed 2026-09-13)
[Open source](#)
2. Otezla/Otezla XR FDA-approved US Prescribing Information (accessed 2026-09-13)
[Open source](#)
3. ICH E2D(R1): Post-Approval Safety Data - Management and Reporting of ICSRs (accessed 2026-09-13)
[Open source](#)
4. ICH E2C(R2): Periodic Benefit-Risk Evaluation Report (accessed 2026-09-13)
[Open source](#)
5. FDA: Providing Postmarket Periodic Safety Reports in the ICH E2C(R2) Format (accessed 2026-09-13)
[Open source](#)