

--Leia tooted, mida pole kunagi müüdud.

select

p.product\_name,

p.category,

p.subcategory,

p.retail\_price,

s.sale\_id

FROM products p

LEFT JOIN sales s ON p.product\_id = s.product\_id

WHERE s.sale\_id IS NULL

--Kokku on 12 rida tooteid, mida kunagi ei ole müüdud

--Müümata tooteid kokku

select

COUNT (\*) AS müümata\_tooteid

FROM products p

LEFT JOIN sales s ON p.product\_id = s.product\_id

WHERE s.sale\_id IS NULL;

--Enim müüdud tooted

select

p.product\_name,

p.category,

p.subcategory,

COUNT(s.sale\_id) AS müüdud\_kordi,

SUM(s.total\_price) AS kogumüük

```
FROM products p
INNER JOIN sales s ON p.product_id = s.product_id
GROUP BY p.product_id, p.product_name, p.category, p.subcategory
ORDER BY kogumüük DESC
LIMIT 10;
--Enim müüdud toode on Õhuline sünteetiline sporditossud.
```

--Analüüsi kategooriate kaupa

```
SELECT
    p.category,
    COUNT(DISTINCT p.product_id) AS tooteid,
    COUNT(s.sale_id) AS müüke,
    SUM(s.total_price) AS kogumüük
FROM products p
LEFT JOIN sales s ON p.product_id = s.product_id
GROUP BY p.category
ORDER BY kogumüük DESC;
```

--Kõige enam on müüdud meeste riideid 82tk

--Kõige suurema kogusumma eest on müüdud jalanõusid

--Kõige vähem on müüdud aksessuaare

--Kõige väiksema kogusumma eest on müüdud laste riideid

--Millised tooted on laos

```
SELECT
    p.product_name,
    p.category,
```

```
i.location,  
i.quantity_available,  
i.reorder_point,  
CASE  
WHEN i.quantity_available <= i.reorder_point THEN 'TELLI JUURDE'  
ELSE 'OK'  
END AS staatus  
FROM products p  
LEFT JOIN inventory i ON p.product_id = i.product_id  
ORDER BY i.quantity_available ASC;  
  
--Ridu kokku 1412  
  
--17 toodet kas -märgiga või 0 laoseisus  
  
--10 tooded -märgiga  
  
  
--Tooted, mis on laos, aga ei ole kunagi müüdud  
  
SELECT  
p.product_name,  
p.category,  
p.retail_price,  
i.quantity_available,  
(p.retail_price * i.quantity_available) AS kinni_olev_raha  
FROM products p  
LEFT JOIN sales s ON p.product_id = s.product_id  
LEFT JOIN inventory i ON p.product_id = i.product_id  
WHERE s.sale_id IS NULL  
ORDER BY kinni_olev_raha DESC;
```

```
SELECT COUNT(*)  
FROM products p  
LEFT JOIN sales s ON p.product_id = s.product_id  
WHERE s.sale_id IS NULL;
```

```
SELECT COUNT(*)  
FROM inventory  
WHERE quantity_available > 0;
```

```
SELECT COUNT(*)  
FROM products p  
LEFT JOIN sales s ON p.product_id = s.product_id  
LEFT JOIN inventory i ON p.product_id = i.product_id  
WHERE s.sale_id IS NULL  
AND i.quantity_available > 0;
```