

Learn

View Model & Model Binding Step by Step

Achyut V Kendre

ASP.NET


Core

What is ViewModel?

- In ASP.NET Core MVC, ViewModel is a class that contains the fields which are represented in the strongly-typed view.
- It is used to pass data from controller to strongly-typed view.
- It is something different than your domain model. It is a model for the view.
- View Model enables you to communicate data from multiple models or part of model from action to view or view to action.

What is ViewModel?

- Viewmodel is dummy model class which contains properties those can be represented in strongly typed view.



What is Model Binding?

- ASP.NET Core MVC Controllers work with data that comes from HTTP requests.
- For example, route data may provide a record key, and posted form fields may provide values for the properties of the model.
- Writing code to retrieve each of these values and convert them from strings to .NET types would be tedious and error-prone.
- Model binding automates this process.


What is Model Binding?

- ASP.NET MVC has built in model binder, which act as bridge between http request & model properties.
- Condition for model binding is name of request data should exactly match to model properties irrespective of how you make the request.
- The model binding system:
 - Retrieves data from various sources such as route data, form fields, and query strings.
 - Provides the data to controllers in method parameters and Model public properties.
 - Converts string data to .NET types.

What is Model Binding?

- By default model binder binds all values from request data to all model properties.
- Some times you do not want to bind all the properties for that ASP.NET MVC provides you bind attribute with parameters include or exclude used to include or exclude the properties from the binding process.
- [Bind(include=""/exclude="")] in include and exclude list you can specify the properties from a model class that you want to bind or do not want to bind

Model Binding




Directives in ASP. Net Core

- Directives are the commands used at the beginning of View.
- All directives starts with @ used to add some additional functionality / capability to View.
- Few directives are –
 - @model
 - @inject
 - @addTagHelper
 - @removeTagHelper
 - @using

What is View Imports?

- `_ViewImports.cshtml` is built in file which makes directives available globally to all the Views.
- Every view folder can have it's own `_viewimports` file where you can use directives will be applied globally to all the views.
- `_ViewImport` file will be executed before every view.

View Imports



THANKS!

Any questions?

You can find me at:

www.ritechpune.com

contact@ritechpune.com

9730010404