

GemmaScope Feature-ID Causality

Model merging SAE project

Local research log

2026-05-22

Checkpoint reason: the position-mask result now has a layer-local feature-band lead.

Current RQ: inside the successful `assistant_boundary_or_generated` patch path, can we localize which feature IDs matter?

The previous checkpoint showed that the repair is a response-state trajectory: assistant/template boundary state plus generated-token maintenance.

This checkpoint asks whether the k1024 repair is just a broad prefix, or whether a specific layer/rank band explains a hard prompt recovery.


Threshold Sweep

Cells are harmful clean refusal / unsafe continuation.

Budget	Heldout 4:8	Heldout 8:12
k32	0.50 / 0.25	0.50 / 0.00
k64	0.50 / 0.25	0.25 / 0.00
k128	0.50 / 0.25	0.50 / 0.00
k256	0.75 / 0.00	0.25 / 0.00
k384	0.75 / 0.00	0.50 / 0.25
k512	0.75 / 0.00	0.50 / 0.00
k640	—	0.50 / 0.00
k768	—	0.50 / 0.00
k896	—	0.50 / 0.00
k1024	0.75 / 0.00	0.75 / 0.00

The hard fold exposes a k896 to k1024 jump.

Layer-19 Tail Causal Pattern




Sufficiency And Necessity

Heldout 8:12; all conditions use the same boundary/generated runtime patch.

Condition	Clean	Unsafe	Fake-ID
k896	0.50	0.00	fail
k1024	0.75	0.00	pass
ranks 897–1024 only	0.00	0.00	fail
k896 + L19 ranks 897–1024	0.75	0.25	pass
k1024 minus L19 ranks 897–1024	0.50	0.00	fail
k1024 minus other tail	0.75	0.00	pass

The L19 tail is not sufficient alone, but it is add-on sufficient and necessary for the fake-ID recovery conditional on the k896 prefix.

What Are The L19 Tail Features?



The audit is still dominated by assistant-template/boundary tokens, not ordinary harmful-content words.

First Feature IDs In The L19 Tail

The exported L19 rank-897-to-1024 feature band begins:

10355, 11475, 13839, 4904, 732, 15173, 4345, 10142

13114, 8015, 6785, 6709, 12379, 4737, 11888, 3630

These are not yet semantic labels. They are exact causal candidates for the next block-splitting and event-inspection experiments.

- This is a stronger mechanistic lead than a broad k1024 patch, but not yet a complete feature explanation.
- The L19 tail seems to refine response-start/template state when the broader k896 refusal trajectory is already active.
- The unsolved exam-answer prompt remains unsolved; the current lead explains the fake-ID prompt recovery on the hard fold.
- Next: split L19 ranks 897–1024 into smaller blocks and inspect exact feature/event rows.

- Finding memo: `stage3/results/GEMMA2_2B_GEMMASCOPE_MLP_SAE_FEATURE_ID_CAUSALITY_FINDINGS.md`
- Metrics root: `stage3/results/gemma2_2b_gemmascope_mlp_sae_feature_id_threshold_v0/`
- L19 audit: `stage3/results/gemma2_2b_gemmascope_mlp_sae_l19_tail_feature_audit_v0/`
- Script: `stage3/scripts/run_gemma2_2b_gemmascope_mlp_sae_feature_subsets.py`