Screen 1


PEN-PAL
Parents Engaged in Penicillin Allergies
This is nurse Anna. Anna is giving information about allergies to penicillin in kids.
Do you want to know more?
Yes
No
1

Screen 2


Most kids who are told they are allergic to penicillin can safely take it.
Out of 100 kids who are said to have a penicillin allergy
only 5 have a real allergy
Next
2

Screen 3


Why do people often think children are allergic to penicillin when they are not?
The rash came from a virus, not penicillin.
Some kids felt sick or had diarrhea, but that was not an allergy.
People think allergies come from parents, but they do not.
Some kids had an allergy, but the allergy went away as they got older.
Next
3

Screen 4


Speak with your child's doctor to see if testing is right for your child!
There is a test that can tell if your child has a penicillin allergy.
For the test, kids take medicine by mouth.
Sometimes, kids also take medicine through a skin prick.
If your child can safely take penicillin, have the allergy removed from their medical record.
Next
4

Screen 5

Here's what parents had to say about testing:

- Parents liked knowing the truth about their child.
- Parents were happy knowing that their child could receive the best medicine.
- Parents felt good knowing they had one less thing to worry about.
- Parents were happy because penicillin doesn't cost much and is easy to get.

Next

Screen 6


Tell us what happened when your child was said to be allergic to penicillin. This will help determine if testing is right for your child.
Symptoms
What happened to your child after taking penicillin?
Timing
What age was your child when something happened after taking penicillin?
Onset
How long after taking penicillin did your child have a reaction?
Resolution
How did your child's reaction go away?
Yet again
Has your child received penicillin since the reaction?
6

Screen 6.1


Click what happened when your child had penicillin.
Rash
Swelling
Fainting or dizziness
Itchiness
Throat tightness
Shortness of breath or trouble breathing
Fever (new fever or worse fever)
Abdominal pain
Diarrhea
Joint pain and swelling
Nausea or vomiting
Muscle aches
Other: Please describe _____
7-1
as said to be allergic to
g is right for your child.
aking penicillin?
ething happened after taking
Onset
How long after taking penicillin did your child have a reaction?
Resolution
How did your child's reaction go away?
Yet again
Has your child received penicillin since the reaction?
6

Screen 6.2


Tell us what happened when your child was said to be allergic to penicillin. This will help determine if testing is right for your child.
Symptoms
What happened to your child after taking penicillin?
Timing
er taking
Onset
ction?
At what age did your child have the reaction to penicillin (amoxicillin)?
1 year-old
26 year-old
7-2
Resolution
How did your child's reaction go away?
Yet again
Has your child received penicillin since the reaction?
6

Screen 6.3


Tell us what happened when your child was said to be allergic to penicillin. This will help determine if testing is right for your child.
Symptoms
What happened to your child after taking penicillin?
Timing
er taking
Onset
ction?
How long after taking penicillin (amoxicillin) did your child have a reaction?
<1 hour
1-24 hours
24+ hours
Unsure/I don't know
7-3
Resolution
How did your child's reaction go away?
Yet again
Has your child received penicillin since the reaction?
6

Screen 6.4


How did your child's reaction go away?
With medication
Did your child receive medical care for their reaction?
Yes
No
7-4
as said to be allergic to
g is right for your child.
aking penicillin?
Timing
What age was your child when something happened after taking penicillin?
Onset
How long after taking penicillin did your child have a reaction?
Resolution
How did your child's reaction go away?
Yet again
Has your child received penicillin since the reaction?
6

Screen 6.5


Has your child received penicillin (amoxicillin) since the reaction?
Yes
No
Unsure/Don't Know
7-5
as said to be allergic to
g is right for your child.
Symptoms
What happened to your child after taking penicillin?
Timing
What age was your child when something happened after taking penicillin?
Onset
How long after taking penicillin did your child have a reaction?
Resolution
How did your child's reaction go away?
Yet again
Has your child received penicillin since the reaction?
6

Screen 7

Action Steps for Parents

#1. Give the table below to your child's doctor.

This says what happened when your child took penicillin.

Symptoms	Rash Red, fine and bumpy
Timing	3-years old
Onset	24+hours
Resolution	On its own
Yet Again	Unsure if child has received penicillin since the reaction

#2. Bring pictures of your child's reaction to the doctor's visit.

#3. Ask your child's doctor if testing is right for your child.

Here's what you can say:

"I read about penicillin allergy testing in kids. It seems testing is good for kids. Could we talk about whether this might be right for my child?"

Print

Save