

# Cucumber Report

06-Nov-2024, 7:28:24 PM

Start : Nov 06, 7:28:05.516 PM

End : Nov 06, 7:28:22.922 PM

Duration : 17.406 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 5  
FAILED - 1  
SKIPPED - 2



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Feature</u>	17.406 s	2	1	1	0	8	5	1	2

#	Feature Name	Scenario Name
1	<u>Login Feature</u>	<u>Login using valid credentials</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@login	2	1	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login Feature	2	1	1	0	17.406 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Feature</u>	<u>Login using valid credentials</u>	5	2	1	2	9.454 s
2		<u>login using invalid email id or mobile no</u>	3	3	0	0	7.923 s

## Login Feature

<b>FAILED</b>	<b>DURATION - 17.406 s</b>	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 8 Pass - 5 Fail - 1 Skip - 2	
/ 7:28:05.516 PM // 7:28:22.922 PM /					



## Login using valid credentials

<div>FAILED</div> <div>DURATION - 9.454 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 7:28:05.516 PM // 7:28:14.970 PM /</div>				
<div>Login Feature</div>				
<div>@login</div>				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	1.313 s
2	When user enters email "your email" and click on continue button	PASSED	0.137 s
3	And User enters password "password"	FAILED	0.024 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#ap_password"} (Session info: chrome=130.0.6723.116) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f266a5800dc300e17fb13c188f3e6e38, findElement {using=id, value=ap_password}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 130.0.6723.116, chrome: {chromedriverVersion: 130.0.6723.93 (dbcf0550c05e..., userDataDir: C:\Users\RITESH~1\AppData\Local\Temp\130.0.6723.116\chromedriver-win64\chromedriver.exe}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49940}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49940/devtools/page/130.0.6723.116, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f266a5800dc300e17fb13c188f3e6e38 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.ecommerce.pages.LoginPage.enterPassword(LoginPage.java:43) at org.ecommerce.parallel.LoginPageStepDef.user_enters(LoginPageStepDef.java:42) at ?.User enters password "password"(file:///D:/Java_Selenium/Selenium-BDD-Cucumber-Framework/src/test/resources/parallel/LoginPage.feature:11) * Not displayable characters are replaced by '?'. </pre>		
4	And user clicks on sign in button	SKIPPED	0.000 s
5	Then user should be able to login in the application	SKIPPED	0.000 s
	AFTER - org.ecommerce.parallel.AppHook.tearDown(io.cucumber.java.Scenario)	PASSED	0.889 s
	Login_using_valid_credentials		
			

### login using invalid email id or mobile no

PASSED		DURATION - 7.923 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:28:14.999 PM // 7:28:22.922 PM /						
Login Feature						
@login						



#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	1.008 s
2	When user enters wrong email "abcgugsd@gmail.com" and click on the continue button	PASSED	0.394 s
3	Then user should get alert message with alert icon	PASSED	0.481 s