Cucumber Report

Start : Oct 08, 4:24:55.492 PM	*End : Oct 08, 4:25:11.559 PM*	*Duration : 16.067 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 2

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login Feature	16.067 s	2	1	1	0	8	5	1	2

#	Feature Name	Scenario Name
1	*Login Feature*	*Login using valid credentials*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@login	2	1	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*Login Feature*	2	1	1	0	16.067 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Feature	login using invalid email id or mobile no	3	3	0	0	14.544 s
2		Login using valid credentials	5	2	1	2	16.064 s

Login Feature

FAILED	DURATION - 16.067 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 8 Pass - 5 Fail - 1 Skip - 2	
/ 4:24:55.492 PM // 4:25:11.559 PM /					

login using invalid email id or mobile no

PASSED	DURATION - 14.544 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:24:55.495 PM // 4:25:10.039 PM /				
Login Feature				
@login				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	2.209 s
2	When user enters wrong email "abcgugsd@gmail.com" and click on the continue button	PASSED	0.837 s
3	Then user should get alert message with alert icon	PASSED	0.150 s

Login using valid credentials

FAILED	DURATION - 16.064 s		Steps Total - 5 Pass - 2 Fail - 1 Skip - 2	
/ 4:24:55.495 PM // 4:25:11.559 PM /				
Login Feature				
@login				

#	Step / Hook Details	Status	Duration
1	Given user is on login page	PASSED	2.803 s
2	When user enters email "your emil" and click on continue button	PASSED	0.816 s
3	And User enters password "password"	FAILED	0.055 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#ap_password"} (Session info: chrome=117.0.5938.149) For documentation on this error, please visit: https://www. selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.13' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [b73c45ae248af1f015e8cf62d55aff71, findElement {using=id, value=ap_password}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.149, chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1..., userDataDir: C:\Users\RITESH~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51915}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51915/devtoo..., se:cdpVersion: 117.0.5938.149, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b73c45ae248af1f015e8cf62d55aff71
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	    at org.ecommerce.pages.LoginPage.enterPassword(LoginPage.java:42)
	    at org.ecommerce.parallel.LoginPageStepDef.user_enters(LoginPageStepDef.java:42)
	    at ?.User enters password "password"(file:///D:/Java_Selenium/BDD%20Cucumber/Selenium_Cucumber_Framework/src/test/resources/ parallel/LoginPage.feature:11)
	* Not displayable characters are replaced by '?'.		

4	And user clicks on sign in button	SKIPPED	0.000 s
5	Then user should be able to login in the application	SKIPPED	0.000 s
	AFTER - org.ecommerce.parallel.AppHook.tearDown(io.cucumber.java.Scenario)	PASSED	0.814 s
	Login_using_valid_credentials		

#	Step / Hook Details	Status	Duration