



# AMAZON Q BUSINESS APPLICATION

Now we are going to Build from Scratch a marketing manager AI Assistant: -

- Go to Amazon console.
- Before Start creating AI Assistant.
- Go to IAM identity Center.
- IAM identity Center. This is your directory to add user and groups to the application that you are going to build.
- Just you need to go and Enable it.
- Now Open new console in new tab and search Amazon Q Business
- Go to Amazon Q Business



- Now click on Create application
- Enter Application name



- Keep everything else default
- Now click on create

Amazon Q Business > Applications > Create application

Advanced IAM Identity Center settings - optional

Application connected to IAM Identity Center  
Manage access to Application by assigning users and groups in IAM Identity Center to this application. [Learn more](#)

Quick start user - optional  
Select a user to access the application. You can always edit user access after the application is created.

Select user  
To add new users or view a full list of users and groups, use [Add new users and groups](#)  
Choose a user

Select subscription  
For information on what's included in the tiers of user subscriptions, access [Amazon Q Business pricing](#)  
Q Business Pro

Application details  
Default values have been selected. Expand to edit. Allowing end users to send queries directly to the LLM is ON by default; update in Admin controls and guardrails after creation.

Application service access  
Create a new service linked role

Encryption  
Amazon Q Business owned key

Web experience service access  
Create role: QBusiness-WebExperience-kydxx

Cancel Create and open web experience Create

- Application is created

Amazon Q Business > Applications > Demo-MarketingManager > Application details

Demo-MarketingManager Info Edit Delete

Q Recommendations  
Recommendations to enhance this application. Show tips

Add data sources  
Optimize your application by connecting to your enterprise data. Data sources

Set preferences  
Define guardrails, feature settings and LLM knowledge controls. Admin controls and guardrails

Monitor usage  
Get a comprehensive view of key metrics to help you understand usage of this application. Insights

User access  
Manage groups and users with access to the application. Manage user access

Groups 0 Users 0

- Now click on Data Source

Amazon Q Business > Applications > Demo-MarketingManager > Data sources

How it works

1. Add an index  
Add an index before connecting your data sources. An index stores and retrieves content from any data sources you connect.

2. Connect and sync data sources  
Connect data sources and define a data sync schedule to keep your application updated.

3. Monitor data source usage  
Access data sync histories to monitor and manage data source performance.

No index has been added to this application. An index helps find answers in your data. An index retrieves responses from your data sources. You can create a new index, or connect an existing one. Add an index

- Data Source is open

- Firstly, click on Add an index

only change its storage capacity, not the index name. For more information, check [Amazon Q Business pricing page](#).

from the Q Business console. To learn Kendra index types, check [Kendra documentation page](#).

**Index name**  
my-index  
You can include hyphens (-), but not spaces. Maximum of 1000 alphanumeric characters.

**Index provisioning**  
Choose an index to optimize your application's needs. The index cannot be changed after creating the application. Note that once index units are provisioned, you are charged regardless of whether the provisioned units are used. Please see more details on the [Amazon Q Business pricing document](#).

☐ Enterprise  
Ideal for production workloads needing maximum uptime and encrypted data storage.

- Multi-availability zone deployment for enhanced fault tolerance
- Scales up to 1 million documents

☒ Starter  
Well-suited for non-production workloads such as a proof of concepts, development, and testing.

- Single availability zone deployment
- Scales up to 100,000 documents

**Number of units** [Info](#)  
Each unit is 20,000 documents or 200 MB, whichever comes first.  
1  
Available index unit range is 1 to 5 units.

[Cancel](#) [Add an index](#)

- Now Give index name and choose index provisioning as starter
- And click on Add an index

**Index created successfully**  
Amazon Q Business index "my-index" was created successfully. Connect your enterprise data sources to optimize the application. [Add data sources](#)

**How it works**

**Index**

|                                                                |                                |                                                             |
|----------------------------------------------------------------|--------------------------------|-------------------------------------------------------------|
| <b>Index name</b><br>my-index                                  | <b>Index provisioning</b><br>1 | <b>Index ID</b><br>a2a5cf37-857b-4e66-9d85-b1f75fe0fa8b     |
| <b>Index status</b><br>Index creation in progress              | <b>Document count</b><br>0     | <b>Retriever ID</b><br>fb1a765c-bf0e-4d46-8c36-80da1b93756c |
| <b>Last modified time</b><br>April 14, 2026, 23:47 (UTC+05:30) | <b>Storage used</b><br>0 Bytes | <b>Retriever</b><br>Native retriever: Starter               |

**Data sources (0)** [Info](#)

[Sync now](#) [Stop sync](#) [Actions](#) [Add data source](#)

| Name | Source | Data source state | Last sync time | Last sync status | Current sync state | Access Control List |
|------|--------|-------------------|----------------|------------------|--------------------|---------------------|
|------|--------|-------------------|----------------|------------------|--------------------|---------------------|

- Before Adding Data source Create S3 Bucket
- Go console and search S3 Bucket
- Click on create

**Buckets**

[General purpose buckets](#) [All AWS Regions](#) [Directory buckets](#)

**General purpose buckets (128)** [Info](#)

Buckets are containers for data stored in S3.

[Find buckets by name](#)

[Copy ARN](#) [Empty](#) [Delete](#) [Create bucket](#)

**Account snapshot** [Info](#) [View dashboard](#)

Updated daily  
Storage Lens provides visibility into storage usage and activity trends.

| Name | AWS Region | Creation date |
|------|------------|---------------|
|------|------------|---------------|

- Enter Bucket Name
- Keep everything else default
- Now click on create in right bottom
- Your S3 Bucket is ready
- Now upload your documents in it

| Name                        | Folder | Type            | Size   | Status    | Error |
|-----------------------------|--------|-----------------|--------|-----------|-------|
| FUNDAMENTALS OF AI AND M... | -      | application/pdf | 2.1 MB | Succeeded | -     |
| FUNDAMENTALS OF GENERATI... | -      | application/pdf | 2.1 MB | Succeeded | -     |

- Documents is uploaded
- Basically you can upload any document according to your app.
- Now again go on Amazon Q Business
- Go to your created application
- And go into add data source
- Your created index in starting
- Now click on Add data source

**Add Amazon S3** [Info](#)

Provide details so that Amazon Q Business can index your Amazon S3 bucket repository of documents.

**Name and description**

**Data source name**  
Enter an unique name for this data source within the index that can be easily identified by Amazon Q Business users.

demoQ

**Description - optional**  
Add a description to identify this data source. This description will only be visible to Amazon Q Business administrators and can be edited later.

My data source connector for my documents

- Choose Amazon s3
- Now give Data source name

**IAM role** [Info](#)

**IAM role guidance**  
IAM roles used for applications can't be used for data sources. If you are unsure if an existing role is used for an application, choose "Create a new role" to avoid an error.

**IAM role**  
Amazon Q Business requires an IAM role to access repository credentials and application content.

Create a new service role (Recommended)

**Role name**  
The role name uses the prefix "QBusiness-DataSource-". The created role will only work for this data source and its specific configuration.

QBusiness-DataSource-lyam1

- Choose IAM role
  - Create a new service role (Recommended)

**Data source location**

☒ This AWS account  
☐ Other AWS account

**Sync scope** [Info](#)

**Enter the data source location** [Info](#)  
Locate the S3 bucket where your data is stored.

s3://my-bucket [Browse S3](#)

**Maximum single file size** [Info](#)  
Set the maximum file size for crawling. Files with size upto 10,240 MB for video files, 2,048 MB for audio files, 500 MB for PDF/Word/PowerPoint documents, and 50 MB for all other supported documents can get indexed. Note that regardless of file type, any file with extracted text exceeding 30 MB won't be indexed. [Learn more about enabling video and audio.](#)

50 MB  
Standard text documents: 500 MB max. If video/audio enabled: videos up to 10,240 MB, audio up to 2,048 MB.


**Access control list (ACL) configuration file location - optional** [Info](#)  
Locate the ACL configuration file.

s3://my-bucket/path/file [Browse S3](#)

► **Metadata files folder location - optional** [Info](#)  
Locate the folder that has your metadata .JSON.

► **Filter patterns - optional**  
Add a pattern to include only certain folders, or to exclude folders, file types or specific files in your repository. All paths are relative to the data source location S3 bucket. You can have a combined total of 100 patterns.

- Now in Sync scope
  - Click on Browse S3



- Now select your created S3 bucket

**Sync run schedule** [Info](#)

Tell Amazon Q Business how often it should sync this data source. You can check the health of your sync jobs in the data source details page once the data source is created.

**Frequency**

Select how often you want your data source to sync.

Run on demand


*This data source will not be synced until you choose "sync now" in the Data sources section.*

**Tags - optional (0)** [Info](#)

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

[Back](#) [Add data source](#)

- And click on choose
- Now in Sync run schedule
  - Frequency: - Run on demand
- And in Last click on create data source



- Now our Data Source is created

Sync started successfully at Apr 15, 2026, 12:44 AM GMT+5:30.  
Amazon Q Business is syncing the following data source: 'demoQ'. It can take from a few minutes to a few hours. Sync speeds are limited by factors such as remote repository throughput and throttling, network bandwidth, and the size of documents.

Notifications 0 0 3 2 1

Data sources (1/1) Info

Search data sources

| Name  | Source | Data source state | Last sync time | Last sync status | Current sync state | Access Control List |
|-------|--------|-------------------|----------------|------------------|--------------------|---------------------|
| demoQ | S3V2   | Active            | -              | -                | Syncing            | -                   |

Sync now Stop sync Actions Add data source

- Now in your data source nothing because it not Sync anything.
- Click on Sync so that they sync data from S3 bucket

You have successfully created the organization instance of IAM Identity Center 72231db55d4cb85b.

**Dashboard**  
IAM Identity Center enables you to manage workforce user access to multiple AWS accounts and applications. [Learn more](#)

**Central management** [Prevent account instances](#)  
Use **service control policies (SCPs)** to prevent instances of IAM Identity Center from being created, or isolate the member accounts that are allowed to create account instances. [Learn more about service control policies](#)  
IAM Identity Center allows member accounts of an organization to enable AWS applications that are independent of the organization instance with self-managed, account instances of IAM Identity Center. [Learn more about account instances](#)

**Monitor activities in your instances of IAM Identity Center**  
With AWS CloudTrail, you can monitor and audit activity in your organization instance and account instances of IAM Identity Center. [Learn about monitoring IAM Identity Center](#)

**Settings summary** [Go to settings](#)  
Specify a unique name for your instance.  
Instance name - [Edit](#)  
Identity source  
Identity Center directory  
Primary Region  
us-east-1  
Organization ID  
o-wixpdefwfd  
Issuer URL  
<https://identitycenter.amazonaws.com/ssoin-s-72231db55d4cb85b>

**IAM Identity Center setup**

Managing instance  
ssoin-72231db55d4cb85b

**Dashboard**  
Users  
Groups  
Settings

▼ **Multi-account permissions**  
AWS accounts  
Permission sets

▼ **Application assignments**  
Applications

Related consoles  
[CloudTrail](#) [Recommended](#)  
[AWS Organizations](#)  
[IAM](#)

- Now go to IAM identity Center and click on groups

You have successfully created the organization instance of IAM Identity Center 72231db55d4cb85b.

**Groups (0)** [Delete group](#) [Create group](#)  
With groups, you can grant or deny permissions to groups of workforce users, rather than having to apply those permissions to each user. [Learn more](#)

Search for group names starting with...

| Group name      | Description | Created by |
|-----------------|-------------|------------|
| No groups found |             |            |

**IAM Identity Center**  
Managing instance  
ssoin-72231db55d4cb85b

**Dashboard**  
Users  
**Groups**  
Settings

▼ **Multi-account permissions**  
AWS accounts  
Permission sets

▼ **Application assignments**  
Applications

- Now click on create Groups


**Create group**

**Group details**


**Group name**  
MarketingGroup  
Group name must be 1 to 1024 characters.

**Description - optional**  
Group description detailing the permissions assigned to this group.  
Enter description  
Group description must be 1 to 1024 characters.


- Enter group name
- Keep everything else default
- And go to bottom and click on create Group



- Group is created
- Now in IAM Identity Center



- Click on Add user





- Enter user details: -
  - Username
  - Password: - choose Generate a one time password
  - Email
  - First Name
  - Last Name

Display name  
This is typically the full name of the workforce user (first and last name), is searchable, and appears in the users list.  
Akash Kumar

► Contact methods - optional

► Job-related information - optional

► Address - optional

► Preferences - optional

► Additional attributes - optional

Cancel Next

- Click on Next

Step 1: Specify user details  
Step 2 - optional: Add user to groups  
Step 3: Review and add user

Add user to groups - optional  
You can assign this user to one or more groups.

Groups (1)

| Group name     | Description |
|----------------|-------------|
| MarketingGroup | -           |

Cancel Previous Next

- Add user to created Group
- And click next


Step 2: Add user to groups - optional

Groups (1)



| Group name     | Description |
|----------------|-------------|
| MarketingGroup | -           |

Cancel Previous Add user


- Now click on Add user



- Now you see it gives Username, Password and URL for accessing the application
- So you can go and check
- Copy URL paste in your browser



- And enter user name and one time password you get



- Now Register MFA Device: -

➤ Choose Authentication app: - Google Authenticator

Set up the authenticator app

Username:  
Akash (not you?)

[Back to MFA device options](#)

1 Install either the Google Authenticator, Duo Mobile, or Authy app on your mobile device or computer. [See a list of compatible apps](#)

2 Use your virtual MFA app or your device's camera to scan the QR code. [Show secret key](#)

3 Enter the six digit code from your authenticator app

Authenticator code:  
554251

[Assign MFA](#)

- Now scan QR with Authenticator app From Mobile and Enter Authentication code

aws

Authenticator app registered


✓ Your authenticator app has been successfully registered. You can now use it when prompted for additional verification at sign in.

Akash's MFA 1 [Rename](#)


Type and description: Authenticator app

[Done](#)


- Now Authenticator is Registered
- Click on done




- Now Create New Password
- And click set new Password




- Now we are on our access Portal but there is no any app right now and that's because we are not added Amazon Q Business




- Now Go back to your Amazon Q Business application and click on Manage user access




- Click on Add Group and user




- Choose Assign existing user and group
- Click on next




- Search your created Group and select
- And now click on Assign




- Current subscription Q Business pro (In this Cost involve)
- Click on confirm
- Now again go to access portal and refresh




- Now you can see it's showing me demo MarketingManager app that we just created.
- Click on app




- Our app is fully Ready
- Now Add some customization on application
- Go on Amazon Q Business Console in your application




- Now click on Customize Web Experience



- Now here you customize whole things like
  - Title
  - Subtitle
  - Welcome Message
  - Theme
  - Color




- Go back to your created Application and refresh it
- Now you see Changes is applied
- Now you can do any things





- Now your Application is properly working
- I give him one task to summarize the give Pdf as prompt



- Now you see this they summarize the whole document
- You can also go an app section and create apps
- They are perfectly working