

Jenkinsfile with Nexus

To Begin with the Lab

Summary of the Lab

This lab explains how to **upload Maven build artifacts from a Jenkins Pipeline to a Nexus Repository** using a **Jenkinsfile**. First, create a **Pipeline job** in Jenkins and add the pipeline script. The pipeline includes stages for **checking out source code from GitHub**, **building the project with Maven (mvn package)**, and **uploading the generated WAR file to Nexus** using the `nexusArtifactUploader`. The configuration includes the **Nexus URL**, **credentials**, **group ID**, **version**, **repository (maven-snapshots)**, and **artifact details**. After saving and running the pipeline, verify the uploaded artifact in **Nexus → Browse → maven-snapshots**.

Step-by-step practical to upload Maven artifacts from Jenkins Pipeline to Nexus Repository

This assumes:

Jenkins running on EC2 Amazon Linux

Nexus installed on EC2 Amazon Linux (port 8081)

Using Maven project (AddressBook example)

- Create Jenkins Pipeline Job
- Go to Jenkins Dashboard.
- Click:
 - New Item
- Enter name:
 - 25-nexus-pipeline
- Select:
 - Pipeline
- Click OK.

New Item

Enter an item name

25-nexus-pipeline

Select an item type



Pipeline

Build, test, and deploy using pipelines. Supports stages, parallel work, and running on multiple agents.

- Add Jenkins Pipeline Code (Jenkinsfile)
- In Pipeline → Script, add the pipeline code.
- Go and check the official code from the [Jenkins documentation](#)

Jenkins pipeline example


```
nexusArtifactUploader(  
    nexusVersion: 'nexus3',  
    protocol: 'http',  
    nexusUrl: 'my.nexus.address',  
    groupId: 'com.example',  
    version: version,  
    repository: 'RepositoryName',  
    credentialsId: 'CredentialsId',  
    artifacts: [  
        [artifactId: projectName,  
         classifier: '',  
         file: 'my-service-' + version + '.jar',  
         type: 'jar']  
    ]  
)
```


```
pipeline {  
    agent any  
  
    tools {  
        maven "Maven"  
    }  
  
    stages {  
        stage('Checkout Stage') {  
            steps {  
                checkout scmGit(branches: [[name: '*/master']], extensions: [],  
userRemoteConfigs: [[url: 'https://github.com/DevopsWorking/addressbook.git']])  
            }  
        }  
  
        stage('Maven Build') {  
            steps {  
                sh 'mvn package'  
            }  
        }  
  
        stage('Nexus Push') {  
            steps {  
                nexusArtifactUploader(  

```

```
nexusVersion: 'nexus3',
protocol: 'http',
nexusUrl: '34.201.7.247:8081',
groupId: 'addressbook',
version: '2.0-SNAPSHOT',
repository: 'maven-snapshots',
credentialsId: 'nexus',
artifacts: [
  [
    artifactId: 'Test',
    classifier: "",
    file: 'target/addressbook-2.0.war',
    type: 'war'
  ]
]
)
}
}
}
```

- Take the help from the pipeline syntax





- Save and Run Pipeline
- Click:
- Save → Build Now
- Verify Artifact in Nexus
- Open Nexus:
 - `http://<EC2_PUBLIC_IP>:8081`
- Go to:
 - Browse → maven-snapshots
- Navigate:
 - Group ID → Artifact → Version

Your WAR file will be stored here.

