Getting Started with Amazon Redshift Serverless

To Begin with the Lab

Summary of the Lab

In this lab, an **Amazon Redshift Serverless** data warehouse was created and configured using the default namespace and workgroup settings. An **IAM** role was generated to allow **Amazon Redshift** to access **Amazon S3** resources for loading and unloading data. The default networking configuration, including the VPC and security group, was used to simplify setup. After the serverless environment was provisioned, **Query Editor v2** was connected using federated credentials, and the Tickit sample dataset was loaded from **Amazon S3**. The setup was verified by executing the sample notebook queries and successfully viewing query results.

- Sign in to the AWS Management Console
- Search for **Amazon Redshift**
- Open **Amazon Redshift**



- Click **Try Redshift Serverless free trial**



- Keep the default namespace configuration
- Keep the remaining serverless settings as default



- Navigate to the **Permissions** section
- Click **Manage IAM Role → Create IAM Role**



- Select **Any S3 bucket** as the access type
- Click **Create IAM role as default**



- Wait for the default **IAM** role to be created



- Review the automatically assigned VPC configuration
- Review the automatically assigned security group configuration
- Click **Save configuration**



- Wait for the serverless environment creation process to complete

- Click **Continue**
- Open the **Serverless dashboard**



- Verify that the default namespace and workgroup are available
- Click the namespace name
- Click **Query data → Query in query editor v2**
- Open **Query Editor v2**



- Select the default workgroup connection
- Choose **Federated user** authentication
- Verify that the database name is set to **dev**
- Click **Create connection**



- Verify that the connection to the serverless workgroup is established
- Expand **Native databases**
- Expand **sample_data_dev**
- Review the available sample schemas
- Expand **tickit**
- Click **Open sample notebooks**
- Review the **Create sample database** prompt
- Click **Create**



- Wait for the Tickit sample dataset to load from **Amazon S3**
- Open the generated sample notebook
- Review the preloaded sample SQL queries
- Click **Run all**



- Wait for all notebook cells to execute



- Review the query results displayed below each notebook cell
- Verify that the Tickit sample dataset was loaded successfully
- Verify that **Query Editor v2** can execute queries against the **Amazon Redshift Serverless** database successfully