


Redshift Provisioned Cluster : Console Overview

Objective

Understand the layout and important sections of the Amazon Redshift Provisioned Cluster console.

Difference Between Cluster and Serverless Console

The Redshift Provisioned Cluster console is very similar to the Redshift Serverless console.



Main Difference

An additional menu option is available:

- **Clusters**

Other sections remain mostly similar.

Left Navigation Panel

Section	Purpose
Query Editor	Run SQL queries
Query Editor v2	Advanced SQL workspace
Queries and Loads	Query monitoring and load details
Data Shares	Share Redshift data
Zero ETL Integrations	Integrate services without ETL pipelines
IAM Identity Center Connections	Authentication and access management

Configuration Section

Provisioned clusters provide additional configuration options compared to Serverless.

Available Configurations

- Workload management
- Subnet groups
- Network settings
- Security settings

These settings allow more control over infrastructure and cluster behavior.

Cluster Dashboard Overview

The dashboard displays information across all clusters in the AWS account.

Information Available

- List of nodes
- Available clusters
- Cluster health and performance

Cluster Metrics

Metric	Description
Number of Queries	Queries executed
Database Connections	Active database sessions
Disk Space Used	Storage usage
CPU Utilization	Cluster processing usage

Metrics can be filtered by:

- Cluster
- Time range

Query Overview Section

Provides query performance analytics.

Metrics Included

- Query throughput
- Average queue length
- Average runtime
- Average wait time


Useful for monitoring query performance and bottlenecks.

Feature Spotlight

Similar to Redshift Serverless:

- Displays AWS recommendations
- Highlights new Redshift features

Cluster Specific Page



Selected cluster:

redshift-cluster-1

This opens the detailed cluster management page.

Performance Tab

Focused on cluster performance monitoring.

Includes

- Recommendations
- Alarms
- Cluster metrics

Custom Metrics

Metrics can be customized using:

- Settings

You can:

- Select metrics
- Remove unnecessary metrics

Query Monitoring Tab

Provides:

- Query-specific monitoring
- Runtime analysis
- Query activity details

Very similar to Redshift Serverless monitoring.

Zero ETL Integration Tab

Used for:

- Managing integrations
 - Connecting external AWS services without ETL pipelines
-

Resource Policy Tab

Used to configure:

- Authorized principals
- Authorized integration sources

Controls access permissions for integrations and services.

Scheduled Configuration Tab

Used for automation tasks such as:

- Cluster resizing
 - Pause and resume scheduling
 - Scheduled queries
-

Maintenance Configuration Tab

Used for maintenance-related settings.

Includes

- Backup configuration
- Snapshot configuration

Helps with recovery and data protection.

Properties Tab

Provides detailed cluster information.

- Database configuration
- Network and security
- IAM roles
- Granted accounts
- Integrations
- Node IP addresses

Some settings can be modified using:

- [Edit](#)
-

Compared to Redshift Serverless, Provisioned Clusters provide:

- More infrastructure control
 - Additional configuration pages
 - Advanced monitoring and maintenance options
-

