

WISH API Interface

Technical Specification

AR Master Insert/Update in PMS

Messages

Following section describes the valid request and response from the API. It also describes the response in case of failures.

The API's base URL for any request will be "http://<ServerURL>/api/" followed by the controller and action name like `http://baseURL/WISHAPI/api/ARMasters`

Communication

Web Prolific Service supports the exchange of messages via Hyper Text Transport Protocol (HTTP).

Security

Need to specify the Header authentication. One key has been added in configuration file to define authentication key value. It is required to pass for each request header, failure of authentication will get below error.

Response error message:

ResultStatusFlag =FAIL

Text = **Error in authentication**

This key value pair will check with the value coming in request file for authentication.

This method creates AR Master for a property in the WISH and returns status of success or failure.

Controller Name	ARUpdateController
Action Name	Post
URL	http://localhost/WISHAPI/api/ARUpdate/

ARMasterUpdateRQ Request	This request will contain following info to insert in database. this request is having list of API model like Arid ,AR Name, Address etc....
--------------------------	--

Request Parameter Details

Parameter	Type	Description
ARMasterXML	String	Actual XML data structure to be created AR Master.
PropertyID	String	Property id against which posting is getting done.
UserId	String	WISH User Id

Response Status

Response Value	Description
200	Success
100 or NULL	Fail

AR Master Delete

Controller Name	ARDeleteController
Action Name	Post
URL	http://localhost/WISHAPI/api /ARDelete/

Parameter	Type	Description
ARMasterXML	String	Actual XML data structure to be created AR Master.
PropertyID	String	Property id against which posting is getting done.
UserId	String	WISH User Id
AR ID in ARMasterXML	String	Specify AR ID (To delete)
Delete Indicator in ARMasterXML	String	D for Delete, F for Freeze

GL Insert/Update Details in PMS

This method creates GL Account code for a property in the WISH and returns status of success or failure.

Controller Name	GLUpdateController
Action Name	Post
URL	http://localhost/WISHAPI/api/GLUpdate/

Request Parameter Details

Parameter	Type	Description
GLMasterXML	string	Actual XML data structure to be created GL Master.
PropertyID	string	Property id against which posting is getting done.
UserId	string	WISH User Id

Response Status

Response Value	Description
200	Success
100 or NULL	Fail

GL Master Delete

Controller Name	GLDeleteController
Action Name	Post
URL	http://localhost/WISHAPI/api/GLDelete/

Parameter	Type	Description
GLMasterXML	string	Actual XML data structure to be created GL Master.
PropertyID	string	Property id against which posting is getting done.
UserId	string	WISH User Id
GLAcctCode in GLMasterXML	string	Particular gl code (you want to delete)

Delete Indicator in GLMasterXML	string	D for Delete, F for Freeze
---------------------------------	--------	----------------------------

Guest Self Service Module

1) Get Booking Summary :-

This API endpoint will return booking summary details of a guest.

a) Overview

URI : `http://baseURL/WebAPI/api/selfservices/getbookingsummary`

Method : POST

b) Authentication : clientID =, authCODE=

c) Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

d) Example Request

```
{
  "property_id":"property_id",
  "guest_id":"guest_id"
}
```

e) Example Response

```
{
  "confirmation_no":"10036968",
  "other_reference_no":"",
  "date_arrive":"25 Dec 2017",
  "eta":"18:00",
  "date_depart":"01 Jan 2018",
  "etd":"16:00",
  "room_type":"Ffort Suites Apmt",
  "room_number":"922",
  "adult":"2",
  "youth":"0",
  "confirmation_no":"10036968",
  "other_reference_no":"",
  "date_arrive":"25 Dec 2017",
  "eta":"18:00",
  "date_depart":"01 Jan 2018",
  "etd":"16:00",
  "room_type":"Ffort Suites Apmt",
  "room_number":"922",
  "adult":"2",
  "youth":"0"
}
```

```
{
  "child": "0",
  "booked_thru": "",
  "room_price": "12,500.00",
  "inclusions": "",
  "billing_instructions": "ROOM AND TAXES RECEIVED",
  "immediate_due_amount": "12,500.00",
  "enable_pay_now": "Y",
  "is_dummy_img": "N",
  "hotel_name": "",
  "hotel_address1": "",
  "hotel_city": "",
  "hotel_state": "",
  "hotel_zip": "",
  "hotel_country": "",
  "hotel_email": "test@hotel.com",
  "hotel_contact_no": "999999999999",
  "hotel_logo_url": "",
  "date_today": "Tuesday, 30 Jun 2020",
  "fx_code": "INR",
  "theme_image_url": "",
  "theme_header_back_color": "#ffffff",
  "theme_header_text_color": "",
  "theme_details_back_color": "#fff",
  "theme_details_text_color": "#ffe6b3",
  "theme_footer_back_color": "",
  "theme_footer_text_color": "",
  "theme_button_back_color": "#2b1121",
  "theme_button_text_color": "#ffffff",
  "payment_gateway_enabled": "Y",
  "allow_partial_payment": "Y",
  "guest_photo_url": "
h4eh+f5kksXUt3Kdel/Cq5Hl6lak8gplo/MH+QrzSuo8A6iNP8VQK7YjuVMDf2Q==",
  "guest_name": "",
  "stay_from": "25 Dec",
  "stay_to": "01 Jan 2018",
  "reserve_status": "IH",
  "walkin_ind": "N",
  "regitration_process": "A",
  "regitration_process_comments": "",
  "self_services_enabled": "Y",
  "status_code": "200"
}
```

2) Get Personal Details:-

This API endpoint will return personal details of a guest.

a) Overview

URI : <http://baseURL/WebAPI/api/selfservices/getpersonaldetails>

Method : POST

b) **Authentication** : clientID =, authCODE=

c) **Status Codes**

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

d) **Example Request**

```
{  
  "property_id":"property_id",  
  "guest_id":"guest_id"  
}
```

e) **Example Response**

```
"date_of_birth":"08 Dec 1970",  
"contact_number":"01244259715",  
"email_id":"neha@prologicfirst.com",  
"address_1":"Udyog Vihar",  
"address_2":"","  
"address_3":"","  
"city":"Haryanazz",  
"state":"","  
"zip":"122100",  
"country":"IND",  
"nationality":"IN",  
"country_list":[ {  
  "description":"Afghanistan",  
  "value":"AF"  
},  
 {  
  "description":"Albania",  
  "value":"AL"  
 }  
],  
"property_id":"AHALT",  
"hotel_name":"ALTAIR",  
"hotel_address1":"ECOCENTRE, EM-  
4, EM BLOCK.",  
"hotel_address2":"SEC-  
V, SALLAKE CITY. 19TH FLR",  
"hotel_city":"KOLKATA",  
"hotel_state":"WB",  
"hotel_zip":"700090",
```

```
"hotel_country":"IN",
"hotel_email": "",
"hotel_contact_no": "",
"hotel_logo_url": "",
"date_today": "Friday, 26 Jun 2020",
"theme_image_url": "",
"theme_header_back_color": "",
"theme_header_text_color": "",
"theme_details_back_color": "",
"theme_details_text_color": "",
"theme_footer_back_color": "",
"theme_footer_text_color": "",
"theme_button_back_color": "",
"theme_button_text_color": "",
"allow_partial_payment": "Y",
"guest_photo_url": "",
"guest_name": "JAIN NEHA",
"stay_from": "21 Apr",
"stay_to": "24 Apr 2020",
"reserve_status": "CF",
"walkin_ind": "N",
"regitration_process": "N",
"regitration_process_comments": "",
"self_services_enabled": "Y",
"status_code": "200"
}
```

3) Get scan upload id documents:-

This API endpoint will save documents of a guest.

a) Overview

URI : <http://baseURL/WebAPI/api/selfservices/getscanuploadiddocuments>

Method : POST

b) Authentication : clientID =, authCODE=

c) Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

d) Example Request

```
{
  "property_id": "property_id",
  "guest_id": "guest_id"
}
```

e) Example Response

```
{
  "id_1_url": "",
  "id_1_url_is_dummy": "Y",
  "id_2_url": "",
  "id_2_url_is_dummy": "Y",
  "is_dummy_img": "Y",
  "property_id": "AHALT",
  "hotel_name": "ALTAIR",
  "hotel_address1": "ECOCENTRE, EM-4, EM BLOCK.",
  "hotel_address2": "SEC-V, SALT LAKE CITY. 19TH FLR",
  "hotel_city": "KOLKATA",
  "hotel_state": "WB",
  "hotel_zip": "700090",
  "hotel_country": "IN",
  "hotel_email": "",
  "hotel_contact_no": "",
  "hotel_logo_url": "",
  "guest_name": "JAIN NEHA",
  "stay_from": "21 Apr",
  "stay_to": "24 Apr 2020",
  "reserve_status": "CF",
  "walkin_ind": "N",
  "registration_process": "N",
  "registration_process_comments": "",
  "self_services_enabled": "Y",
  "status_code": "200"
}
```

4) Get Other Details:-

This API endpoint will return other details for a guest.

a) Overview

URI : `http://baseUrl/WebAPI/api/selfservices/getotherdetails`

Method : POST

b) Authentication : clientID =, authCODE=

c) Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

d) Example Request

```
{
  "property_id": "property_id",
  "guest_id": "guest_id"
}
```

e) Example Response

```
{
  "comments": "",
  "customized_fields": [
    {
      "field_code": "FIRNAME",
      "display_name": "Firm Name",
      "field_value": "",
      "field_type": "Text",
      "max_length": "60"
    },
    {
      "field_code": "CNAME",
      "display_name": "Contact Name",
      "field_value": "",
      "field_type": "Text",
      "max_length": "60"
    }
  ]
}
```

```
}  
],  
"property_id": "AHALT",  
"hotel_name": "ALTAIR",  
"hotel_address1": "ECOCENTRE, EM-4, EM BLOCK.",  
"hotel_address2": "SEC-V, SALT LAKE CITY. 19TH FLR",  
"hotel_city": "KOLKATA",  
"hotel_state": "WB",  
"hotel_zip": "700090",  
"hotel_country": "IN",  
"hotel_email": "",  
"hotel_contact_no": "",  
"hotel_logo_url": "",  
"guest_name": "JAIN NEHA",  
"stay_from": "21 Apr",  
"stay_to": "24 Apr 2020",  
"reserve_status": "CF",  
"walkin_ind": "N",  
"regitration_process": "N",  
"regitration_process_comments": "",  
"self_services_enabled": "Y",  
"status_code": "200"  
}
```

5) Get Accompanying guest details:-

This API endpoint will return accompanying pax details of a guest.

a) Overview

URI : <http://baseURL/WebAPI/api/selfservices/getaccompanyingguestdetails>

Method : POST

b) Authentication : clientID =, authCODE=

c) Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

d) Example Request

```
{
  "property_id": "property_id",
  "guest_id": "guest_id"
}
```

e) Example Response

```
{
  "accompanying_guests": [
    {
      "sequence_no": "1",
      "full_name": "",
      "title": "",
      "first_name": "",
      "last_name": "",
      "ayc_ind": "A",
      "ayc_ind_description": "Adult",
      "photo_url": "",
      "is_update_id_1": "Y",
      "id_2_url": "",
      "is_update_id_2": "Y"
    }
  ],
  "title_list": [
    {
      "description": "MISTER",
      "value": "Mr."
    },
    {
      "description": "MISS",
      "value": "Ms."
    }
  ],
  "property_id": "AHALT",
  "hotel_name": "ALTAIR",
  "hotel_address1": "ECOCENTRE, EM-4, EM BLOCK.",
  "hotel_address2": "SEC-V, SALLAKE CITY. 19TH FLR",
  "hotel_city": "KOLKATA",
  "hotel_state": "WB",
  "hotel_zip": "700090",
  "hotel_country": "IN",
  "hotel_email": "",
  "hotel_contact_no": "",
  "hotel_logo_url": "",
  "date_today": "Friday, 26 Jun 2020",
  "theme_image_url": "",
  "theme_header_back_color": "",
  "theme_header_text_color": ""
}
```

```
"theme_details_back_color": "",
"theme_details_text_color": "",
"theme_footer_back_color": "",
"theme_footer_text_color": "",
"theme_button_back_color": "",
"theme_button_text_color": "",
"allow_partial_payment": "Y",
"guest_photo_url": "data:image/png;base64",
"guest_name": "JAIN NEHA",
"stay_from": "21 Apr",
"stay_to": "24 Apr 2020",
"reserve_status": "CF",
"walkin_ind": "N",
"regitration_process": "N",
"regitration_process_comments": "",
"self_services_enabled": "Y",
"status_code": "200"
}
```

6) Get Arrival and Billing details:-

This API endpoint will return arriving and billing details of a guest.

a) Overview

URI : <http://baseURL/WebAPI/api/selfservices/getarrivalandbillingdetails>

Method : POST

b) Authentication : clientID =, authCODE=

c) Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

d) Example Request

```
{  
  "property_id": "property_id",  
  "guest_id": "guest_id"  
}
```

e) Example Response

```
{  
  "arriving_at": "11:00",  
  "arriving_by": "9W1123",  
  "billing_instructions": "",  
  "hotel_name": "ALTAIR",  
  "hotel_address1": "ECOCENTRE, EM-4, EM BLOCK.",  
  "hotel_address2": "SEC-V, SALT LAKE CITY. 19TH FLR",  
  "hotel_city": "KOLKATA",  
  "hotel_state": "WB",  
  "hotel_zip": "700090",  
  "hotel_country": "IN",  
  "hotel_email": "",  
  "hotel_contact_no": "",  
  "hotel_logo_url": "",  
  "date_today": "Friday, 26 Jun 2020",  
  "theme_image_url": "data:image/png",  
  "theme_header_back_color": "",  
  "theme_header_text_color": "",  
  "theme_details_back_color": "",  
  "theme_details_text_color": "",  
  "theme_footer_back_color": "",  
  "theme_footer_text_color": "",  
  "theme_button_back_color": "",  
  "theme_button_text_color": "",  
  "allow_partial_payment": "Y",  
  "guest_photo_url": "data:image/png",  
  "guest_name": "JAIN NEHA",  
  "stay_from": "21 Apr",  
  "stay_to": "24 Apr 2020",  
  "reserve_status": "CF",  
  "walkin_ind": "N",  
  "regitration_process": "N",  
  "regitration_process_comments": "",  
  "accompanying_guests_exist": "Y",  
  "self_services_enabled": "Y",  
  "status_code": "200"  
}
```

7) Get Folio details:-

This API endpoint will return folio details of a guest.

a) Overview

URI : `http://baseURL/WebAPI/api/selfservices/getfolio`

Method : POST

b) Authentication : clientID =, authCODE=

c) Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

d) Example Request

```
{
  "property_id":"property_id",
  "guest_id":"guest_id"
}
```

e) Example Response

```
{
  "summarized_by": "D",
  "include_room_charges_only": "N",
  "include_fnb_charges_only": "N",
  "include_extra_charges_only": "N",
  "charge_line_items": [
    {
      "description": "15 Apr 2020",
      "amount": "5,115.02",
      "sub_items": [
        {
          "description": "INV#1 BANQUET HARD BEVERAGE",
          "amount": "600.00"
        },
        {
          "description": "INV#1 ROOM CHARGES",
          "amount": "4,515.02"
        }
      ]
    }
  ]
}
```

```
]
},
{
  "description": "16 Apr 2020",
  "amount": "4,515.02",
  "sub_items": [
    {
      "description": "INV#1 ROOM CHARGES",
      "amount": "4,515.02"
    }
  ]
},
{
  "description": "17 Apr 2020",
  "amount": "5,088.63",
  "sub_items": [
    {
      "description": "INV#1 ROOM CHARGES",
      "amount": "5,088.63"
    }
  ]
},
{
  "description": "18 Apr 2020",
  "amount": "5,088.63",
  "sub_items": [
    {
      "description": "INV#1 ROOM CHARGES",
      "amount": "5,088.63"
    }
  ]
},
{
  "description": "19 Apr 2020",
  "amount": "5,088.63",
  "sub_items": [
    {
      "description": "INV#1 ROOM CHARGES",
      "amount": "5,088.63"
    }
  ]
},
{
  "description": "20 Apr 2020",
  "amount": "5,088.63",
  "sub_items": [
    {
      "description": "INV#1 ROOM CHARGES",
      "amount": "5,088.63"
    }
  ]
}
}
```

```
],
"total_due_amount": "29,984.56",
"paid_amount": "0.00",
"immediate_due_amount": "29,984.56",
"signature_url": "",
"enable_pay_now": "Y",
"qualified_for_initiate_check_out": "Y",
"signature_watermark": "100215 : Self Service",
"property_id": "",
"hotel_name": "",
"hotel_address1": "",
"hotel_address2": "",
"hotel_city": "",
"hotel_state": "WB",
"hotel_zip": "700090",
"hotel_country": "IN",
"hotel_email": "",
"hotel_contact_no": "",
"hotel_logo_url": "",
"date_today": "Friday, 26 Jun 2020",
"fx_code": "INR",
"theme_image_url": "",
"theme_header_back_color": "",
"theme_header_text_color": "",
"theme_details_back_color": "",
"theme_details_text_color": "",
"theme_footer_back_color": "",
"theme_footer_text_color": "",
"theme_button_back_color": "",
"theme_button_text_color": "",
"payment_gateway_enabled": "Y",
"allow_partial_payment": "Y",
"guest_photo_url": "",
"guest_name": "P SRIASTAVA",
"stay_from": "15 Apr",
"stay_to": "21 Apr 2020",
"reserve_status": "IH",
"walkin_ind": "N",
"regitration_process": "N",
"regitration_process_comments": "",
"self_services_enabled": "Y",
"status_code": "200"
}
```

8) Get Proforma details:-

This API endpoint will return folio details of a guest.

a) Overview

URI : <http://baseUrl/WebAPI/api/selfservices/getproforma>

Method : POST

b) **Authentication** : clientID =, authCODE=

c) **Status Codes**

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

d) **Example Request**

```
{
  "property_id":"property_id",
  "guest_id":"guest_id"
}
```

e) **Example Response**

```
{
  "charge_line_items": [
    {
      "description": "23 Apr 2020",
      "amount": "4,082.14",
      "sub_items": [
        {
          "description": "ROOM CHARGES",
          "amount": "4,082.14"
        }
      ]
    }
  ],
  "total_due_amount": "4,082.14",
  "paid_amount": "0.00",
  "balance_amount": "4,082.14",
  "immediate_due_amount": "7,200.00",
  "enable_pay_now": "N",
  "qualified_for_initiate_check_in": "Y",
  "property_id": "",
  "hotel_name": "",
  "hotel_address1": ".",
  "hotel_address2": ""
}
```

```
"hotel_city": "KOLKATA",
"hotel_state": "WB",
"hotel_zip": "700090",
"hotel_country": "IN",
"hotel_email": "",
"hotel_contact_no": "",
"hotel_logo_url": "",
"theme_header_back_color": "#1979a9",
"theme_header_text_color": "#e07b39",
"theme_details_back_color": "#80391e",
"theme_details_text_color": "#cce7e8",
"theme_footer_back_color": "#edb879",
"theme_footer_text_color": "#44bcd8",
"theme_button_back_color": "",
"theme_button_text_color": "",
"payment_gateway_enabled": "Y",
"allow_partial_payment": "Y",
"guest_photo_url": "",
"guest_name": "Jain Neha",
"stay_from": "23 Apr",
"stay_to": "24 Apr 2020",
"reserve_status": "CF",
"walkin_ind": "N",
"regitration_process": "Y",
"regitration_process_comments": "",
"accompanying_guests_exist": "",
"self_services_enabled": "Y",
"status_code": "200"
}
```

9) Get Terms and Conditions:-

This API endpoint will return termsconditions description details.

a) Overview

URI : <http://baseURL/WebAPI/api/selfservices/gettermsandconditions>

Method : POST

b) Authentication : clientID =, authCODE=

c) Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

d) Example Request

```
{
  "property_id":"property_id",
  "guest_id":"guest_id"
}
```

e) Example Response

```
{
  "terms_condition_text": " Hotels may use your information administration and
marketing purposes including analyzing your travel and accommodation preferences.
We may need to disclose your information to our service providers and agents for
these purposes. By completing this form you concern to transfer your information to
our administrations centers in Hong Kong and / or other countries where our hotels
are situated. Further if you provide us with sensitive personal data about you, for
example, health and dietary information, your consent to our processing such
information for the above purposes. \n \n We may share your information with our
group companies, service providers, agents or hotel owners and we, and / or they,
may wish to contact you with special offers of goods, services or forthcoming events
or promotions which may interest you. If you do not wish to be contacted for
marketing or research purposes.\n \n All the information you give is voluntary. You
have the legal right to apply for a copy of the information we hold on you and
correct any inaccuracies as well as to object against its use of direct marketing or
market research purposes.\n \n \n \n <br /><br /> MEDICAL UNDERTAKING\n \n
\n I hereby confirm that neither me nor any of my accompanied guests have reported
having any of the following symptoms:\n \n \t-Running nose \n \t-Cough\n \t-
Sneezing\n \t-Fever\n \t-Respiratory difficulty\n \n I undertake to immediately
inform the General Manager / Operations Manager / Front Office Manager
[Extn:_____] and the Government Helpline, should I, or any of my guests develop
or have any of the above symptoms.\n \n I also undertake to initiate prompt action if
notified by your associates regarding symptoms of my invited guests as mentioned
above\n \n \n ",
  "signature_url": "",
  "signature_watermark": "100283 : Self Service",
  "property_id": "",
  "hotel_name": "ALTAIR",
  "hotel_address1": "ECOCENTRE, EM-4, EM BLOCK.",
  "hotel_address2": "SEC-V, SALT LAKE CITY. 19TH FLR",
  "hotel_city": "KOLKATA",
  "hotel_state": "WB",
  "hotel_zip": "700090",
  "hotel_country": "IN",
  "hotel_email": "",
  "hotel_contact_no": "",
```

```
"hotel_logo_url": "",
"date_today": "Friday, 26 Jun 2020",
"theme_image_url": " ",
"guest_name": "",
"stay_from": "21 Apr",
"stay_to": "24 Apr 2020",
"reserve_status": "CF",
"walkin_ind": "N",
"regitration_process": "N",
"regitration_process_comments": "",
"self_services_enabled": "Y",
"status_code": "200"
}
```

10) Get Initiate Checkin:-

This API endpoint will return thank you text details.

a) Overview

URI : <http://baseURL/WebAPI/api/selfservices/getinitiatecheckin>

Method : POST

b) Authentication : clientID =, authCODE=

c) Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

d) Example Request

```
{"property_id":"","guest_id":"100283","configuration_type":"PCI"}
```

e) Example Response

```
{
  "thank_you_text": " You have succesfully completed your pre check-in formalities. We have initiated your check-in process, please collect your room key from reception. ",
  "property_id": "AHALT",
  "hotel_name": "ALTAIR",
}
```

```
"hotel_address1": "ECOCENTRE, EM-4, EM BLOCK.",
"hotel_address2": "SEC-V, SALT LAKE CITY. 19TH FLR",
"hotel_city": "KOLKATA",
"hotel_state": "WB",
"hotel_zip": "700090",
"hotel_country": "IN",
"hotel_email": "",
"hotel_contact_no": "",
"hotel_logo_url": "",
"date_today": "Friday, 26 Jun 2020",
"theme_image_url": "",
"theme_header_back_color": "",
"theme_header_text_color": "",
"theme_details_back_color": "",
"theme_details_text_color": "",
"theme_footer_back_color": "",
"theme_footer_text_color": "",
"theme_button_back_color": "",
"theme_button_text_color": "",
"allow_partial_payment": "Y",
"guest_photo_url": "",
"guest_name": "JAIN NEHA",
"stay_from": "21 Apr",
"stay_to": "24 Apr 2020",
"reserve_status": "CF",
"walkin_ind": "N",
"registration_process": "Y",
"registration_process_comments": "",
"self_services_enabled": "Y",
"status_code": "200"
}
```

11) Get Feedback:-

This API endpoint will return feedback details of a guest.

a) Overview

URI : <http://baseURL/WebAPI/api/selfservices/getfeedback>

Method : POST

b) Authentication : clientID =, authCODE=

c) Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request

- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

d) Example Request

```
{
  "property_id": "",
  "guest_id": "",
  "configuration_type": "PCI"
}
```

e) Example Response

```
{
  "feedback_line_items": [
    {
      "description": "COMMENT",
      "feedback_type": "TEXT",
      "feedback_code": "CMNT",
      "value": "feedback comments- it s beauti",
      "max_length": "3500"
    },
    {
      "description": "GUEST RELATIONS",
      "feedback_type": "STAR",
      "feedback_code": "GRE",
      "value": "2"
    },
    {
      "description": "RECEPTION",
      "feedback_type": "STAR",
      "feedback_code": "RCPN",
      "value": "4"
    },
    {
      "description": "STAFF ATTITUDE",
      "feedback_type": "STAR",
      "feedback_code": "STAF",
      "value": "3"
    },
    {
      "description": "TELEPHONE SERVICES",
      "feedback_type": "STAR",
      "feedback_code": "TELE",
      "value": "4"
    }
  ]
}
```

```

    },
    {
      "description": "WELCOME AT HOTEL",
      "feedback_type": "STAR",
      "feedback_code": "WLCM",
      "value": "2"
    }
  ],
  "thank_you_text": "  You have succesfully completed your pre check-out
formalities. We have initiated your check-out process, please submit your room key
at reception. All details and payment receipt will be sent on your email id. ",
  "property_id": "AHALT",
  "hotel_name": "ALTAIR",
  "hotel_address1": "ECOCENTRE, EM-4, EM BLOCK.",
  "hotel_address2": "SEC-V, SALT LAKE CITY. 19TH FLR",
  "hotel_city": "KOLKATA",
  "hotel_state": "WB",
  "hotel_zip": "700090",
  "hotel_country": "IN",
  "hotel_email": "",
  "hotel_contact_no": "",
  "hotel_logo_url": "",
  "theme_header_back_color": "",
  "theme_header_text_color": "",
  "theme_details_back_color": "",
  "theme_details_text_color": "",
  "theme_footer_back_color": "",
  "theme_footer_text_color": "",
  "theme_button_back_color": "",
  "theme_button_text_color": "",
  "allow_partial_payment": "Y",
  "guest_photo_url": "",
  "guest_name": "Jain Anshul",
  "stay_from": "20 Apr",
  "stay_to": "21 Apr 2020",
  "reserve_status": "IH",
  "walkin_ind": "N",
  "regitration_process": "A",
  "regitration_process_comments": "",
  "self_services_enabled": "Y",
  "status_code": "200"
}

```

12) Get Initiate Payment:-

This API endpoint will return payment details of a guest.

a) Overview

URI : `http://baseURL/WebAPI/api/selfservices/initiatepayment`

Method : POST

b) Authentication : clientID =, authCODE=**c) Status Codes**

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

d) Example Request

```
{
  "property_id": "",
  "reference_id": "",
  "other_supplementary_data": "GSS_BOOKING_SUMMARY_IH",
  "transaction_amount": "15000",
  "return_url": "http://BASEURL/guest/finalizepayment/"
}
```

e) Example Response

```
{
  "status_code": "200",
  "payment_url":
  "https://prologicfirst.in/SmartLINKAPI/Redirect?SmartPayCode=87a18dd"
}
```

13) Finalize Payment:-

This API endpoint will return payment details of a guest.

a) Overview

URI : `http://baseURL/WebAPI/api/selfservices/finalizepayment`

Method : POST

b) Authentication : clientID =, authCODE=

c) Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

d) Example Request

```
{
  "track_id": "7d2c3416-49eb-4620-a4ee-d89cf20c9a9d#862"
}
```

e) Example Response

```
{
  "status_code": "200",
  "property_id": "",
  "reference_id": "100277",
  "other_supplementary_data": "GSS_FOLIO_IH",
  "transaction_status": "VERIFIED"
}
```

16) Update Personal Details:-

This API endpoint will save personal details of a guest.

a) Overview

URI : <http://baseURL/WebAPI/api/selfservices/updatepersonaldetails>

Method : POST

a) Authentication : clientID =, authCODE=

b) Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

c) Example Request

```
{
  "guest_id": "100283",
  "date_of_birth": "08 Dec 1970",
  "contact_number": "01244259715",
  "email_id": "test@domain.com",
  "address_1": "Udyog Vihar",
  "address_2": "",
  "address_3": "",
  "city": "Haryanazz",
  "state": "",
  "zip": "122100",
  "country": "IND",
  "nationality": "IN",
  "country_list": null,
  "nationality_list": null,
  "property_id": "AHALT"
}
```

d) Response Success

```
{"status_code": "200"}
```

e) Reason Failure

```
{
  "status_code": "10",
  "error": {
    "error_code": "10",
    "error_description": "Your details are currently accessed by hotel. Please try after sometime.",
    "exception_message": ""
  }
}
```

18) Update Other Details:-

This API endpoint will save other details like firm name, billing address, gstn no, visa details of a guest.

a) Overview

URI : `http://baseUrl/WebAPI/api/selfservices/updateotherdetails`

Method : POST

b) **Authentication** : `clientID =`, `authCODE=`

c) **Status Codes**

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

d) **Example Request**

```
{
  "property_id": "",
  "guest_id": "",
  "comments": "comments",
  "customized_fields": [
    {
      "field_code": "FIRNAME",
      "field_value": "firm"
    },
    {
      "field_code": "CNAME",
      "field_value": ""
    }
  ]
}
```

e) **Response Success**

```
{"status_code": "200"}
```

f) **Reason Failure**

```
{
  "status_code": "10",
  "error": {
    "error_code": "10",
    "error_description": "Your details are currently accessed by hotel. Please try after sometime.",
    "exception_message": ""
  }
}
```

20) Update Scan upload Documents:-

This API endpoint will upload Documents of a guest.

a) Overview

URI : `http://baseURL/WebAPI/api/selfservices/updatescanuploadiddocuments`

Method : POST

b) Authentication : clientID =, authCODE=

c) Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

d) Example Request

```
{
  "property_id": "",
  "guest_id": "100283",
  "id_1_url": "",
  "id_2_url": ""
}
```

e) Response Success

```
{"status_code":"200"}
```

f) Reason Failure

```
{
  "status_code": "10",
  "error": {
    "error_code": "10",
    "error_description": "Your details are currently accessed by hotel. Please try after sometime.",
    "exception_message": ""
  }
}
```

21) Update Arriving and Billing Details:-

This API endpoint will save arriving details of a guest.

a) Overview

URI : `http://baseURL/WebAPI/api/selfservices/updatearrivalandbillingdetails`

Method : POST

b) Authentication : clientID =, authCODE=

c) Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

d) Example Request

```
{
  "guest_id": "100283",
  "arriving_at": "11:00",
  "arriving_by": "9W1123",
  "property_id": ""
}
```

e) Response Success

```
{"status_code": "200"}
```

f) Reason Failure

```
{
  "status_code": "10",
  "error": {
    "error_code": "10",
    "error_description": "Your details are currently accessed by hotel. Please try after sometime.",
    "exception_message": ""
  }
}
```

22) Update Accompanying PAX Details:-

This API endpoint will save arriving details of a guest.

a) Overview

URI : `http://baseURL/WebAPI/api/selfservices/updateaccompanyingguestdetails`

Method : POST

b) Authentication : `clientID =`, `authCODE=`

c) Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

d) Example Request

```
{
  "property_id": "",
  "guest_id": "100283",
  "accompanying_guests": [
    {
      "sequence_no": "1",
      "full_name": "Capt Dinesh Bisht",
      "title": "Capt",
      "first_name": "Dinesh",
      "last_name": "",
      "ayc_ind": "A",
      "ayc_ind_description": "Adult",
      "photo_url": "",
      "is_update_photo": "N",
      "id_1_url": "",
      "is_update_id_1": "Y",
      "id_2_url": "",
      "is_update_id_2": "N",
      "is_update_data": "Y"
    }
  ]
}
```

e) **Response Success**

```
{"status_code": "200"}
```

f) **Reason Failure**

```
{
  "status_code": "10",
  "error": {
    "error_code": "10",
    "error_description": "Your details are currently accessed by hotel. Please try after sometime.",
    "exception_message": ""
  }
}
```

23) Update Terms and Condition Details:-

This API endpoint will save signature and acceptance of terms and conditions as well as health conditions of a guest.

a) **Overview**

URI : <http://baseURL/WebAPI/api/selfservices/updatetermsandconditions>

Method : POST

a) **Authentication** : clientID =, authCODE=

b) **Status Codes**

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

c) **Example Request**

```
{
  "property_id": "",
  "guest_id": "100283",
  "signature_image": "",

```

```
"acceptance_of_termsandconditions": "Y",  
"acceptance_of_healthconditions": "Y",  
"is_update_signature": "Y"  
}
```

d) Response Success

```
{"status_code": "200"}
```

e) Reason Failure

```
{  
  "status_code": "10",  
  "error": {  
    "error_code": "10",  
    "error_description": "Your details are currently accessed by hotel. Please try after  
sometime.",  
    "exception_message": ""  
  }  
}
```

24) Update Feedback Details:-

This API endpoint will save feedback given by the guest.

a) Overview

URI : <http://baseURL/WebAPI/api/selfservices/updatefeedback>

Method : POST

b) Authentication : clientID =, authCODE=**c) Status Codes**

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

d) Example Request

```
{  
  "feedback_line_items": [  
    {
```

```
"feedback_type": "STAR",
"feedback_code": "GRE",
"value": "2"
},
{
"feedback_type": "STAR",
"feedback_code": "RCPN",
"value": "3"
},
{
"feedback_type": "STAR",
"feedback_code": "STAF",
"value": "4"
},
{
"feedback_type": "STAR",
"feedback_code": "TELE",
"value": "2"
},
{
"feedback_type": "STAR",
"feedback_code": "WLCM",
"value": "3"
},
{
"feedback_type": "TEXT",
"feedback_code": "CMNT",
"value": "TESTFEEDBACK"
}
],
"guest_id": "100267",
"property_id": ""
}
```

e) Response Success

```
{"status_code": "200"}
```

f) Reason Failure

```
{
"status_code": "10",
"error": {
"error_code": "10",
"error_description": "Your details are currently accessed by hotel. Please try after
sometime.",
"exception_message": ""
}
}
```

Search Booking Request:-

This API endpoint will get the details of a guest.

b) Overview

URI : <http://baseURL/WebAPI/api/cform/reservation/searchbookings>

Method : POST

f) **Authentication** : clientID =, authCODE=

g) Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

h) Example Request

Expected Parameters

Guest ID Wise Search Request

```
{
  "hotel_code": "DEMO",
  "booking_id": "157036",
  "confirmation_number": "",
  "room_type": "",
  "guest_name": "",
  "date_arrive": "",
  "date_depart": "",
  "contact_number": "",
  "email_id": "",
  "date_from": "",
  "date_to": "",
  "search_dates_in": "",
  "search_for": "R"
}
```

Arrivals between Date Range - Request

This can be used for today's date + 7 days or more.

```
{
  "hotel_code": "DEMO",
  "booking_id": "0",
  "confirmation_number": "",
  "room_type": "",
  "guest_name": "",
  "date_arrive": "",
  "date_depart": "",
  "contact_number": "",
  "email_id": "",
  "date_from": "2018-01-01",
  "date_to": "2018-01-08",
  "search_dates_in": "",
  "search_for": "R"
}
```

Guest Name Search Request

```
{
  "hotel_code": "DEMO",
  "booking_id": "0",
  "confirmation_number": "",
  "room_type": "",
  "guest_name": "Monalisa",
  "date_arrive": "",
  "date_depart": "",
  "contact_number": "",
  "email_id": "",
  "date_from": "",
  "date_to": "",
  "search_dates_in": "",
  "search_for": "R"
}
```

Confirmation No. Search

Note: Confirmation No can be PMS Confirmation No Or External Reference No.

```
{
  "hotel_code": "DEMO",
  "booking_id": "0",
  "confirmation_number": "GAA660",
  "room_type": "",
  "guest_name": "",
  "date_arrive": "",
}
```

```
"date_depart":"","  
"contact_number":"","  
"email_id":"","  
"date_from":"","  
"date_to":"","  
"search_dates_in":"","  
"search_for":"R"  
}
```

Room Type Search

```
{  
  "hotel_code":"DEMO",  
  "booking_id":"0",  
  "confirmation_number":"","  
  "room_type":"DUPX",  
  "guest_name":"","  
  "date_arrive":"","  
  "date_depart":"","  
  "contact_number":"","  
  "email_id":"","  
  "date_from":"","  
  "date_to":"","  
  "search_dates_in":"","  
  "search_for":"R"  
}
```

Arrival Date Search

```
{  
  "hotel_code":"DEMO",  
  "booking_id":"0",  
  "confirmation_number":"","  
  "room_type":"","  
  "guest_name":"","  
  "date_arrive":"2018-01-01",  
  "date_depart":"","  
  "contact_number":"","  
  "email_id":"","  
  "date_from":"","  
  "date_to":"","  
  "search_dates_in":"A",  
  "search_for":"R"  
}
```

Note: In Above, Set date in date_arrive and Indicator “A” in parameter “search_dates_in”

Departure Date Search

```
{
  "hotel_code": "DEMO",
  "booking_id": "0",
  "confirmation_number": "",
  "room_type": "",
  "guest_name": "",
  "date_arrive": "",
  "date_depart": "2018-01-02",
  "contact_number": "",
  "email_id": "",
  "date_from": "",
  "date_to": "",
  "search_dates_in": "D",
  "search_for": "R"
}
```

Note: In Above, Set date in date_depart and Indicator “D” in parameter “search_dates_in”

Contact No. Search

```
{
  "hotel_code": "DEMO",
  "booking_id": "0",
  "confirmation_number": "",
  "room_type": "",
  "guest_name": "",
  "date_arrive": "",
  "date_depart": "",
  "contact_number": "9748213169",
  "email_id": "",
  "date_from": "",
  "date_to": "",
  "search_dates_in": "",
  "search_for": "R"
}
```

Email Search

```
{
  "hotel_code": "DEMO",
  "booking_id": "0",
```

```
"confirmation_number":"","  
"room_type":"","  
"guest_name":"","  
"date_arrive":"","  
"date_depart":"","  
"contact_number":"","  
"email_id":"demo@abc.com",  
"date_from":"","  
"date_to":"","  
"search_dates_in":"","  
"search_for":"R"  
}
```

Modified Records Only Search

```
{  
"hotel_code":"DEMO",  
"booking_id":"0",  
"confirmation_number":"","  
"email_id":"demo@abc.com",  
"search_for":"M"  
}
```

Note:

- If search_for input parameter value = "R" means search for Reserved Records
- If search_for input parameter value = "I" means search for Inhouse Records
- If search_for input parameter value = "C" means search for Checkouts guests only
- If search_for input parameter value = "M" means search for Guests which are modified in PMS

In case of M, Advance Control "PDSINS" and "GSTSRC" should have same source value in Char field for which license is issued.

PDSINS Int Value should be 1

i) Example Response

```
{
  "status_code": "200",
  "bookings": [
    {
      "hotel_code": "G0156",
      "booking_id": "104198",
      "pms_confirmation_number": "10003897",
      "external_confirmation_number": "G0156-D-00000074",
      "title": "",
      "name_last": "Aish",
      "name_first": "",
      "booking_status": "CF",
      "date_arrive": "2020-06-01",
      "time_arrive": "12:00",
      "date_depart": "2020-06-01",
      "time_depart": "12:00",
      "adults": "1",
      "youths": "0",
      "kids": "0",
      "room_type": "EXEV",
      "room_number": "",
      "number_of_rooms": "1",
      "currency": "INR",
      "rate_type": "RACK",
      "room_price": "2500.0000",
      "booked_thru": "",
      "billing_inst": "",
      "walkin_ind": ""
    }
  ]
}
```

Get Booking Request:-

This API endpoint will get the details of a guest.

c) Overview

URI : <http://baseURL/WebAPI/api/cform/reservation/getbooking>

Method : POST

j) **Authentication** : clientID =, authCODE=

k) Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request

- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

l) **Example Request**

```
{  
  "hotel_code": "",  
  "booking_id": ""  
}
```

m) **Example Response**

```
{  
  "status_code": "",  
  "error": {  
    "ErrorCode": "",  
    "ErrorDescription": ""  
  },  
  "hotel_code": "",  
  "booking_id": "",  
  "profile": {  
    "title": "",  
    "name_first": "",  
    "name_last": "",  
    "date_of_birth": "",  
    "age": "",  
    "email_id": "",  
    "contact_no": "",  
    "address_1": "",  
    "address_2": "",  
    "address_3": "",  
    "city": "",  
    "state": "",  
    "zip": "",  
    "country": "",  
    "nationality": "",  
    "photo": "",  
    "identity_type": "",  
    "identity_number": "",  
    "identity_date_expiry": "",  
    "identity_image_1": "",  
    "identity_image_2": "",  
    "visa_type": "",  
    "visa_number": "",  
    "visa_date_issue": "",  
    "visa_date_expiry": ""  
  }  
}
```

```

"visa_issue_authority": "",
"foreign_national_coming_from": "",
"foreign_national_arrived_destination": "",
"foreign_national_arrived_on": "",
"foreign_national_next_destination": "",
"destination_contact_no": "",
"is_update_photo":,
"is_update_id_1":,
"is_update_id_2":
},
"room_stay": {
  "date_arrive": "",
  "date_depart": "",
  "adults": "",
  "youths": "",
  "kids": "",
  "room_type": "",
  "number_of_rooms": "",
  "currency": "",
  "rate_type": "",
  "room_price": "",
  "remarks": ""
},
"accompanying_guests": [
  {
    "category" : "", //A-Adult, Y-Youth, C-Child
    "title": "",
    "name_first": "",
    "name_last": "",
    "date_of_birth": "",
    "age": "",
    "email_id": "",
    "nationality": "",
    "photo": "",
    "identity_type": "",
    "identity_number": "",
    "identity_date_issue": "",
    "identity_date_expiry": "",
    "identity_issue_authority": "",
    "identity_image_1": "",
    "identity_image_2": "",
    "visa_number": "",
    "visa_date_issue": "",
    "visa_date_expiry": "",
    "visa_issue_authority": "",
    "is_update_photo": "",
    "is_update_id_1": "",
    "is_update_id_2": "",
    "sequence_no": ""
  },
  {
    "category" : "", //A-Adult, Y-Youth, C-Child

```

```

    "title": "",
    "name_first": "",
    "name_last": "",
    "date_of_birth": "",
    "age": "",
    "email_id": "",
    "nationality": "",
    "photo": "",
    "identity_type": "",
    "identity_number": "",
    "identity_date_issue": "",
    "identity_date_expiry": "",
    "identity_issue_authority": "",
    "identity_image_1": "",
    "identity_image_2": "",
    "visa_number": "",
    "visa_date_issue": "",
    "visa_date_expiry": "",
    "visa_issue_authority": "",
    "is_update_photo": "",
    "is_update_id_1": "",
    "is_update_id_2": "",
    "sequence_no": ""

  }
]
}

```

Update Booking Request:-

This API endpoint will save the details of a guest.

a) Overview

URI : <http://baseUrl/WebAPI/api/cform/reservation/updatebooking>

Method : POST

b) Authentication : clientID =, authCODE=

c) Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request

- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Example Request

```
{
  "booking_id": "",
  "hotel_code": "",

  "profile": {
    "title": "",
    "name_first": "",
    "name_last": "",
    "date_of_birth": "",
    "email_id": "",
    "contact_no": "",
    "address_1": "",
    "address_2": "",
    "address_3": "",
    "city": "",
    "state": "",
    "zip": "",
    "country": "",
    "nationality": "",
    "photo": "",
    "identity_type": "",
    "identity_number": "",
    "identity_date_expiry": "",
    "identity_image_1": "",
    "identity_image_2": "",
    "visa_type": "",
    "visa_number": "",
    "visa_date_issue": "",
    "visa_date_expiry": "",
    "visa_issue_authority": "",
    "foreign_national_coming_from": "",
    "foreign_national_arrived_destination": "",
    "foreign_national_arrived_on": "",
    "foreign_national_next_destination": "",
    "destination_contact_no": "",
    "registration_date": "",
    "registration_number": "",
    "is_update_photo": "",
    "is_update_id_1": "",
    "is_update_id_2": "",
    "update_for_checkout": "",
    "checkout_registration_date": "",
    "checkout_registration_number": "",
  },
}
```

```
"room_stay": {
  "date_arrive": "",
  "date_depart": "",
  "adults": "",
  "youths": "",
  "kids": "",
  "room_type": "",
  "number_of_rooms": "",
  "currency": "",
  "rate_type": "",
  "room_price": "",
  "remarks": ""
},
"accompanying_guests": [
  {
    "category" : "", //A-Adult, Y-Youth, C-Child
    "title": "",
    "name_first": "",
    "name_last": "",
    "date_of_birth": "",
    "age": "",
    "email_id": "",
    "nationality": "",
    "photo": "",
    "identity_type": "", //P-Passport, I-Identification, XX-Other document
    "identity_number": "",
    "identity_date_issue": "",
    "identity_date_expiry": "",
    "identity_issue_authority": "",
    "identity_image_1": "",
    "identity_image_2": "",
    "visa_number": "",
    "visa_date_issue": "",
    "visa_date_expiry": "",
    "visa_issue_authority": "",
    "is_update_photo": "",
    "is_update_id_1": "",
    "is_update_id_2": "",
    "sequence_no": "",
    "registration_date": "",
    "registration_number": "",
    "checkout_registration_date": "",
    "checkout_registration_number": ""
  },
  {
    "category" : "",
    "title": "",
    "name_first": "",
    "name_last": "",
    "date_of_birth": "",
    "age": "",
    "email_id": "",
```

```
{
  "nationality": "",
  "photo": "",
  "identity_type": "",
  "identity_number": "",
  "identity_date_issue": "",
  "identity_date_expiry": "",
  "identity_issue_authority": "",
  "identity_image_1": "",
  "identity_image_2": "",
  "visa_number": "",
  "visa_date_issue": "",
  "visa_date_expiry": "",
  "visa_issue_authority": "",
  "is_update_photo": "",
  "is_update_id_1": "",
  "is_update_id_2": "",
  "sequence_no": "",
  "registration_date": "",
  "registration_number": "",
  "checkout_registration_date": "",
  "checkout_registration_number": ""
}
```

Response

```
{
  "status_code": "",
  "error": {
    "ErrorCode": "",
    "ErrorDescription": "",
    "ExceptionMessage": ""
  }
}
```

NOTE: - is_update_photo,
is_update_id_1,
is_update_id_2

These 3 Properties basically used to update Images.
Value should be Y if you want to update the image else N.

Sequence_no:- This Property basically used for accompanying pax running sequence e.g.
for First Pax it will 1, for Second Pax it will be 2 and so on.

Send Category value which you received from PMS.

To update checkout_registration_number, checkout_registration_date
Send update_for_checkout = "Y" else this value will be "N"

WISH-BI API Methods

Market Segment (Master)

This API endpoint will get the details of a market segments defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getMasters>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "MastersEnum": "MARKET_SEGMENT",
  "hotel_code": "DEMO",
  "source_id": "WISH"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
MastersEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
Source_id	Yes	String	Source Id

Response

```
{
  "status_code": "200",
  "prm_market_segment": [
```

```
{
  {
    "market_segment": "AIRL",
    "description": "Airlines",
    "market_segment_main_head": "CO",
    "print_seq_no": 151,
    "delete_flg": "N",
    "property_id": "DEMO",
    "gl_acct_code": ""
  },
  {
    "market_segment": "COMP",
    "description": "Complimentary",
    "market_segment_main_head": "OT",
    "print_seq_no": 80,
    "delete_flg": "N",
    "property_id": "AHRP ",
    "gl_acct_code": ""
  }
}
```

Response Parameter Details:-

Parameter	Type	Description
market_segment	String	Market Segment
Description	String	Description
market_segment_main_head	String	
print_seq_no	Int	
delete_flg	String	
property_id	String	
gl_acct_code	String	

Business Source (Master)

This API endpoint will get the details of a Business Source defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getMasters>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "MastersEnum": "BUSINESS_SOURCE",
  "hotel_code": "DEMO",
  "source_id": "WISH"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
MastersEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
Source_id	Yes	String	Source Id

Response

```
{
  "status_code": "200",
  "prm_business_src": [
    {
      "business_source": "CORP",
      "description": "CORPORATE",
      "business_src_main_head": "OT",
      "print_seq_no": 112,
      "delete_flg": "N",
      "property_id": "AHRP "
    },
    {
      "business_source": "CT ",
      "description": "CONSORTIA",
      "business_src_main_head": "OT",
      "print_seq_no": 107,
      "delete_flg": "Y",
      "property_id": "AHRP "
    }
  ]
}
```

```

    }
  ]
}
```

Response Parameter Details:-

Parameter	Type	Description
business_source	String	Business Source
Description	String	Description
business_src_main_head	String	
print_seq_no	Int	
delete_flg	String	
property_id	String	

Block No (Master)

This API endpoint will get the details of a Block No defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getMasters>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```

{
  "MastersEnum": "BLOCK_NO",
  "hotel_code": "DEMO",
  "source_id": "WISH"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
MastersEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
Source_id	Yes	String	Source Id

Response

```
{
  "status_code": "200",
  "prm_block_no": [
    {
      "block_no": "V1",
      "description": "VILLA",
      "delete_flg": "N",
      "property_id": "AHRP "
    },
    {
      "block_no": "V2",
      "description": "VILLA",
      "delete_flg": "N",
      "property_id": "AHRP "
    }
  ]
}
```

Response Parameter Details:-

Parameter	Type	Description
block_no	String	Block No
Description	String	Description
delete_flg	String	
property_id	String	

Revenue Types (Master)

This API endpoint will get the details of a Revenue Types defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getMasters>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "MastersEnum": "REVENUE_TYPE",
  "hotel_code": "DEMO",
  "source_id": "WISH"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
MastersEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
Source_id	Yes	String	Source Id

Response

```
{
  "status_code": "200",
  "prm_revenue_type": [
    {
      "revenue_type": "FB",
      "description": "FOOD & BEVERAGE",
      "room_other_flg": "F",
      "gh_acumulate_flg": "Y",
      "delete_flg": "N",
      "property_id": "AHRP "
    },
    {
      "revenue_type": "MO",
      "description": "MINOR OPERATING DEPARTMENT",
    }
  ]
}
```

```

    "room_other_flg": "M",
    "gh_acumulate_flg": "Y",
    "delete_flg": "N",
    "property_id": "AHRP "
  },
  {
    "revenue_type": "OT",
    "description": "OTHERS",
    "room_other_flg": "O",
    "gh_acumulate_flg": "Y",
    "delete_flg": "N",
    "property_id": "AHRP "
  },
  {
    "revenue_type": "PM",
    "description": "PAYMENTS",
    "room_other_flg": "P",
    "gh_acumulate_flg": "Y",
    "delete_flg": "N",
    "property_id": "AHRP "
  },
  {
    "revenue_type": "RM",
    "description": "ROOM REVENUE",
    "room_other_flg": "R",
    "gh_acumulate_flg": "Y",
    "delete_flg": "N",
    "property_id": "AHRP "
  }
]
}

```

Response Parameter Details:-

Parameter	Type	Description
revenue_type	String	Revenue Type
Description	String	Description
room_other_flg	String	R-Room Revenue M-Minor Operating O-Others P-Payments F-F&B.
gh_acumulate_flg	String	
delete_flg	String	
property_id	String	

Room Types (Master)

This API endpoint will get the details of a Room Types defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getMasters>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "MastersEnum": "ROOM_TYPE",
  "hotel_code": "DEMO",
  "source_id": "WISH"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
MastersEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
Source_id	Yes	String	Source Id

Response

```
{
  "status_code": "200",
  "prm_room_type": [
    {
      "room_type": "DLX ",
      "description": "DELUXE ROOM",
    }
  ]
}
```

```

        "delete_flg": "N",
        "suite_flg": "N",
        "property_id": "AHRP ",
        "bed_type": " ",
        "no_of_beds": 0,
        "room_bed_roh_ind": "R",
        "block_no": "V1",
        "long_description": "DELUXE ROOM",
        "category_id": "A ",
        "dummy_ind": " ",
        "max_pax": 3,
        "max_child": 0,
        "component_yn": "N",
        "component_exists": "N",
        "hk_credits": 5,
        "print_seq_no": 0,
        "max_youth": 0
    },
    {
        "room_type": "DP ",
        "description": "DUPLEX SUITE",
        "delete_flg": "N",
        "suite_flg": "N",
        "property_id": "AHRP ",
        "bed_type": " ",
        "no_of_beds": 0,
        "room_bed_roh_ind": "R",
        "block_no": "A ",
        "long_description": "DUPLEX SUITE",
        "category_id": "A ",
        "dummy_ind": " ",
        "max_pax": 8,
        "max_child": 0,
        "component_yn": "N",
        "component_exists": "N",
        "hk_credits": 8,
        "print_seq_no": 0,
        "max_youth": 0
    }
]
}

```

Response Parameter Details:-

Parameter	Type	Description
-----------	------	-------------

room_type	String	Room Type
Description	String	Description
delete_flg	String	
suite_flg	String	
property_id	String	
bed_type	String	
no_of_beds	Int	
room_bed_roh_ind	String	
block_no	String	Refer to Block No master for code/description.
long_description	String	Long description
category_id	String	
dummy_ind	String	
max_pax	Int	
max_child	Int	
component_yn	String	
component_exists	String	
hk_credits	Int	
print_seq_no	Int	
max_youth	Int	

Domicile Code (Master)

This API endpoint will get the details of Domicile or Country Code defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getMasters>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "MastersEnum": "DOMICILE_CODE",
```

```
{
  "hotel_code": "DEMO",
  "source_id": "WISH"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
MastersEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
Source_id	Yes	String	Source Id

Response

```
{
  "status_code": "200",
  "prm_domicile": [
    {
      "domicile_code": "IN ",
      "description": "India",
      "domicile_code_main_head": "WA",
      "print_seq_no": 102,
      "delete_flg": "N",
      "property_id": "AHRP ",
      "country_code": "IN ",
      "nationality_desc": "Indian",
      "code": "IND "
    },
    {
      "domicile_code": "AU ",
      "description": "Australia",
      "domicile_code_main_head": "OZ",
      "print_seq_no": 13,
      "delete_flg": "N",
      "property_id": "AHRP ",
      "country_code": "AU ",
      "nationality_desc": "Australian",
      "code": "AUS "
    }
  ]
}
```

Response Parameter Details:-

Parameter	Type	Description
domicile_code	String	Domicile Code
Description	String	Description.
domicile_code_main_head	String	
print_seq_no	Int	
delete_flg	String	
property_id	String	
country_code	String	Country Code. If Domicile Code and Country code having same value then its country else domicile.
nationality_desc	String	Nationality Description
Code	String	ISO Code.

Corporate Account (Master)

This API endpoint will get the details of Corporate Account defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getMasters>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "MastersEnum": "CORPORATE_ACCOUNT",
  "hotel_code": "DEMO",
  "source_id": "WISH"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
-----------	------------------	------	-------------

MastersEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
Source_id	Yes	String	Source Id

Response

```
{
  "status_code": "200",
  "corporate_acct": [
    {
      "corp_acct_id": "ALKEM ",
      "corp_acct_name": "ALKEM LABORATORIES LTD",
      "address_1": "...",
      "address_2": "...",
      "address_3": "",
      "city": "",
      "state": "HP",
      "zip": "",
      "country": "",
      "ar_id": " ",
      "mkt_exec_name": " ",
      "contact_name": "",
      "contact_no_1": "",
      "contact_no_2": "",
      "rate_code": " ",
      "date_start": "1900-01-01T00:00:00",
      "date_end": "1900-01-01T00:00:00",
      "potential_room_nites": 0,
      "potential_total_rev": 0.0,
      "date_created": "2019-05-13T00:00:00",
      "created_by": "FOM ",
      "date_frozen": "0001-01-01T00:00:00",
      "comments_1": "",
      "comments_2": "",
      "corporate_acct_main_head": "CO",
      "print_sequence_no": 0,
      "gtd_flg": "N",
      "payment_method": " ",
      "fx_code": " ",
      "date_from": "0001-01-01T00:00:00",
      "date_to": "0001-01-01T00:00:00",
      "property_id": "AHRP ",
      "industry_segment": " ",
      "vat_number": " ",
      "fo_other_ind": "F",
    }
  ]
}
```

```

        "mobile_no": "",
        "fax_no": "",
        "email_id": "",
        "website_id": "",
        "cxl_policy_id": " ",
        "importance_ind": " ",
        "dpst_due_days": 0,
        "market": " ",
        "published": "PD"
    }
}

```

Response Parameter Details:-

Parameter	Type	Description
corp_acct_id	String	Corporate Account Id
corp_acct_name	String	Corporate Account Name
address_1	String	
address_2	String	
address_3	String	
city	String	
state	String	
zip	String	
country	String	
ar_id	String	
mkt_exec_name	String	
contact_name	String	
contact_no_1	String	
contact_no_2	String	
rate_code	String	
date_start	String	
date_end	String	
potential_room_nites	Int	
potential_total_rev	Double	
date_created	String	
created_by	String	
date_frozen	String	
comments_1	String	
comments_2	String	
corporate_acct_main_head	String	
print_sequence_no	Int	
gtd_flg	String	
payment_method	String	
fx_code	String	
date_from	String	
date_to	String	
property_id	String	
property_id	String	
vat_number	String	
fo_other_ind	String	

mobile_no	String	
fax_no	String	
email_id	String	
website_id	String	
cxl_policy_id	String	
importance_ind	String	
dpst_due_days	Int	
market	String	
published	String	

Travel Agent (Master)

This API endpoint will get the details of Travel Agents or Tour Operators defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getMasters>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "MastersEnum": "TRAVEL_AGENT",
  "hotel_code": "DEMO",
  "source_id": "WISH"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
MastersEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
Source_id	Yes	String	Source Id

Response

```
{
  "status_code": "200",
  "travel_agent": [
    {
      "ta_id": "AGO",
      "ta_name": "AGODA",
      "ar_id": "",
      "address_1": "..",
      "address_2": "",
      "city": "",
      "state": "",
      "zip": "",
      "country": "INDIA",
      "contact_name": "",
      "contact_no_1": "",
      "contact_no_2": "",
      "mkt_exec_name": "",
      "potential_room_nites": 0,
      "date_start": "1900-01-01T00:00:00",
      "date_end": "1900-01-01T00:00:00",
      "comments_1": "",
      "comments_2": "",
      "date_created": "2019-06-24T00:00:00",
      "created_by": "FOM",
      "date_frozen": "0001-01-01T00:00:00",
      "property_id": "AHRP",
      "industry_segment": "",
      "address_3": "",
      "mobile_no": "",
      "fax_no": "",
      "email_id": "",
      "website_id": "",
      "cxl_policy_id": "",
      "importance_ind": "",
      "rate_code": "",
      "fx_code": "",
      "dpst_due_days": 0,
      "ta_main_head": "OW",
      "market": "",
      "published": "PD",
      "vat_number": ""
    }
  ]
}
```

```
    ]
  }
```

Response Parameter Details:-

Parameter	Type	Description
ta_id	String	Travel agent or Tour operator Id
ta_name	String	Travel agent or Tour operator Name
ar_id	String	
address_1	String	
address_2	String	
address_3	String	
city	String	
state	String	
Zip	String	
Country	String	
contact_name	String	
contact_no_1	String	
contact_no_2	String	
mkt_exec_name	String	
potential_room_nites	Int	
date_start	String	
date_end	String	
comments_1	String	
comments_2	String	
date_created	String	
created_by	String	
date_frozen	String	
property_id	String	
industry_segment	String	
mobile_no	String	
fax_no	String	
email_id	String	
website_id	String	
cxl_policy_id	String	
importance_ind	String	
rate_code	String	
fx_code	String	
dpst_due_days	Int	
ta_main_head	String	
market	String	
published	String	
vat_number	String	

Business On books

This API endpoint will get the details of a Business On Books defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getBIDetails>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "BIEnum": "BUSINESS_ON_BOOKS",
  "hotel_code": "DEMO",
  "source_id": "WISH",
  "date_from": "2022-04-17",
  "date_to": "2022-04-18"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
BIEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
source_id	Yes	String	Source Id
date_from	Yes	String	Date From, Format yyyy-MM-dd
date_to	Yes	String	Date To, Format yyyy-MM-dd

Response

```
{
  "status_code": "200",
  "business_on_books": [
```

```
{
  "as_on_date": "2022-03-21T00:00:00",
  "property_id": "AHRP ",
  "for_date": "2022-04-01T00:00:00",
  "saleable_units": 25,
  "booked": 14,
  "complimentary": 0,
  "house_use": 0,
  "group_blocked": 0,
  "group_yet_to_pickup": 0,
  "channel_allocated": 0,
  "channel_yet_to_pickup": 0,
  "allotment": 0,
  "allot_yet_to_pickup": 0,
  "occupancy": 56.0,
  "arrival": 13,
  "departure": 1,
  "stay": 1,
  "pooo": 0,
  "pax": 30,
  "available": 11,
  "paxperroom": 2.0,
  "day_use": 0,
  "booking_level": 0,
  "avg_rm_rev": 8205.9448,
  "adult_count": 28,
  "child_count": 2,
  "youth_count": 0,
  "waitlisted": 0,
  "gtd_count": 5,
  "ngtd_count": 9,
  "fit_count": 14,
  "confirm_grp_count": 0,
  "tent_grp_count": 0,
  "room_revenue": 114883.2285,
  "fnn_revenue": 11785.7146,
  "other_revenue": 0.0000,
  "ind_revenue": 114883.2285,
  "grp_revenue": 0.0000,
  "gtd_revenue": 51401.6355,
  "ngtd_revenue": 63481.5930,
  "fit_gtd_revenue": 51401.6355,
  "fit_ngtd_revenue": 63481.5930,
  "grp_gtd_revenue": 0.0000,
  "grp_ngtd_revenue": 0.0000
}
```

```

    }
  ]
}
```

Response Parameter Details:-

Parameter	Type	Description
as_on_date	String	
property_id	String	
for_date	String	
saleable_units	Int	Saleable Units
Booked	Int	Booked Count
Complimentary	Int	
house_use	Int	House Use Count
group_blocked	Int	Group Blocked.
group_yet_to_pickup	Int	
channel_allocated	Int	
channel_yet_to_pickup	Int	
Allotment	Int	
allot_yet_to_pickup	Int	
occupancy	Double	
arrival	Int	
departure	Int	
Stay	Int	
Pooo	Int	Permanent Out of Order Count
Pax	Int	
Available	Int	
Paxperroom	Int	
day_use	Int	
booking_level	Int	
avg_rm_rev	Double	ARR
adult_count	Int	
child_count	Int	
youth_count	Int	
Waitlisted	Int	
gtd_count	Int	Guaranteed Count
ngtd_count	Int	Non-Guaranteed Count
fit_count	Int	FIT Count
confirm_grp_count	Int	
tent_grp_count	Int	
room_revenue	Double	Room Revenue
fnb_revenue	Double	F&B Revenue
other_revenue	Double	Other Revenue
ind_revenue	Double	Individual Revenue
grp_revenue	Double	Group Revenue
gtd_revenue	Double	Guaranteed Revenue
ngtd_revenue	Double	Non-Guaranteed Revenue
fit_gtd_revenue	Double	FIT Guaranteed Revenue
fit_ngtd_revenue	Double	FIT Non-Guaranteed Revenue
grp_gtd_revenue	Double	Group Guaranteed Revenue
grp_ngtd_revenue	Double	Group Non-Guaranteed Revenue

MIS Business Source (Count Daily)

This API endpoint will get the details of a Business Source (Count Daily) defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getBIDetails>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "BIEnum": "MIS_BUSINESS_SRC_CNT_DAILY",
  "hotel_code": "DEMO",
  "source_id": "WISH",
  "date_from": "2022-04-17",
  "date_to": "2022-04-18"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
BIEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
source_id	Yes	String	Source Id
date_from	Yes	String	Date From, Format yyyy-MM-dd
date_to	Yes	String	Date To, Format yyyy-MM-dd

Response

```
{
  "status_code": "200",
  "mis_bsns_src_count_daily": [
```

```
{
  "date": "2022-04-17T00:00:00",
  "business_source": "DS ",
  "oc_room_count": 1,
  "adult_count": 4,
  "youth_count": 0,
  "child_count": 0,
  "arrivals_tomorrow": 0,
  "departures_tomorrow": 0,
  "hu_rate_count": 0,
  "comp_room_count": 0,
  "fit_room_count": 1,
  "grp_room_count": 0,
  "adult_arrival_today": 0,
  "youth_arrival_today": 0,
  "child_arrival_today": 0,
  "adult_depart_today": 0,
  "youth_depart_today": 0,
  "child_depart_today": 0,
  "arrival_today": 0,
  "departure_today": 0,
  "property_id": "AHRP ",
  "block_no": "A "
}
```

Response Parameter Details:-

Parameter	Type	Description
date	String	
business_source	String	Refer to business Source master for details.
oc_room_count	Int	Occupied Room Count
adult_count	Int	Adult Count
youth_count	Int	Youth Count
child_count	Int	Child Count
arrivals_tomorrow	Int	
departures_tomorrow	Int	
hu_rate_count	Int	House Use Rate Count
comp_room_count	Int	Complimentary Room Count
fit_room_count	Int	FIT Room Count
grp_room_count	Int	Group Room Count
adult_arrival_today	Int	
youth_arrival_today	Int	
child_arrival_today	Int	
adult_depart_today	Int	

youth_depart_today	Int	
child_depart_today	Int	
arrival_today	Int	
departure_today	Int	
property_id	String	
block_no	String	Refer to Block No Master for details

MIS Business Source (Daily)

This API endpoint will get the details of a Business Source (Daily) defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getBIDetails>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "BIEnum": "MIS_BUSINESS_SRC_DAILY",
  "hotel_code": "DEMO",
  "source_id": "WISH",
  "date_from": "2022-04-17",
  "date_to": "2022-04-18"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
BIEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
source_id	Yes	String	Source Id
date_from	Yes	String	Date From, Format yyyy-MM-dd
date_to	Yes	String	Date To, Format yyyy-MM-dd

Response

```
{
  "status_code": "200",
  "mis_business_source_daily": [
    {
      "business_source": "DS ",
      "date": "2022-04-17T00:00:00",
      "class_name": "FN",
      "no_of_resvns": 1,
      "no_of_resvns_arr": 0,
      "no_of_cancels": 0,
      "no_of_no_shows": 0,
      "no_of_turn_aways": 0,
      "room_nights": 1.0,
      "room_revenue": 17138.9800,
      "adult_nights": 4.0,
      "youth_nights": 0.0,
      "child_nights": 0.0,
      "total_revenue": 29522.4000,
      "fb_revenue": 4520.0000,
      "minor_revenue": 3360.0000,
      "no_of_refusals": 0,
      "property_id": "AHRP ",
      "no_of_fit_rm_nights": 1.0,
      "no_of_grp_rm_nights": 0.0,
      "total_payments": -31032.0000,
      "sngl_occupied_dbl_rms": 1,
      "no_of_late_cancels": 0,
      "no_of_early_depart": 0,
      "no_of_late_depart": 0,
      "no_of_vip_guests": 0,
      "fit_total_revenue": 29522.4000,
      "grp_total_revenue": 0.0000,
      "no_of_extra_bed": 0,
      "block_no": "A ",
      "total_hours": 0.0
    }
  ]
}
```

Response Parameter Details:-

Parameter	Type	Description
date	String	
business_source	String	Refer to business Source master for details.
class_name	String	
no_of_resvns	Int	No Of Reservations
no_of_resvns_arr	Int	No Of Reservations Arrival
no_of_cancels	Int	No Of Cancels
no_of_no_shows	Int	No of No-shows
no_of_turn_aways	Int	No of Turn-aways
room_nights	Double	Room Nights
room_revenue	Double	Room Revenue
adult_nights	Double	Adult Nights
youth_nights	Double	Youth Nights
child_nights	Double	Child Nights
total_revenue	Double	Total revenue
fb_revenue	Double	F&B Revenue
minor_revenue	Double	Minor Operating Revenue
no_of_refusals	Int	No Of Refusals
property_id	String	
no_of_fit_rm_nights	Double	No Of FIT Room Nights
no_of_grp_rm_nights	Double	No Of Group Room Nights
total_payments	Double	Total Payments
sngl_occupied_dbl_rms	Int	
no_of_late_cancels	Int	
no_of_early_depart	Int	
no_of_late_depart	Int	
no_of_vip_guests	Int	
fit_total_revenue	Double	FIT Total Revenue
grp_total_revenue	Double	Group Total Revenue
no_of_extra_bed	Int	
block_no	String	Refer to Block Master for details.
total_hours	Double	

MIS Market Segment (Count Daily)

This API endpoint will get the details of a Market Segment (Count Daily) defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getBIDetails>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials

- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "BIEnum": "MIS_MARKET_SEGMENT_CNT_DAILY",
  "hotel_code": "DEMO",
  "source_id": "WISH",
  "date_from": "2022-04-17",
  "date_to": "2022-04-18"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
BIEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
source_id	Yes	String	Source Id
date_from	Yes	String	Date From, Format yyyy-MM-dd
date_to	Yes	String	Date To, Format yyyy-MM-dd

Response

```
{
  "status_code": "200",
  "mis_mkt_seg_count_daily": [
    {
      "date": "2022-04-17T00:00:00",
      "market_segment": "COMP",
      "oc_room_count": 0,
      "adult_count": 0,
      "youth_count": 0,
      "child_count": 0,
      "arrivals_tomorrow": 0,
      "departures_tomorrow": 0,
      "hu_rate_count": 0,
      "comp_room_count": 0,
      "fit_room_count": 0,
      "grp_room_count": 0,
      "adult_arrival_today": 0,
      "youth_arrival_today": 0,
      "child_arrival_today": 0,
    }
  ]
}
```

```

    "adult_depart_today": 0,
    "youth_depart_today": 0,
    "child_depart_today": 0,
    "arrival_today": 0,
    "departure_today": 0,
    "property_id": "AHRP ",
    "block_no": "A "
  ]
}

```

Response Parameter Details:-

Parameter	Type	Description
date	String	
market_segment	String	Refer to Market Segment master for details.
oc_room_count	Int	Occupied Room Count
adult_count	Int	Adult Count
youth_count	Int	Youth Count
child_count	Int	Child Count
arrivals_tomorrow	Int	
departures_tomorrow	Int	
hu_rate_count	Int	House Use Rate Count
comp_room_count	Int	Complimentary Room Count
fit_room_count	Int	FIT Room Count
grp_room_count	Int	Group Room Count
adult_arrival_today	Int	
youth_arrival_today	Int	
child_arrival_today	Int	
adult_depart_today	Int	
youth_depart_today	Int	
child_depart_today	Int	
arrival_today	Int	
departure_today	Int	
property_id	String	
block_no	String	Refer to Block No Master for details

MIS Market Segment (Daily)

This API endpoint will get the details of a Market Segment (Daily) defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getBIDetails>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "BIEnum": "MIS_MARKET_SEGMENT_DAILY",
  "hotel_code": "DEMO",
  "source_id": "WISH",
  "date_from": "2022-04-17",
  "date_to": "2022-04-18"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
BIEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
source_id	Yes	String	Source Id
date_from	Yes	String	Date From, Format yyyy-MM-dd
date_to	Yes	String	Date To, Format yyyy-MM-dd

Response

```
{
  "status_code": "200",
  "mis_market_segment_daily": [
    {
      "market_segment": "COMP",
      "date": "2022-04-18T00:00:00",
      "class_name": "FN",
      "room_nights": 0.0,
      "room_revenue": 0.0000,
      "adult_nights": 0.0,
      "youth_nights": 0.0,
      "child_nights": 0.0,
      "no_of_resvns": 11,
    }
  ]
}
```

```

    "no_of_resvns_arr": 0,
    "no_of_cancels": 1,
    "no_of_no_shows": 0,
    "no_of_turn_aways": 0,
    "total_revenue": 0.0000,
    "fb_revenue": 0.0000,
    "minor_revenue": 0.0000,
    "no_of_refusals": 0,
    "property_id": "AHRP ",
    "no_of_fit_rm_nights": 0.0,
    "no_of_grp_rm_nights": 0.0,
    "total_payments": 0.0000,
    "sngl_occupied_dbl_rms": 0,
    "no_of_late_cancels": 0,
    "no_of_early_depart": 0,
    "no_of_late_depart": 0,
    "no_of_vip_guests": 0,
    "fit_total_revenue": 0.0000,
    "grp_total_revenue": 0.0000,
    "no_of_extra_bed": 0,
    "block_no": "A ",
    "total_hours": 0.0
  }
}

```

Response Parameter Details:-

Parameter	Type	Description
date	String	
market_segment	String	Refer to market segment master for details.
class_name	String	
room_nights	Double	Room Nights
room_revenue	Double	Room Revenue
adult_nights	Double	Adult Nights
youth_nights	Double	Youth Nights
child_nights	Double	Child Nights
no_of_resvns	Int	No Of Reservations
no_of_resvns_arr	Int	No Of Reservations Arrival
no_of_cancels	Int	No Of Cancels
no_of_no_shows	Int	No of No-shows
no_of_turn_aways	Int	No of Turn-aways
total_revenue	Double	Total revenue
fb_revenue	Double	F&B Revenue
minor_revenue	Double	Minor Operating Revenue
no_of_refusals	Int	No Of Refusals
property_id	String	

no_of_fit_rm_nights	Double	No Of FIT Room Nights
no_of_grp_rm_nights	Double	No Of Group Room Nights
total_payments	Double	Total Payments
sngl_occupied_dbl_rms	Int	
no_of_late_cancels	Int	
no_of_early_depart	Int	
no_of_late_depart	Int	
no_of_vip_guests	Int	
fit_total_revenue	Double	FIT Total Revenue
grp_total_revenue	Double	Group Total Revenue
no_of_extra_bed	Int	
block_no	String	Refer to Block Master for details.
total_hours	Double	

MIS Domicile Code (Count Daily)

This API endpoint will get the details of a Domicile Code (Count Daily) defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getBIDetails>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "BIEnum": "MIS_DOMICILE_CNT_DAILY",
  "hotel_code": "DEMO",
  "source_id": "WISH",
  "date_from": "2022-04-17",
  "date_to": "2022-04-18"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
BIEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
source_id	Yes	String	Source Id
date_from	Yes	String	Date From, Format yyyy-MM-dd
date_to	Yes	String	Date To, Format yyyy-MM-dd

Response

```
{
  "status_code": "200",
  "mis_domicile_count_daily": [
    {
      "date": "2022-04-17T00:00:00",
      "domicile_code": "IN ",
      "oc_room_count": 1,
      "adult_count": 4,
      "youth_count": 0,
      "child_count": 0,
      "arrivals_tomorrow": 0,
      "departures_tomorrow": 0,
      "hu_rate_count": 0,
      "comp_room_count": 0,
      "fit_room_count": 1,
      "grp_room_count": 0,
      "adult_arrival_today": 0,
      "youth_arrival_today": 0,
      "child_arrival_today": 0,
      "adult_depart_today": 0,
      "youth_depart_today": 0,
      "child_depart_today": 0,
      "arrival_today": 0,
      "departure_today": 0,
      "property_id": "AHRP ",
      "block_no": "A "
    }
  ]
}
```

Response Parameter Details:-

Parameter	Type	Description
date	String	

Domicile_code	String	Refer to Domicile Code master for details.
oc_room_count	Int	Occupied Room Count
adult_count	Int	Adult Count
youth_count	Int	Youth Count
child_count	Int	Child Count
arrivals_tomorrow	Int	
departures_tomorrow	Int	
hu_rate_count	Int	House Use Rate Count
comp_room_count	Int	Complimentary Room Count
fit_room_count	Int	FIT Room Count
grp_room_count	Int	Group Room Count
adult_arrival_today	Int	
youth_arrival_today	Int	
child_arrival_today	Int	
adult_depart_today	Int	
youth_depart_today	Int	
child_depart_today	Int	
arrival_today	Int	
departure_today	Int	
property_id	String	
block_no	String	Refer to Block No Master for details

MIS Domicile Code (Daily)

This API endpoint will get the details of a Domicile Code (Daily) defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getBIDetails>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "BIEnum": "MIS_DOMICILE_DAILY",
  "hotel_code": "DEMO",
  "source_id": "WISH",
}
```

```
{
  "date_from": "2022-04-17",
  "date_to": "2022-04-18"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
BlEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
source_id	Yes	String	Source Id
date_from	Yes	String	Date From, Format yyyy-MM-dd
date_to	Yes	String	Date To, Format yyyy-MM-dd

Response

```
{
  "status_code": "200",
  "mis_domicile_code_daily": [
    {
      "domicile_code": "AU ",
      "date": "2022-04-17T00:00:00",
      "class_name": "FT",
      "room_nights": 2.0,
      "room_revenue": 15000.0000,
      "adult_nights": 2.0,
      "youth_nights": 0.0,
      "child_nights": 0.0,
      "no_of_resvns": 0,
      "no_of_resvns_arr": 2,
      "no_of_cancels": 0,
      "no_of_no_shows": 0,
      "no_of_turn_aways": 0,
      "total_revenue": 19099.4000,
      "fb_revenue": 2060.0000,
      "minor_revenue": 0.0000,
      "no_of_refusals": 0,
      "property_id": "AHRP ",
      "no_of_fit_rm_nights": 2.0,
      "no_of_grp_rm_nights": 0.0,
      "total_payments": -150.0000,
      "sngl_occupied_dbl_rms": 2,
      "no_of_late_cancels": 0,
      "no_of_early_depart": 0,
      "no_of_late_depart": 0,
    }
  ]
}
```

```

        "no_of_vip_guests": 0,
        "fit_total_revenue": 19099.4000,
        "grp_total_revenue": 0.0000,
        "no_of_extra_bed": 0,
        "block_no": "V1",
        "total_hours": 0.0
    }
}

```

Response Parameter Details:-

Parameter	Type	Description
date	String	
domicile_code	String	Refer to domicile code master for details.
class_name	String	
room_nights	Double	Room Nights
room_revenue	Double	Room Revenue
adult_nights	Double	Adult Nights
youth_nights	Double	Youth Nights
child_nights	Double	Child Nights
no_of_resvns	Int	No Of Reservations
no_of_resvns_arr	Int	No Of Reservations Arrival
no_of_cancels	Int	No Of Cancels
no_of_no_shows	Int	No of No-shows
no_of_turn_aways	Int	No of Turn-aways
total_revenue	Double	Total revenue
fb_revenue	Double	F&B Revenue
minor_revenue	Double	Minor Operating Revenue
no_of_refusals	Int	No Of Refusals
property_id	String	
no_of_fit_rm_nights	Double	No Of FIT Room Nights
no_of_grp_rm_nights	Double	No Of Group Room Nights
total_payments	Double	Total Payments
sngl_occupied_dbl_rms	Int	
no_of_late_cancels	Int	
no_of_early_depart	Int	
no_of_late_depart	Int	
no_of_vip_guests	Int	
fit_total_revenue	Double	FIT Total Revenue
grp_total_revenue	Double	Group Total Revenue
no_of_extra_bed	Int	
block_no	String	Refer to Block Master for details.
total_hours	Double	

MIS Nationality Code (Count Daily)

This API endpoint will get the details of a Nationality Code (Count Daily) defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getBIDetails>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "BIEnum": "MIS_NATIONALITY_CNT_DAILY",
  "hotel_code": "DEMO",
  "source_id": "WISH",
  "date_from": "2022-04-17",
  "date_to": "2022-04-18"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
BIEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
source_id	Yes	String	Source Id
date_from	Yes	String	Date From, Format yyyy-MM-dd
date_to	Yes	String	Date To, Format yyyy-MM-dd

Response

```
{
  "status_code": "200",
  "mis_nationality_count_daily": [
```

```
{
  "date": "2022-04-17T00:00:00",
  "nationality_code": "IN ",
  "oc_room_count": 1,
  "adult_count": 4,
  "youth_count": 0,
  "child_count": 0,
  "arrivals_tomorrow": 0,
  "departures_tomorrow": 0,
  "hu_rate_count": 0,
  "comp_room_count": 0,
  "fit_room_count": 1,
  "grp_room_count": 0,
  "adult_arrival_today": 0,
  "youth_arrival_today": 0,
  "child_arrival_today": 0,
  "adult_depart_today": 0,
  "youth_depart_today": 0,
  "child_depart_today": 0,
  "arrival_today": 0,
  "departure_today": 0,
  "property_id": "AHRP ",
  "block_no": "A "
}
```

Response Parameter Details:-

Parameter	Type	Description
date	String	
nationality_code	String	Refer to Domicile Code master for details.
oc_room_count	Int	Occupied Room Count
adult_count	Int	Adult Count
youth_count	Int	Youth Count
child_count	Int	Child Count
arrivals_tomorrow	Int	
departures_tomorrow	Int	
hu_rate_count	Int	House Use Rate Count
comp_room_count	Int	Complimentary Room Count
fit_room_count	Int	FIT Room Count
grp_room_count	Int	Group Room Count
adult_arrival_today	Int	
youth_arrival_today	Int	
child_arrival_today	Int	
adult_depart_today	Int	

youth_depart_today	Int	
child_depart_today	Int	
arrival_today	Int	
departure_today	Int	
property_id	String	
block_no	String	Refer to Block No Master for details

MIS Nationality Code (Daily)

This API endpoint will get the details of a Nationality Code (Daily) defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getBIDetails>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "BIEnum": "MIS_NATIONALITY_DAILY",
  "hotel_code": "DEMO",
  "source_id": "WISH",
  "date_from": "2022-04-17",
  "date_to": "2022-04-18"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
BIEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
source_id	Yes	String	Source Id
date_from	Yes	String	Date From, Format yyyy-MM-dd
date_to	Yes	String	Date To, Format yyyy-MM-dd

Response

```
{
  "status_code": "200",
  "mis_nationality_daily": [
    {
      "nationality_code": "IN ",
      "date": "2022-04-17T00:00:00",
      "class_name": "FN",
      "room_nights": 1.0,
      "room_revenue": 17138.9800,
      "adult_nights": 4.0,
      "youth_nights": 0.0,
      "child_nights": 0.0,
      "no_of_resvns": 0,
      "no_of_resvns_arr": 0,
      "no_of_cancels": 0,
      "no_of_no_shows": 0,
      "no_of_turn_aways": 0,
      "total_revenue": 29522.4000,
      "fb_revenue": 4520.0000,
      "minor_revenue": 3360.0000,
      "no_of_refusals": 0,
      "property_id": "AHRP ",
      "no_of_fit_rm_nights": 1.0,
      "no_of_grp_rm_nights": 0.0,
      "total_payments": -31032.0000,
      "sngl_occupied_dbl_rms": 1,
      "no_of_late_cancels": 0,
      "no_of_early_depart": 0,
      "no_of_late_depart": 0,
      "no_of_vip_guests": 0,
      "fit_total_revenue": 29522.4000,
      "grp_total_revenue": 0.0000,
      "no_of_extra_bed": 0,
      "block_no": "A ",
      "total_hours": 0.0
    }
  ]
}
```

Response Parameter Details:-

Parameter	Type	Description
date	String	
nationality_code	String	Refer to domicile code master for details.
class_name	String	
room_nights	Double	Room Nights
room_revenue	Double	Room Revenue
adult_nights	Double	Adult Nights
youth_nights	Double	Youth Nights
child_nights	Double	Child Nights
no_of_resvns	Int	No Of Reservations
no_of_resvns_arr	Int	No Of Reservations Arrival
no_of_cancels	Int	No Of Cancels
no_of_no_shows	Int	No of No-shows
no_of_turn_aways	Int	No of Turn-aways
total_revenue	Double	Total revenue
fb_revenue	Double	F&B Revenue
minor_revenue	Double	Minor Operating Revenue
no_of_refusals	Int	No Of Refusals
property_id	String	
no_of_fit_rm_nights	Double	No Of FIT Room Nights
no_of_grp_rm_nights	Double	No Of Group Room Nights
total_payments	Double	Total Payments
sngl_occupied_dbl_rms	Int	
no_of_late_cancels	Int	
no_of_early_depart	Int	
no_of_late_depart	Int	
no_of_vip_guests	Int	
fit_total_revenue	Double	FIT Total Revenue
grp_total_revenue	Double	Group Total Revenue
no_of_extra_bed	Int	
block_no	String	Refer to Block Master for details.
total_hours	Double	

MIS Room Type Code (Count Daily)

This API endpoint will get the details of a Room Type Code (Count Daily) defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getBIDetails>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request

- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "BIEnum": "MIS_ROOM_TYPE_CNT_DAILY",
  "hotel_code": "DEMO",
  "source_id": "WISH",
  "date_from": "2022-04-17",
  "date_to": "2022-04-18"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
BIEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
source_id	Yes	String	Source Id
date_from	Yes	String	Date From, Format yyyy-MM-dd
date_to	Yes	String	Date To, Format yyyy-MM-dd

Response

```
{
  "status_code": "200",
  "mis_room_type_count_daily": [
    {
      "date": "2022-04-17T00:00:00",
      "room_type": "DLX ",
      "saleable_units": 10,
      "va_room_count": 4,
      "oc_room_count": 6,
      "pa_room_count": 0,
      "po_room_count": 0,
      "hu_room_count": 0,
      "di_room_count": 4,
      "cl_room_count": 6,
      "in_room_count": 0,
      "rc_room_count": 0,
      "to_room_count": 0,
      "adult_count": 9,
    }
  ]
}
```

```

        "youth_count": 0,
        "child_count": 3,
        "arrivals_tomorrow": 4,
        "departures_tomorrow": 3,
        "hu_rate_count": 1,
        "comp_room_count": 0,
        "fit_room_count": 6,
        "grp_room_count": 0,
        "adult_arrival_today": 7,
        "youth_arrival_today": 0,
        "child_arrival_today": 2,
        "adult_depart_today": 16,
        "youth_depart_today": 0,
        "child_depart_today": 5,
        "property_id": "AHRP ",
        "block_no": "V1"
    }
]
}

```

Response Parameter Details:-

Parameter	Type	Description
date	String	
room_type	String	Refer to Room Type Code master for details.
saleable_units	Int	Saleable units
va_room_count	Int	Vacant room count
oc_room_count	Int	Occupied Room Count
pa_room_count	Int	Pre assign room count
po_room_count	Int	Permanent Out of order Room Count
hu_room_count	Int	House Use Room Count
di_room_count	Int	Dirty Room Count
cl_room_count	Int	Clear Room Count
in_room_count	Int	Inspected Room Count
rc_room_count	Int	Recheck Room Count
to_room_count	Int	Temporary out of order Room Count
adult_count	Int	Adult Count
youth_count	Int	Youth Count
child_count	Int	Child Count
arrivals_tomorrow	Int	
departures_tomorrow	Int	
hu_rate_count	Int	House Use Rate Count
comp_room_count	Int	Complimentary Room Count
fit_room_count	Int	FIT Room Count
grp_room_count	Int	Group Room Count
adult_arrival_today	Int	
youth_arrival_today	Int	

child_arrival_today	Int	
adult_depart_today	Int	
youth_depart_today	Int	
child_depart_today	Int	
property_id	String	
block_no	String	Refer to Block No Master for details

MIS Room Type Code (Daily)

This API endpoint will get the details of a Room Type Code (Daily) defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getBIDetails>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "BIEnum": "MIS_ROOM_TYPE_DAILY",
  "hotel_code": "DEMO",
  "source_id": "WISH",
  "date_from": "2022-04-17",
  "date_to": "2022-04-18"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
BIEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
source_id	Yes	String	Source Id
date_from	Yes	String	Date From, Format yyyy-MM-dd
date_to	Yes	String	Date To, Format yyyy-MM-dd

Response

```
{
  "status_code": "200",
  "mis_room_type_daily": [
    {
      "room_type": "DLX ",
      "date": "2022-04-17T00:00:00",
      "room_nights": 0.0,
      "room_revenue": 0.0000,
      "adult_nights": 0.0,
      "youth_nights": 0.0,
      "child_nights": 0.0,
      "no_of_resvns": 1,
      "no_of_resvns_arr": 0,
      "no_of_cancels": 0,
      "no_of_no_shows": 0,
      "no_of_turn_aways": 0,
      "total_revenue": 0.0000,
      "fb_revenue": 0.0000,
      "minor_revenue": 0.0000,
      "no_of_refusals": 0,
      "property_id": "AHRP ",
      "room_revenue_vat": 0.0000,
      "rm_service_charge": 0.0000,
      "fb_service_charge": 0.0000,
      "mo_service_charge": 0.0000,
      "no_of_fit_rm_nights": 0.0,
      "no_of_grp_rm_nights": 0.0,
      "total_payments": 0.0000,
      "sngl_occupied_dbl_rms": 0,
      "no_of_late_cancels": 0,
      "no_of_early_depart": 0,
      "no_of_late_depart": 0,
      "no_of_vip_guests": 0,
      "fit_total_revenue": 0.0000,
      "grp_total_revenue": 0.0000,
      "no_of_extra_bed": 0,
      "block_no": "A ",
      "total_hours": 0.0
    }
  ]
}
```

Response Parameter Details:-

Parameter	Type	Description
date	String	
room_type	String	Refer to room type code master for details.
class_name	String	
room_nights	Double	Room Nights
room_revenue	Double	Room Revenue
adult_nights	Double	Adult Nights
youth_nights	Double	Youth Nights
child_nights	Double	Child Nights
no_of_resvns	Int	No Of Reservations
no_of_resvns_arr	Int	No Of Reservations Arrival
no_of_cancels	Int	No Of Cancels
no_of_no_shows	Int	No of No-shows
no_of_turn_aways	Int	No of Turn-aways
total_revenue	Double	Total revenue
fb_revenue	Double	F&B Revenue
minor_revenue	Double	Minor Operating Revenue
no_of_refusals	Int	No Of Refusals
property_id	String	
room_revenue_vat	Double	Room Revenue Vat
rm_service_charge	Double	Room Service Charge
fb_service_charge	Double	F&B Service Charge
mo_service_charge	Double	Minor Operating Service Charge
no_of_fit_rm_nights	Double	No Of FIT Room Nights
no_of_grp_rm_nights	Double	No Of Group Room Nights
total_payments	Double	Total Payments
sngl_occupied_dbl_rms	Int	
no_of_late_cancels	Int	
no_of_early_depart	Int	
no_of_late_depart	Int	
no_of_vip_guests	Int	
fit_total_revenue	Double	FIT Total Revenue
grp_total_revenue	Double	Group Total Revenue
no_of_extra_bed	Int	
block_no	String	Refer to Block Master for details.
total_hours	Double	

MIS Occupancy

This API endpoint will get the details of a MIS Occupancy defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getBIDetails>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "BIEnum": "MIS_OCCUPANCY",
  "hotel_code": "DEMO",
  "source_id": "WISH",
  "date_from": "2022-04-17",
  "date_to": "2022-04-18"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
BIEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
source_id	Yes	String	Source Id
date_from	Yes	String	Date From, Format yyyy-MM-dd
date_to	Yes	String	Date To, Format yyyy-MM-dd

Response

```
{
  "status_code": "200",
  "mis_occupancy": [
    {
      "occupancy_date": "2022-04-17",
      "no_of_resvns": 6,
      "no_of_resvns_arr": 0,
      "no_of_cancels": 0,
      "no_of_no_shows": 0,
      "no_of_turn_aways": 0,
      "no_of_house_use": 0,
      "no_of_poos": 0,
      "saleable_rooms": 9,
      "no_of_toos": 0,
    }
  ]
}
```

```

        "no_of_comp_rooms": 0,
        "no_of_room_arr": 0,
        "no_of_room_dep": 0,
        "no_of_guest_arr": 0,
        "no_of_guest_dep": 0,
        "room_nights": 1.0,
        "adult_nights": 4.0,
        "youth_nights": 0.0,
        "child_nights": 0.0,
        "no_of_guest_arr_domestic": 0,
        "no_of_guest_arr_foreign": 0,
        "property_id": "AHRP ",
        "no_of_bed_nights": 0,
        "dep_room_nights": 32,
        "stay_over": 0,
        "block_no": "A ",
        "total_hours": 0.0
    }
}

```

Response Parameter Details:-

Parameter	Type	Description
occupancy_date	String	Occupancy Date
no_of_resvns	Int	No of Reservations
no_of_resvns_arr	Int	
no_of_cancels	Int	No Of Cancels
no_of_no_shows	Int	No of No-shows
no_of_turn_aways	Int	No Of Turn Aways
no_of_house_use	Int	No of House use
no_of_pooo	Int	No of Permanent out of order
saleable_rooms	Int	Saleable units
no_of_tooo	Int	No of temporary Out of order
no_of_comp_rooms	Int	
no_of_room_arr	Int	
no_of_room_dep	Int	
no_of_guest_arr	Int	
no_of_guest_dep	Int	
room_nights	Double	
adult_nights	Double	
youth_nights	Double	
child_nights	Double	
no_of_guest_arr_domestic	Int	
no_of_guest_arr_foreign	Int	
property_id	String	
no_of_bed_nights	Int	

dep_room_nights	Int	
stay_over	Int	
property_id	String	
block_no	String	Refer to Block No Master for details
total_hours	Double	

MIS X-Tab Daily

This API endpoint will get the details of a MIS X-tab Daily defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getBIDetails>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "BIEnum": "MIS_XTAB_DAILY",
  "hotel_code": "DEMO",
  "source_id": "WISH",
  "date_from": "2022-04-17",
  "date_to": "2022-04-18"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
BIEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
source_id	Yes	String	Source Id
date_from	Yes	String	Date From, Format yyyy-MM-dd
date_to	Yes	String	Date To, Format yyyy-MM-dd

Response

```
{
  "status_code": "200",
  "mis_xtab_daily": [
    {
      "seq_no": 16521,
      "mis_date": "2022-04-17T00:00:00",
      "fit_grp_sa_ind": "F",
      "room_type": "DLX ",
      "market_segment": "FIT ",
      "business_source": "DS ",
      "domicile_code": "IN ",
      "nationality_code": "IN ",
      "rate_code": "ADHI",
      "corp_acct_id": " ",
      "ta_id_w": " ",
      "ta_id_r": " ",
      "allot_type": " ",
      "block_no": "V1",
      "property_id": "AHRP ",
      "room_nights": 3.0,
      "adult_nights": 4.0,
      "youth_nights": 0.0,
      "child_nights": 3.0,
      "no_of_resvns": 1,
      "no_of_resvns_arr": 1,
      "no_of_cancels": 0,
      "no_of_no_shows": 0,
      "no_of_turn_aways": 0,
      "room_revenue": 26400.0000,
      "fb_revenue": 10820.0000,
      "minor_revenue": 0.0000,
      "total_revenue": 43194.2000,
      "no_of_refusals": 0,
      "total_payments": -34500.0000,
      "sngl_occupied_dbl_rms": 0,
      "no_of_late_cancels": 0,
      "no_of_early_depart": 0,
      "no_of_late_depart": 0,
      "no_of_vip_guests": 0,
      "no_of_extra_bed": 1,
      "total_hours": 0.0,
      "oc_room_count": 2,
      "adult_count": 4,
    }
  ]
}
```

```

        "youth_count": 0,
        "child_count": 3,
        "hu_rate_count": 0,
        "comp_room_count": 0
    }
]
}

```

Response Parameter Details:-

Parameter	Type	Description
Seq_no	Int	
mis_date	String	
fit_grp_sa_ind	String	
room_type	String	Refer to room type master for details.
market_segment	String	Refer to market segment master for details.
business_source	String	Refer to business source master for details.
domicile_code	String	Refer to domicile code master for details.
nationality_code	String	Refer to domicile code master for details.
rate_code	String	Rate Code.
corp_acct_id	String	Refer to Corporate Masters for details
ta_id_w	String	Refer to travel agent maser for details
ta_id_r	String	Refer to travel agent maser for details
allot_type	String	Allotment type
block_no	String	Refer to block no master for details.
property_id	String	
room_nights	Double	
adult_nights	Double	
youth_nights	Double	
child_nights	Double	
no_of_resvns	Int	No of Reservations
no_of_resvns_arr	Int	
no_of_cancels	Int	No Of Cancels
no_of_no_shows	Int	No of No-shows
no_of_turn_aways	Int	No Of Turn Aways
room_revenue	Double	Room Revenue
fb_revenue	Double	F&B Revenue
minor_revenue	Double	Minor Operating Revenue
total_revenue	Double	Total Revenue
no_of_refusals	Int	No of Refusals
total_payments	Double	Total Payments
sngl_occupied_dbl_rms	Int	
no_of_late_cancels	Int	
no_of_early_depart	Int	
no_of_late_depart	Int	
no_of_vip_guests	Int	
no_of_extra_bed	Int	
total_hours	Double	
oc_room_count	Int	Occupied Room Countt
adult_count	Int	Adult count

youth_count	Int	Youth count
child_count	Int	Child Count
hu_rate_count	Int	House Use Rate Count
comp_room_count	Int	Complimentary Room Count.

MIS X-Tab Revenue

This API endpoint will get the details of a MIS X-tab Revenue defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getBIDetails>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "BIEnum": "MIS_XTAB_REVENUE",
  "hotel_code": "DEMO",
  "source_id": "WISH",
  "date_from": "2022-04-17",
  "date_to": "2022-04-18"
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
BIEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
source_id	Yes	String	Source Id
date_from	Yes	String	Date From, Format yyyy-MM-dd
date_to	Yes	String	Date To, Format yyyy-MM-dd

Response

```
{
  "status_code": "200",
  "mis_xtab_revenue": [
    {
      "sequence_no": 14,
      "period_start": "2022-04-01T00:00:00",
      "period_end": "2022-04-30T00:00:00",
      "revenue_type": "FB",
      "revenue": 55054.2200,
      "quantity": 74.0,
      "property_id": "AHRP "
    },
    {
      "sequence_no": 14,
      "period_start": "2022-04-01T00:00:00",
      "period_end": "2022-04-30T00:00:00",
      "revenue_type": "MO",
      "revenue": 8000.0000,
      "quantity": 4.0,
      "property_id": "AHRP "
    },
    {
      "sequence_no": 14,
      "period_start": "2022-04-01T00:00:00",
      "period_end": "2022-04-30T00:00:00",
      "revenue_type": "OT",
      "revenue": 50707.1200,
      "quantity": 122.0,
      "property_id": "AHRP "
    },
    {
      "sequence_no": 14,
      "period_start": "2022-04-01T00:00:00",
      "period_end": "2022-04-30T00:00:00",
      "revenue_type": "PM",
      "revenue": -303337.9200,
      "quantity": -24.0,
      "property_id": "AHRP "
    },
    {
      "sequence_no": 14,
      "period_start": "2022-04-01T00:00:00",
      "period_end": "2022-04-30T00:00:00",
      "revenue_type": "RM",
```

```
{
  "revenue": 230582.0800,
  "quantity": 24.0,
  "property_id": "AHRP "
}
```

Response Parameter Details:-

Parameter	Type	Description
sequence_no	Int	
period_start	String	Period Start date
period_end	String	Period End Date
revenue_type	String	Refer to Revenue Type master for details.
Revenue	Double	Revenue
Quantity	Double	Quantity
property_id	String	

MIS X-Tab Header

This API endpoint will get the details of a MIS X-tab Header defined in PMS.

Overview

URI : <http://baseURL/WebAPI/api/bi/WishBI/getBIDetails>

Method : POST

Authentication : clientID =, authCODE=

Status Codes

- 200 : (SUCCESS)
- 400 : (BAD_REQUEST). The request is invalid or improperly formed. Server could not understand the request
- 401 : (Unauthorized). Access is denied due to invalid credentials
- 500 : (INTERNAL_SERVER_ERROR). The request failed due to an internal error.

Request

Expected Parameters

```
{
  "BIEnum": "MIS_XTAB_REVENUE",
  "hotel_code": "DEMO",
  "source_id": "WISH",
}
```

Request Parameter Details:-

Parameter	Mandatory Fields	Type	Description
BlEnum	Yes	String	Refer to request message value.
hotel_code	Yes	String	Property Id.
source_id	Yes	String	Source Id

Response

```
{
  "status_code": "200",
  "mis_xtab_header": [
    {
      "sequence_no": 1,
      "market_segment": "GPLS",
      "business_source": "DS ",
      "domicile_code": "IN ",
      "corp_acct_id": " ",
      "ta_id_w": " ",
      "ta_id_r": " ",
      "allot_type": " ",
      "fit_grp_crw_spl_ind": "F",
      "rate_type": "M",
      "property_id": "AHRP ",
      "suite_bed_ind": "N",
      "room_type": "DP "
    }
  ]
}
```

Response Parameter Details:-

Parameter	Type	Description
sequence_no	Int	
market_segment	String	Refer to market segment master.
business_source	String	Refer to business source master
domicile_code	String	Refer to domicile code master.
corp_acct_id	String	Refer to corporate account master
ta_id_w	String	Refer to travel agent master
ta_id_r	String	Refer to travel agent master
allot_type	String	
fit_grp_crw_spl_ind	String	
rate_type	String	
property_id	String	
suite_bed_ind	String	
room_type	String	Refer to room type master.

