

DATA VORTEX – AARUUSH'26

Round 1 – Dataset 01 Cleaning & Exploratory Data Analysis

Dataset 01 was recovered as two CSV files: a users table and a corrupted posts table. The recovered posts file contained 12,360 rows; 360 exact duplicate rows were removed, leaving 12,000 unique posts for analysis.

Cleaning Summary

Issue	Action
Exact duplicate posts	Removed 360 duplicate rows
Missing platform	Filled 1784 values with 'Unknown'
Missing / literal NULL text	Converted 1734 text records to '[Missing text]' where applicable
HTML entities in text	Decoded HTML entities such as &
Mixed timestamps	Standardized Unix seconds, ISO timestamps and DD-MM-YYYY to YYYY-MM-DD HH:M
Negative likes	Converted 509 invalid negative values to missing, then median-imputed
Missing likes	Median imputation used: 2502
Missing shares/comments	Median imputation applied if missing
User ID integrity	0 invalid post→user references found

Dataset Profile

Table	Rows	Columns
Users	1,500	5
Cleaned Posts	12,000	8

Key EDA Insights

- YouTube has the highest average total engagement among the platforms (4,039 per post).
- Instagram is second by average total engagement (4,037 per post).
- The most represented platform after cleaning is Facebook (2,074 posts).
- Sydney, Australia has the highest average post engagement among locations in this dataset.
- The Pearson correlation between follower_count and likes is 0.008, indicating almost no linear relationship in this recovered sample.

Visual EDA



