

Source code

Programming and Outputs:

Main zoon Index:

```
<body>
  <div class="navbar">
    <div class="left">
      <span>food plaza__</span>
      <ul>
        <li><a href="home.html">home</a></li>
        <li><a href="about.html">about</a></li>
        <li><a href="contact us.html">contact us</a></li>
      </ul>
    </div>
    <div class="right">
      <input type="text" placeholder="search food">
      <a href="search.html"><button>search</button></a>
    </div>
  </div>
  <div class="maincontant max-width1 m-auto">
    <div class="photo">
      <a href="/product.html"></a>
      <p class="text">Chiken Burger(R-60)</p>
      <p class="text">get 30% off</p>
      <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>
    <div class="photo">
      <a href="pro1.html"></a>
      <p class="text">Honey-roti(R-90)</p>
      <p class="text">get 50% off</p>
      <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>
    <div class="photo">
      <a href="pro2.html"></a>
      <p class="text">Noodles with soup </p>
      <p class="text">get 40% off</p>
      <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>
  </div>
</div>
```

```
<div class="maincontant2">
  <div class="photo1">
    <a href="pro3.html"></a>
    <p class="text">Coca Cola half</p>
    <p class="text">get 80% off</p>
    <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
  </div>
  <div class="photo1">
    <a href="pro4.html"></a>
    <p class="text">Lemon Juice</p>
    <p class="text">get 30% off</p>
    <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
  </div>
  <div class="photo1">
    <a href="pro5.html"></a>
    <p class="text">Pizza with extra cheese</p>
    <p class="text">get 30% off</p>
    <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
  </div>
  <div class="photo1">
    <a href="pro6.html"></a>
    <p class="text">Boil Egg</p>
    <p class="text">get 30% off</p>
    <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
  </div>
  <div class="photo1">
    <a href="pro7.html"></a>
    <p class="text">Ice Cream</p>
    <p class="text">get 30% off</p>
    <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
  </div>
</div>
<div class="maincontant3">
  <div class="photo1">
    <a href="pro8.html"></a>
    <p class="text">Salad with veg</p>
    <p class="text">get 30% off</p>
    <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
```

```
</div>
<div class="photo1">
  <a href="pro9.html"></a>
  <p class="text">Pasta King</p>
  <p class="text">get 30% off</p>
  <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
</div>
<div class="photo1">
  <a href="pro10.html"></a>
  <p class="text">Veg-Soup</p>
  <p class="text">get 30% off</p>
  <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
</div>
<div class="photo1">
  <a href="pro11.html"></a>
  <p class="text">Chicken-Tikka</p>
  <p class="text">get 30% off</p>
  <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
</div>
<div class="photo1">
  <a href="pro12.html"></a>
  <p class="text">White-pizza</p>
  <p class="text">get 30% off</p>
  <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
</div>
</div>
<div class="baneer1">
  
  
</div>
<div class="maincontant2">
  <div class="photo1">
    <a href="pro13.html"></a>
    <p class="text">Coca-Cola half</p>
    <p class="text">get 90% off</p>
    <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
  </div>
  <div class="photo1">
```

```

        <a href="pro14.html"></a>
        <p class="text">Egg-with Vegi</p>
        <p class="text">get 30% off</p>
        <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>
    <div class="photo1">
        <a href="pro15.html"></a>
        <p class="text">Thali for 2 person</p>
        <p class="text">get 60% off</p>
        <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>
    <div class="photo1">
        <a href="pro16.html"></a>
        <p class="text">Momos(paneer)</p>
        <p class="text">get 60% off</p>
        <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>
    <div class="photo1">
        <a href="pro17.html"></a>
        <p class="text">Coffee</p>
        <p class="text">get 30% off</p>
        <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>
    </div>
    </div>
    </div>
    <div class="maincontant2">
        <div class="photo1">
            <a href="pro18.html"></a>
            <p class="text">Normal-Ricep</p>
            <p class="text">get 10% off</p>
            <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
        </div>
        <div class="photo1">
            <a href="pro19.html"></a>
            <p class="text">Momos(chicken)</p>
            <p class="text">get 40% off</p>
            <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
        </div>
        <div class="photo1">

```

```

        <a href="pro20.html"></a>
        <p class="text">Raj Kachori</p>
        <p class="text">get 30% off</p>
        <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>
    <div class="photo1">
        <a href="pro21.html"></a>
        <p class="text">Combo Food</p>
        <p class="text">get 20% off</p>
        <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>
    <div class="photo1">
        <a href="pro22.html"></a>
        <p class="text">Manchurian</p>
        <p class="text">get 60% off</p>
        <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>
</div>
<div class="baneer">
    
</div>
<div class="footer m-auto">
    <p>best fast food &copy;2022 at ramnagar</p>
    <p>web developer---Aman Soni</p>
</div> </body>

```

```
</html>
```

HOME PAGE:

```

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=, initial-scale=1.0">
    <title>www.food plaza the best resturant</title>
    <link rel="stylesheet" href="css/style.css">
    <link rel="stylesheet" href="css/utils.css">
</head>

```

```

<body>
  <div class="navbar">
    <div class="left">
      <span>food plaza__</span>
      <ul>
        <li><a href="home.html">home</a></li>
        <li><a href="about.html">about</a></li>
        <li><a href="contact us.html">contact us</a></li>
      </ul>
    </div>
    <div class="right">
      <input type="text" placeholder="search food">
      <a href="search.html"><button>search</button></a>
    </div>
  </div>
  <div class="maincontant max-width1 m-auto">
    <div class="photo">
      <a href="/product.html"></a>
      <p class="text">Chiken Burger(R-60)</p>
      <p class="text">get 30% off</p>
      <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>
    <div class="photo">
      <a href="pro1.html"></a>
      <p class="text">Honey-roti(R-90)</p>
      <p class="text">get 50% off</p>
      <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>
    <div class="photo">
      <a href="pro2.html"></a>
      <p class="text">Noodles with soup </p>
      <p class="text">get 40% off</p>
      <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>
  </div>
  <div class="maincontant2">
    <div class="photo1">

```

```
<a href="pro3.html"></a>
<p class="text">Chocolate Cake</p>
<p class="text">get 30% off</p>
<p class="text">&#9733; &#9733; &#9733; &#9734;</p>
</div>
<div class="photo1">
  <a href="pro4.html"></a>
  <p class="text">Lemon Juice</p>
  <p class="text">get 30% off</p>
  <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
</div>
<div class="photo1">
  <a href="pro5.html"></a>
  <p class="text">Pizza with extra cheese</p>
  <p class="text">get 30% off</p>
  <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
</div>
<div class="photo1">
  <a href="pro6.html"></a>
  <p class="text">Boil Egg</p>
  <p class="text">get 30% off</p>
  <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
</div>
<div class="photo1">
  <a href="pro7.html"></a>
  <p class="text">Ice Cream</p>
  <p class="text">get 30% off</p>
  <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
</div>
</div>
<div class="maincontant3">
  <div class="photo1">
    <a href="pro8.html"></a>
    <p class="text">Salad with veg</p>
    <p class="text">get 30% off</p>
    <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
  </div>
  <div class="photo1">
```

```

        <a href="pro9.html"></a>
        <p class="text">Pasta King</p>
        <p class="text">get 30% off</p>
        <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>

    <div class="photo1">
        <a href="pro10.html"></a>
        <p class="text">Veg-Soup</p>
        <p class="text">get 30% off</p>
        <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>

    <div class="photo1">
        <a href="pro11.html"></a> <p
class="text">Chiken-Tikka</p>
        <p class="text">get 30% off</p>
        <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>

    <div class="photo1">
        <a href="pro12.html"></a>
        <p class="text">White-pizza</p>
        <p class="text">get 30% off</p>
        <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>
</div>

<div class="baneer1">
    
    
</div>

<div class="maincontant2">
    <div class="photo1">
        <a href="pro13.html"></a>
        <p class="text">Coca-Cola half</p>
        <p class="text">get 90% off</p>
        <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>

    <div class="photo1">
        <a href="pro14.html"></a>
        <p class="text">Egg-with Vegi</p>
        <p class="text">get 40% off</p>
    </div>

```



```

        <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>
    <div class="photo1">
        <a href="pro15.html"></a>
        <p class="text">Thali for 2 person</p>
        <p class="text">get 60% off</p>
        <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>
    <div class="photo1">
        <a href="pro16.html"></a>
        <p class="text">Momos(paneer)</p>
        <p class="text">get 60% off</p>
        <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>
    <div class="photo1">
        <a href="pro17.html"></a>
        <p class="text">Coffee</p>
        <p class="text">get 30% off</p>
        <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>
</div>
</div>
<div class="maincontant2">
<div class="photo1">
    <a href="pro18.html"></a>
    <p class="text">Normal-Ricep</p>
    <p class="text">get 10% off</p>
    <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
</div>
<div class="photo1">
    <a href="pro19.html"></a>
    <p class="text">Momos(chiken)</p>
    <p class="text">get 50% off</p>
    <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
</div>
<div class="photo1">
    <a href="pro20.html"></a>
    <p class="text">Raj Kachori</p>

```

```

        <p class="text">get 30% off</p>
        <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>
    <div class="photo1">
        <a href="pro21.html"></a>
        <p class="text">Combo Food</p>
        <p class="text">get 20% off</p>
        <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>
    <div class="photo1">
        <a href="pro22.html"></a>
        <p class="text">Manchurian</p>
        <p class="text">get 70% off</p>
        <p class="text">&#9733; &#9733; &#9733; &#9734;</p>
    </div>
</div>
<div class="baneer">
    
</div>
<div class="footer m-auto">
    <p>best fast food &copy;2022 at ramnagar</p>
    <p>web developer---Aman Soni</p>
</div> </body>

</html>

```

```
// Import required packages
```

```
const express = require('express');
```

```
const mongoose = require('mongoose');
```

```
// Create Express application
```

```
const app = express();

// Connect to MongoDB database

mongoose.connect('mongodb://localhost/food_delivery', {

  useNewUrlParser: true,

  useUnifiedTopology: true,

});

// Define the schema for the food items

const foodSchema = new mongoose.Schema({

  name: String,

  description: String,

  price: Number,

});

// Define the model for the food items
```

```
const Food = mongoose.model('Food', foodSchema);
```

```
// Parse JSON request bodies
```

```
app.use(express.json());
```

```
// Handle GET request to retrieve all food items
```

```
app.get('/foods', async (req, res) => {
```

```
  try {
```

```
    const foods = await Food.find();
```

```
    res.json(foods);
```

```
  } catch (err) {
```

```
    res.status(500).json({ message: err.message });
```

```
  }
```

```
});
```

```
// Handle POST request to create a new food item
```

```
app.post('/foods', async (req, res) => {

  const { name, description, price } = req.body;

  try {

    const food = new Food({ name, description, price });

    await food.save();

    res.status(201).json(food);

  } catch (err) {

    res.status(400).json({ message: err.message });

  }

});

// Handle GET request to retrieve a specific food item

app.get('/foods/:id', getFood, (req, res) => {

  res.json(res.food);

});
```

```
// Middleware function to retrieve a specific food item by ID
```

```
async function getFood(req, res, next) {
```

```
  let food;
```

```
  try {
```

```
    food = await Food.findById(req.params.id);
```

```
    if (food === null) {
```

```
      return res.status(404).json({ message: 'Food item not found' });
```

```
    }
```

```
  } catch (err) {
```

```
    return res.status(500).json({ message: err.message });
```

```
  }
```

```
  res.food = food;
```

```
  next();
```

```
}
```

```
// Handle PUT request to update a specific food item
```

```
app.put('/foods/:id', getFood, async (req, res) => {
```

```
  const { name, description, price } = req.body;
```

```
  if (name !== null) {
```

```
    res.food.name = name;
```

```
  }
```

```
  if (description !== null) {
```

```
    res.food.description = description;
```

```
  }
```

```
  if (price !== null) {
```

```
    res.food.price = price;
```

```
  }
```

```
  try { await res.food.save();
```

```
    res.json(res.food);
```

```
    } catch (err) {

        res.status(400).json({ message: err.message }); }

    });

// Handle DELETE request to delete a specific food item

app.delete('/foods/:id', getFood, async (req, res) => {

    try {

        await res.food.remove();

        res.json({ message: 'Food item deleted' });

    } catch (err) {

        res.status(500).json({ message: err.message }); }

    });

// Start the server app.listen(3000, () => {

    console.log('Server started on port 3000');});
```