Status	Finished
Started	Monday, 12 October 2026, 10:51 AM
Completed	Monday, 12 October 2026, 11:01 AM
Duration	9 mins 20 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

t1=(55,12,78,64,25)

t1.pop(12)

print(tuple1)

a. (55,78,64,25)

b. Error ✓

c. (12)

d. 12

Question **2**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

a. (1,2,3,3,2,1)

b. (1,2,3,4,5,6) ✓

c. Error

d. (1,2,3)(4,5,6)

Question **3**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. {'rec', 1, ('cse', 'ece')} ✓

b. {'rec', True, ('cse', 'ece')}

c. {'rec', 1, ('cse', 'ece'),True}

d. Error

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following options will produce the same output?

```
t = (15, 83, 21, 49, 60,45,52,85,100)
# options i, ii, iii, or iv
print(t[:-1])
print(t[0:5])
print(t[0:8])
print(t[-7:])
```

a. iii,iv

b. i,iii ✓

c. i,ii

d. ii,iv

Question **5**

Correct

Mark 1.00 out of 1.00

```
What is the output of the following code?
```

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

a. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓

b. (10, 20, 30, 40) (40, 50, 60, 70, 80)

c. (30, 40, 50) (10, 20, 30, 40)

d. (30, 40, 50)(40, 50, 60, 70, 80)

Question **6**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

- a. (16,17,18,19) ✓
- b. (16,17,18)
- c. (25,19,18,17)
- d. Error

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following options will not result in an error when performed on tuples in Python where tupl=(5,2,7,0,3)?

- a. tupl[1]=2
- b. tupl1=tupl+tupl ✓
- c. tupl.append(2)
- d. tupl.sort()

Question **8**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove “ECE” from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

- a. sampleSet.delete("ECE")
- b. del.sampleSet("ECE")
- c. remove.sampleSet("ECE")
- d. sampleSet.discard("ECE") ✓

Question **9**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

- a. {3} ✓
- b. {}
- c. {2,5,1}
- d. {2,5,3,1}

Question **10**

Incorrect

Mark 0.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

```

```

- a. <class 'tuple'>
- b. str ✗
- c. <class 'int'>
- d. <class 'str'>

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. i,ii ✓
b. All of the above
c. iii
d. ii

Question **12**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

a. Name Error
b. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓
c. TypeError: update() doesn't allow list as a argument.
d. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}

Question **13**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. It will throw an error as there are two 0 while creating the set.
b. {0,0,9}
c. {0,9} ✓
d. {9}

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

my_t1 = (1, 2, 3, 4)

my_t1.append((5, 6, 7))

print(len(my_t1))

a. 2

b. 1

c. 5

d. Error ✓

Question **15**

Incorrect

Mark 0.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

a. {1,3,2}

b. {2} ✗

c. {1,3,4}

d. {4}