

- Status
- Changes
- Console Output
- Edit Build Information
- Timings
- Pipeline Overview
- Pipeline Console
- Thread Dump
- Pause/resume
- Replay
- Pipeline Steps
- Workspaces
- Previous Build

✓

Console Output

DownloadCopyView as plain text

Started by user Safrin bargana

Obtained Jenkinsfile from git <https://github.com/Safrinakbar/dev.git>

[Pipeline] Start of Pipeline

[Pipeline] node (hide)

Running on Jenkins in /var/lib/jenkins/workspace/simpletomcatapplication

[Pipeline] {

[Pipeline] stage

[Pipeline] { (Declarative: Checkout SCM)

[Pipeline] checkout

selected git installation does not exist. using default

The recommended git tool is: NONE

No credentials specified

> git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/simpletomcatapplication/.git # timeout=10

Fetching changes from the remote git repository

> git config remote.origin.url <https://github.com/Safrinakbar/dev.git> # timeout=10

Fetching upstream changes from <https://github.com/Safrinakbar/dev.git>

> git --version # timeout=10

> git --version # 'git version 2.43.0'

> git fetch --tags --force --progress -- <https://github.com/Safrinakbar/dev.git> :refs/heads/\*:refs/remotes/origin/\* # timeout=10

> git rev-parse refs/remotes/origin/master^{commit} # timeout=10

Checking out Revision 12973f5e2f6e04cae44ac9d385e7847d1a2a10af (refs/remotes/origin/master)

> git config core.sparsecheckout # timeout=10

- Status
- Changes
- Console Output
- Edit Build Information
- Timings
- Pipeline Overview
- Pipeline Console
- Thread Dump
- Pause/resume
- Replay
- Pipeline Steps
- Workspaces
- Previous Build



### Console Output

Download

Copy

View as

```
Started by user Safrin bangana
Obtained Jenkinsfile from git https://github.com/Safrinakbar/dev.git
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in /var/lib/jenkins/workspace/simpletomcatapplication
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/simpletomcatapplication/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/Safrinakbar/dev.git # timeout=10
Fetching upstream changes from https://github.com/Safrinakbar/dev.git
> git --version # timeout=10
> git --version # 'git version 2.43.0'
> git fetch --tags --force --progress -- https://github.com/Safrinakbar/dev.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision 12973f5e2f6e04cae44ac9d385e7847d1a2a10af (refs/remotes/origin/master)
> git config core.sparsecheckout # timeout=10
```

- Status
- Changes
- Console Output
- Edit Build Information
- Timings
- Pipeline Overview
- Pipeline Console
- Thread Dump
- Pause/resume
- Replay
- Pipeline Steps
- Workspaces
- Previous Build

## Console Output

Download

Copy

View as plain text

```
Started by user Safrin bargana
Obtained Jenkinsfile from git https://github.com/Safrinakbar/dev.git
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in /var/lib/jenkins/workspace/simpletomcatapplication
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/simpletomcatapplication/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/Safrinakbar/dev.git # timeout=10
Fetching upstream changes from https://github.com/Safrinakbar/dev.git
> git --version # timeout=10
> git --version # 'git version 2.43.0'
> git fetch --tags --force --progress -- https://github.com/Safrinakbar/dev.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision 12973f5e2f6e04cae44ac9d385e7847d1a2a10af (refs/remotes/origin/master)
> git config core.sparsecheckout # timeout=10
```

```
Downloaded from central: https://repo.maven.apache.org/maven2/org/codexhaus/plexus/plexus-interpolation/1.25/plexus-interpolation-1.25.jar (85 kB at 16 kB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/xpp3/xpp3_min/1.1.4c/xpp3_min-1.1.4c.jar (25 kB at 4.4 kB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/shared/maven-mapping/3.0.0/maven-mapping-3.0.0.jar (11 kB at 1.9 kB/s)
Progress (1): 4.1/7.2 kB
Progress (1): 7.2 kB

Downloaded from central: https://repo.maven.apache.org/maven2/xmlpull/xmlpull/1.1.3.1/xmlpull-1.1.3.1.jar (7.2 kB at 1.0 kB/s)
[1;34mINFO[1;34m] Packaging webapp
[1;34mINFO[1;34m] Assembling webapp [my-app] in [/var/lib/jenkins/workspace/maven/target/my-app]
[1;34mINFO[1;34m] Processing war project
[1;34mINFO[1;34m] Copying webapp resources [/var/lib/jenkins/workspace/maven/src/main/webapp]
[1;34mINFO[1;34m] Webapp assembled in [25 msecs]
[1;34mINFO[1;34m] Building war: /var/lib/jenkins/workspace/maven/target/my-app.war
[1;34mINFO[1;34m] [1m-----[1;34m]
[1;34mINFO[1;34m] [1;32mBUILD SUCCESS[1;34m]
[1;34mINFO[1;34m] [1m-----[1;34m]
[1;34mINFO[1;34m] Total time: 01:26 min
[1;34mINFO[1;34m] Finished at: 2025-03-19T09:03:32Z
[1;34mINFO[1;34m] [1m-----[1;34m]
Finished: SUCCESS
```

- Status
- Changes
- Console Output**
- Fit Build Information
- Timings
- Git Build Data

## ✓ Console Output

Download Copy View as plain text

```
Started by user Safrin bargana
Running as SYSTEM
Building in workspace /var/lib/jenkins/workspace/maven
The recommended git tool is: NONE
No credentials specified
Cloning the remote git repository
Cloning repository https://github.com/Safrinakbar/dev.git
> git init /var/lib/jenkins/workspace/maven # timeout=10
Fetching upstream changes from https://github.com/Safrinakbar/dev.git
> git --version # timeout=10
> git --version # 'git version 2.43.0'
> git fetch --tags --force --progress -- https://github.com/Safrinakbar/dev.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git config remote.origin.url https://github.com/Safrinakbar/dev.git # timeout=10
> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
> git rev-parse refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision c11c4c13eb11e576ba41ddfa7b15be200794dd50 (refs/remotes/origin/master)
> git config core.sparsecheckout # timeout=10
> git checkout -f c11c4c13eb11e576ba41ddfa7b15be200794dd50 # timeout=10
Commit message: "saaa"
First time build. Skipping changelog.
```

```
[B[1;34mINFO[B[n]
[B[1;34mINFO[B[n] [B[1m--- [B[0;32mmaven-surefire-plugin:2.22.1:test[B[n] [B[1m(default-test)[B[n] @ [B[36mmy-app[B[0;1m ---[B[n]
[B[1;34mINFO[B[n] No tests to run.
[B[1;34mINFO[B[n] [B[1m-----[B[n]
[B[1;34mINFO[B[n] [B[1;32mBUILD SUCCESS[B[n]
[B[1;34mINFO[B[n] [B[1m-----[B[n]
[B[1;34mINFO[B[n] Total time: 1.753 s
[B[1;34mINFO[B[n] Finished at: 2025-03-10T10:26:02Z
[B[1;34mINFO[B[n] [B[1m-----[B[n]
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Deploy)
[Pipeline] echo
Deploying application...
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

Status

Changes

Console Output

Edit Build Information

Timings

Git Build Data

Pipeline Overview

Pipeline Console

Thread Dump

Pause/resume

Replay

Pipeline Steps

Workspaces

Previous Build



## Console Output

Download

Copy

View as plain text

```
Started by user Safrin bargana
Obtained Jenkinsfile from git https://github.com/Safrinakbar/dev.git
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in /var/lib/jenkins/workspace/simplatomcatapplication
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
No credentials specified
Cloning the remote Git repository
Cloning repository https://github.com/Safrinakbar/dev.git
> git init /var/lib/jenkins/workspace/simplatomcatapplication # timeout=10
Fetching upstream changes from https://github.com/Safrinakbar/dev.git
> git --version # timeout=10
> git --version # 'git version 2.43.0'
> git fetch --tags --force --progress -- https://github.com/Safrinakbar/dev.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git config remote.origin.url https://github.com/Safrinakbar/dev.git # timeout=10
> git config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
Avoid second fetch
```