Intelligent local bus application development

"our aim is to develop an intelligent local-bus application that integrates route information, timetables, fares, traffic conditions, and available bus-location data into a single platform. Using route-planning algorithms and ETA prediction techniques, the system will help passengers identify suitable buses and plan their journeys efficiently. could you provide the exact direction for me on how do i come up with better service or solution for addressing this real world problem" *Generated by LeapSpace*

Intelligent Local-Bus App at a Glance

Key Findings Table

Key finding	What it means for your service	Relevant users / stakeholders	Evidence
Integration is the main product value, but full end-to-end bus app architectures are rarely documented	Your competitive advantage should be strong systems engineering across schedules, fares, AVL/GPS, traffic, and passenger UX, not only a better algorithm [1] [2] [3] [4] [5] [6]	Product team, transit agency, integration engineers	[1] [2] [3] [4] [5] [6] [7]
Data quality is a first-order requirement	Raw GPS/AVL and GTFS-RT feeds need map matching, interpolation, anomaly filtering, and route validation before ETAs or live displays can be trusted [8] [9] [10] [11]	Data engineers, operations, passengers	[8] [9] [10] [11] [12] [13] [14]
Transit-specific multicriteria routing is better than static shortest path	Use RAPTOR/TBTR/ULTRA-style routing to handle departure time, transfers, and walking; present several ranked itineraries rather than one “best” route [15] [16] [17] [18] [19]	Journey planners, app users	[15] [16] [18] [19] [20] [21]
Personalization improves perceived usefulness	Users benefit when routes reflect time, fare, walking, waiting, transfers, and accessibility preferences rather than a universal optimum [22] [23] [24]	Passengers with different priorities	[22] [23] [24] [25]

Key finding	What it means for your service	Relevant users / stakeholders	Evidence
ETA accuracy depends heavily on dwell time and schedule recovery	Prediction should model boarding, alighting, crowding, ramp use, intersections, and recovery behavior, not just speed and distance [26] [27] [28]	ETA modelers, dispatch, passengers	[26] [27] [28] [29] [30] [31] [32]
ML improves ETA, but fallback logic is still necessary	Hybrid/deep models often perform better, but live systems still need schedule/historical fallbacks when data are missing or delayed [33] [34] [35] [36] [37] [38]	ML team, reliability engineers	[33] [34] [35] [39] [40] [41]
Real-time information improves trust even when behavior effects vary	Live arrivals, alerts, and en-route guidance reliably improve confidence and perceived service quality [42] [43] [44] [45] [46]	Passengers, service managers	[42] [43] [44] [45] [46] [47] [48]
Weak UX can cancel out technical gains	Slow response, poor feedback, and confusing flow reduce completion and adoption; redesign improves success [49] [50] [51] [52]	UX team, product owners	[49] [50] [51] [52] [53] [54] [55]
Governance matters as much as software	Cross-agency data sharing, open standards, and clear roles are critical for scaling across operators [56] [57] [58] [59]	Agencies, municipalities, vendors	[56] [57] [58] [59] [60] [61] [62]

Direct Answer

To build a **better real-world bus service**, do not think of the product as “an app with bus data.” Build it as a **trustworthy passenger decision-support service** with five core jobs: help riders find the right bus, know when it will arrive, compare tradeoffs, recover from disruption, and stay guided during the trip [42] [44] [63].

The most practical direction is:

1. **Start with a service blueprint**: define the user jobs, main rider segments, failure points, and success KPIs before coding [25] [49] [64].

2. **Build a dependable data spine**: integrate static schedules, live vehicle positions, fares, traffic/incidents, and a data-quality layer for freshness, map matching, deduplication, and fallback logic [8] [10] [36] [65].
3. **Use transit-specific routing**: prefer RAPTOR/TBTR/ULTRA-family multicriteria routing over plain road-network shortest path so you can optimize arrival time, transfers, walking, and fare together [15] [16] [17] [18].
4. **Show 3-5 route options, not one**: label them as fastest, cheapest, fewest transfers, safest buffer, and most accessible [22] [23] [24].
5. **Treat ETA as hybrid**: combine schedule priors, real-time AVL/GPS, and context features such as dwell time, crowding, stop geometry, weather, and recovery behavior; degrade gracefully to history/schedule when live data are weak [27] [33] [34] [37].
6. **Design for trust**: expose freshness and confidence, and explain whether a prediction is based on live bus location or fallback schedule logic [36] [66].
7. **Prioritize high-value passenger features early**: stop-level live arrivals, missed-connection alerts, disruption mode, in-trip rerouting, and step-by-step guidance [42] [44] [67].
8. **Invest in UX and accessibility from the start**: fast responses, clear status feedback, low-floor or step-free filters, walking limits, transfer difficulty, and inclusive routing [50] [68] [69].
9. **Measure outcomes in production**: ETA MAE/MAPE, stale-feed rate, route acceptance, replan latency, missed-connection rate, waiting-time reduction, task completion, and satisfaction [64] [70] [71].

Taken together, these findings suggest your strongest differentiator is **reliability under uncertainty**: an app that remains useful when feeds are incomplete, buses bunch, traffic changes, or users need different tradeoffs [8] [23] [41].
Confidence level: High - consistent support across data-engineering, routing, ETA, and user-facing studies [1] [8] [15] [23] [26].

Study Scope

This report synthesizes evidence across transit information systems, route-planning algorithms, bus ETA prediction, passenger-facing mobility apps, and deployment studies, with emphasis on urban public transport and practical bus operations from foundational work through 2018-2025 implementation-oriented studies [34] [45] [64] [72] [73]. Methods represented include routing algorithm benchmarks, AVL/AFC data-fusion studies, ML ETA modeling, usability evaluations, stated-preference and survey studies, and real-world ITS deployments [33] [46] [49] [74] [75].

Assumptions & Limitations

The evidence strongly supports integration, robust data engineering, multicriteria routing, and hybrid ETA design, but it does **not** provide a single documented peer-reviewed full-stack architecture combining GTFS, fares, AVL/GPS, and live traffic in one synchronized passenger-facing bus service [3] [4] [5] [7]. It also provides limited direct head-to-head proof that adding live traffic and vehicle location always improves route-choice quality over timetable-only planning [76] [77] [78] [79]. Transit-specific latency benchmarks for modern microservice or stream-processing stacks are also sparse [80] [81] [82].

Suggested Further Research

- Run a **timetable-only vs live-data** experiment on route quality, missed connections, and user trust [76] [79].
- Benchmark **end-to-end latency and freshness** for your ingestion, ETA, and rerouting pipeline under peak load [80] [83].
- Test **confidence-aware route cards** that combine utility and reliability in the UI [36] [66].
- Evaluate **inclusive routing** for step-free access, low walking tolerance, and first/last-mile burden [68] [84] [85].
- Measure whether ETA gains translate into **better passenger outcomes** such as lower anxiety, fewer missed connections, and higher retention [46] [86].

Designing an Intelligent Local-Bus Journey Planning App

1. Foundational Context

An intelligent local-bus app sits at the intersection of four functions: **data integration**, **routing**, **ETA prediction**, and **passenger decision support** [25] [29] [72] [73]. In practice, riders do not experience these as separate modules. They experience one question: *“Can I trust this app to get me there?”* [42] [46].

That trust depends on three foundational principles:

- **Transit is time-dependent**: the best route depends on departure time, waiting, transfers, and walking, so static shortest-path logic is insufficient [20] [21] [73].
- **Transit data are imperfect**: AVL/GPS and GTFS-RT feeds are noisy and sometimes missing, so production systems need cleaning and fallback logic [8] [10] [14].
- **Passenger value is multicriteria**: riders care about time, fare, transfers, walking, accessibility, and reliability, not just shortest distance [17] [23] [24].

Confidence level: High - the same conceptual structure appears across architecture, routing, ETA, and UX evidence [20] [25] [29] [72].

2. Problem Framing: What Real-World Pain Are You Solving?

Passengers struggle because route maps, timetables, fares, disruption notices, and live bus positions are often fragmented across channels, making trip planning uncertain and cognitively expensive [25] [45] [87]. Real-time information gaps also push riders toward suboptimal behavior, such as taking the first arriving bus under uncertainty instead of the most suitable one [63].

A better service should therefore improve:

- **Trip choice quality** through personalized route ranking [22] [23].
- **Waiting-time confidence** through live arrivals and alerts [43] [48].
- **Disruption resilience** through dynamic rerouting and missed-connection support [44] [67].
- **Inclusiveness** through accessibility-aware planning [68] [69].

Taken together, these findings imply the product goal is not only efficiency, but **reduced uncertainty and better decision quality** [42] [88].
Confidence level: High - supported by multiple passenger-facing studies and deployment evaluations [42] [43] [46] [63].

3. System Design: Build the Data Spine First

3.1 Data sources you should integrate

Your minimum viable data spine should unify:

- **Static schedule and stop data** for planned service [65].
- **GTFS-RT or AVL/GPS vehicle positions** for live operations [4] [89].
- **Fare rules and fare context** for passenger cost comparison [17] [90].
- **Traffic and incident feeds** for disruption awareness [77] [81].
- **Historical operations data** for ETA training and fallback baselines [37] [38].
- **Search and request logs** for service improvement and transfer coordination inference [91] [92].

3.2 What architecture pattern is realistic?

No retrieved paper gives a single definitive end-to-end bus-app architecture, so the practical direction must be synthesized from partial evidence [3] [4]. The strongest architecture pattern suggested by the literature is:

1. **Ingestion layer** for static and live feeds [65] [93].
2. **Normalization and validation layer** for map matching, deduplication, route validation, interpolation, and freshness scoring [8] [10].

3. **Operational services** for routing, ETA, alerts, and stop-level arrivals [15] [33] [44].
4. **Historical warehouse** for model retraining and reliability analytics [38] [94].
5. **Passenger API/UI layer** for route cards, live maps, guidance, and notifications [95] [96].

Stream-processing and edge-fog-cloud approaches are recommended where latency is important, though bus-specific benchmarks are limited [82] [83] [93] [97].
Inferred: A modular microservice-style separation of routing, ETA, alerts, and feed validation is likely advantageous because the evidence consistently favors scalable, loosely coupled mobility architectures, but direct bus-app proof is limited [81] [98].
Confidence level: Medium - architecture direction is well supported in parts, but not as a fully documented bus-app stack [81] [82] [93].

3.3 Non-negotiable data-quality controls

Raw AVL/GPS feeds can suffer from sparse sampling, signal-loss gaps, coordinate scatter, nearby-stop ambiguity, route overlap, duplicates, and even incorrect route assignments [8] [10] [11]. Before data reach passengers, you should apply:

- **Map matching to road/route geometry** [8] [9].
- **Interpolation or reconstruction for missing points** [8] [99].
- **Route validation and anomaly detection** [10] [11].
- **Freshness thresholds** so stale location data are downgraded or hidden [36] [38].
- **Fallback estimation** using historical/scheduled patterns when live feeds are poor [37] [40].

This is one of the strongest practical messages in the evidence: **service quality depends on feed cleaning as much as on prediction models** [8] [10] [14].
Confidence level: High - repeated in multiple deployment and ETA studies [8] [9] [10] [100].

4. Routing: Choose Passenger-Relevant Alternatives, Not One “Best” Path

Transit routing should be **time-dependent and multicriteria**, because the relevant costs are arrival time, waiting, transfers, walking, and sometimes fare [20] [101] [102]. RAPTOR, TBTR, ULTRA, and related trip-based methods are repeatedly presented as better suited to transit than classical road-network shortest-path methods [15] [16] [73].

Practical guidance:

- Use **TBTR or RAPTOR-style bicriteria routing** when you need good real-time query performance on arrival time plus transfer count [15] [18].
- Use **ULTRA / ULTRA-Trip-Based** when unrestricted walking links or rich transfer graphs matter [16] [103].

- Add **fare-aware logic** via conditional fare networks or a restricted Pareto set when fare is a key product feature [17].
- Return **multiple ranked options**, not just a single optimum [18] [104] [105].

For the UI, a practical route-card set is:

- **Fastest arrival**
- **Fewest transfers**
- **Lowest fare**
- **Most reliable / buffer-friendly**
- **Most accessible**

This recommendation is directly aligned with multicriteria routing evidence and personalization studies [17] [23] [24].

A key gap remains: no retrieved paper optimizes travel time, walking, waiting, fare, and transfers all at once in one passenger-facing recommender with user-tested tradeoff presentation [102] [106]. That is a real product opportunity.

Confidence level: High - algorithmic evidence is strong and consistent, though some user-facing tradeoff presentation remains underexplored [15] [16] [17] [18].

5. ETA Prediction: Build a Hybrid, Confidence-Aware System

The ETA literature strongly suggests that bus arrival prediction is not just about current speed [29] [30]. Better models account for:

- **Boarding and alighting**
- **Crowding**
- **Ramp deployment**
- **Stop geometry**
- **Intersections and signals**
- **Weather and traffic**
- **Schedule-recovery behavior** [26] [27] [28] [32].

Recent ML models such as DA-RNN, hybrid LSTM/GRU/Transformer, and CNN-LSTM-Attention show improved error metrics under variable conditions [33] [34] [35]. But the evidence also shows production risk: sparse records, delayed feeds, and rare peak-delay cases remain difficult [41] [107].

So the right production design is a **hybrid ETA stack**:

1. **Schedule prior**: baseline from timetable and stop sequence [36].
2. **Live state correction**: AVL/GPS position and latest delay state [33].
3. **Contextual features**: dwell-related passenger activity, weather, traffic, intersection context [26] [34].
4. **Fallback policy**: when signal quality drops, use historical segment times or scheduled estimates [37] [38].
5. **Confidence output**: expose reliability tier to passengers [66] [108].

Taken together, these findings suggest you should avoid a black-box-only ETA system. The service will be better if it is **accurate when possible and explicit when uncertain** [41] [66].
Confidence level: High - strong support across methodological and deployment evidence [26] [33] [36] [38].

6. Passenger-Facing Design: Where Technical Value Becomes Service Value

6.1 Personalize recommendations

Personalized route guidance improves important travel attributes compared with classical shortest-path output, with reported gains in weighted route quality, travel time, accessibility, and satisfaction [22] [23] [24]. Therefore, let users set or infer preferences such as:

- time vs fare
- transfer tolerance
- maximum walking
- safety buffer
- accessibility needs [24] [69] [105]

6.2 Provide in-trip guidance and alerts

Step-by-step and en-route guidance increases confidence, while live arrival information and push delay updates reduce perceived waiting and improve reliability perceptions [42] [43] [44] [48]. A **disruption mode** should switch the interface from exploration to recovery: nearest stop, next feasible buses, walking backup, and one-tap replan [44] [67].

6.3 UX basics matter

Poor feedback visibility, weak response time, and task blockers are among the most damaging usability failures [49] [50] [51]. Clearer structure, progress indicators, improved map visibility, and simpler task flows improve completion and navigation success [52] [55] [109].

6.4 Accessibility should be first-class

Evidence increasingly frames accessibility and equity as design requirements, not optional extras [68] [84] [110]. Product features should include:

- step-free / low-floor filters
- walking-distance limits
- transfer difficulty level
- first/last-mile burden visibility
- reliability-sensitive recommendations for vulnerable riders [68] [69] [85]

Confidence level: High - strong and convergent support from personalization, real-time info, usability, and equity studies [23] [44] [49] [68].

7. Deployment and Scaling: The Hidden Determinants of Success

A technically good app can still fail if agency coordination, governance, funding, and interoperability are weak [56] [58] [62]. Cross-agency implementations benefit from:

- **Open or harmonized standards** for data exchange [57] [111].
- **Clear roles and responsibilities** among agencies and vendors [59].
- **Sustained maintenance funding** rather than launch-only funding [56].
- **Shared communications strategy** for service alerts and operational workflows [57].

For scaling, the architecture literature recommends stream processing plus edge/fog/cloud partitioning to keep latency low, although bus-specific empirical benchmarks remain thin [82] [83] [93]. So your project should explicitly measure ingestion latency, ETA freshness, and reroute recomputation time as part of deployment quality [80] [83].

Confidence level: Medium-High - governance barriers are well supported; performance-stack specifics are directionally supported but thinly benchmarked for bus apps [56] [58] [82].

8. Exact Practical Direction: A Phased Solution Roadmap

Phase 1: Define the service

- Map top rider jobs, rider personas, and operator goals [25] [112].
- Define KPIs: ETA error, stale-feed rate, waiting-time reduction, route acceptance, replan latency, task completion, satisfaction [64] [70] [71].

Phase 2: Build the data backbone

- Ingest static schedules, live positions, fares, traffic/incidents [65] [81].

- Add validation: map matching, interpolation, anomaly detection, freshness scoring [8] [10].
- Store cleaned historical data for ETA retraining [38].

Phase 3: Deploy core intelligence

- Routing engine: RAPTOR/TBTR/ULTRA-family multicriteria search [15] [16].
- ETA engine: hybrid schedule + real-time + contextual features + fallback [33] [36].
- Alert engine: disruptions, missed connections, service changes [44].

Phase 4: Ship high-value UX

- Route cards with tradeoff labels [105] [113].
- Stop-level live arrivals and confidence/freshness badges [43] [108].
- Step-by-step guidance and one-tap replan [42] [67].
- Accessibility filters and walking constraints [68] [69].

Phase 5: Improve through evidence

- A/B test route-card ranking logic [22] [23].
- Compare timetable-only versus live-enhanced recommendations [76] [79].
- Analyze search abandonment and repeated replans to identify service pain points [51] [91].

9. What “Better Service” Should Mean in Your Project

A better solution should not be defined only as better prediction accuracy. Based on the evidence, your service is better if it produces:

- **more trusted information** [44] [46]
- **better route choices for different riders** [23] [24]
- **lower uncertainty and perceived waiting** [48] [114]
- **fewer avoidable missed connections** [67]
- **graceful degradation when data are bad** [37] [40]
- **inclusive planning for vulnerable riders** [68] [84]

That framing aligns technical architecture with actual passenger value [25] [70].

Conclusion

The evidence points to a clear direction: the best intelligent local-bus solution is a **robust, multicriteria, confidence-aware journey support system** built on dependable data engineering, transit-specific routing, hybrid ETA prediction, and excellent passenger UX [1] [8] [15] [23] [33]. The biggest implementation mistake would be to optimize algorithms while underinvesting in feed quality, fallback logic, interface clarity, and cross-agency coordination [10] [49] [58].

If you want the most exact design principle in one sentence: **build for trust under uncertainty, not just for nominal accuracy under perfect data** [8] [41] [44].

Overall confidence level: High - the central design recommendations are strongly supported across multiple evidence streams, though full-stack architecture benchmarks and timetable-only vs live-data route-planning comparisons remain underdocumented [3] [76] [82].

References

1. Detti, A., Tropea, G., Bléfari-Melazzi, N.B., (...), Lisi, F. (2019) Federation and orchestration: A scalable solution for EU multimodal travel information services. *Sustainability (Switzerland)*. https://doi.org/10.3390/su11071888
2. Su, J.-M., Chang, C.-H. (2010) The multimodal trip planning system of intercity transportation in Taiwan. *Expert Systems with Applications*. https://doi.org/10.1016/j.eswa.2010.03.037
3. Wu, J., Du, B., Gong, Z., (...), Cai, C. (2023) A GTFS data acquisition and processing framework and its application to train delay prediction. *International Journal of Transportation Science and Technology*. https://doi.org/10.1016/j.ijtst.2022.01.005
4. Tóth, R., Ispány, M., Zichar, M. (2025) Interactive Visualization for the GTFS and GTFS-RT Data of Budapest. *ISPRS International Journal of Geo-Information*. https://doi.org/10.3390/ijgi14070245
5. Aemmer, Z., Ranjbari, A., Mackenzie, D. (2022) Measurement and classification of transit delays using GTFS-RT data. *Public Transport*. https://doi.org/10.1007/s12469-022-00291-7
6. Pi, X., Egge, M., Whitmore, J., (...), Silbermann, A. (2018) Understanding transit system performance using AVL-APC data: An analytics platform with case studies for the Pittsburgh Region. *Journal of Public Transportation*. https://doi.org/10.5038/2375-0901.21.2.2
7. Wessel, N., Farber, S. (2019) On the accuracy of schedule-based GTFS for measuring accessibility. *Journal of Transport and Land Use*. https://doi.org/10.5198/jtlu.2019.1502
8. Yang, Fengping, Peng, Liqun, Wang, Chenhao, Bai, Yuelong (2018) Measuring temporal and spatial travel efficiency for transit route system using low-frequency bus automatic vehicle location data. *Advances in Mechanical Engineering*. https://doi.org/10.1177/1687814018802128
9. Aemmer, Z., Sørbø, S., Clemente, A., Ruocco, M. (2024) Generalization strategies for improving bus travel time prediction across networks. *Journal of Urban Management*. https://doi.org/10.1016/j.jum.2024.05.002

10. Jain, G.V., Jain, S.S., Parida, M. (2022) Evaluation of travel speed of conventional buses and bus rapid transit service in Ahmedabad city, India using geo-informatics. *Journal of Public Transportation*. https://doi.org/10.1016/j.jpubtr.2022.100034

11. Lu, R., Xiong, W., Luo, C., Wang, X. (2026) An efficient and scalable non-clustering approach for detecting co-movement patterns in large-scale bus trajectories. *Future Generation Computer Systems*. https://doi.org/10.1016/j.future.2026.108643

12. Patel, M., Patel, S.B., Swain, D., Patel, S. (2026) Enhancing Public Transport Reliability in Indian Cities Through GPS-Based Trip Validation in Intelligent Transportation Systems. *Journal of The Institution of Engineers (India): Series B*. https://doi.org/10.1007/s40031-026-01331-7

13. Chawuthai, R., Sumalee, A., Threepak, T. (2023) GPS Data Analytics for the Assessment of Public City Bus Transportation Service Quality in Bangkok. *Sustainability (Switzerland)*. https://doi.org/10.3390/su15075618

14. McLeod, F. (2007) Estimating bus passenger waiting times from incomplete bus arrivals data. *Journal of the Operational Research Society*. https://doi.org/10.1057/palgrave.jors.2602298

15. Lehoux-Lebacque, V., Loiodice, C. (2021) Transfer customization with the trip-based public transit routing Algorithm. *OpenAccess Series in Informatics*. https://doi.org/10.4230/OASIcs.ATMOS.2021.15

16. Sauer, J., Wagner, D., Zündorf, T. (2020) Integrating ULTRA and trip-based routing. *OpenAccess Series in Informatics*. https://doi.org/10.4230/OASIcs.ATMOS.2020.4

17. Euler, R., Lindner, N., Borndörfer, R. (2024) Price optimal routing in public transportation. *EURO Journal on Transportation and Logistics*. https://doi.org/10.1016/j.ejtl.2024.100128

18. Cionini, A., D'Angelo, G., D'Emidio, M., (...), Zaroliagis, C. (2017) Engineering graph-based models for dynamic timetable information systems. *Journal of Discrete Algorithms*. https://doi.org/10.1016/j.jda.2017.09.001

19. He, P., Jiang, G., Siew-Kei, S.-K., Sun, Y. (2022) ML-MMAS: Self-learning ant colony optimization for multi-criteria journey planning. *Information Sciences*. https://doi.org/10.1016/j.ins.2022.07.150

20. Datar, Mayur, Ranade, Abhiram (2000) Commuting with delay prone buses. *Proceedings of the Annual ACM-SIAM Symposium on Discrete Algorithms*. https://www.scopus.com/pages/publications/0033888368

21. Gentile, G. (2017) Time-dependent shortest hyperpaths for dynamic routing on transit networks. *Modelling Intelligent Multi-Modal Transit Systems*. https://doi.org/10.1201/9781315368986

22. Ceder, A., Jiang, Y. (2018) Personalized public transport mobility service: A journey ranking approach for route guidance. *Transportation Research Procedia*. https://doi.org/10.1016/j.trpro.2019.05.048

23. Song, C., Guan, W., Ma, J. (2018) Potential travel cost saving in urban public-transport networks using smartphone guidance. *PLoS ONE*. https://doi.org/10.1371/journal.pone.0197181

24. Nasiboglu, R. (2022) Dijkstra solution algorithm considering fuzzy accessibility degree for patch optimization problem. *Applied Soft Computing*. https://doi.org/10.1016/j.asoc.2022.109674

25. Ceder, A.A., Jiang, Y. (2020) Route guidance ranking procedures with human perception consideration for personalized public transport service. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2020.102667

26. Redelmeier, P., Victoriano, R., Crumley, M., El-Geneidy, A. (2025) Bit by bit: A method for using bus data to develop plan bus priority interventions in Portland, Oregon, USA. *Journal of Public Transportation*. https://doi.org/10.1016/j.jpubtr.2025.100135

27. Bie, Y., Wang, Y., Zhang, L. (2020) Impact of Carriage Crowding Level on Bus Dwell Time: Modelling and Analysis. *Journal of Advanced Transportation*. https://doi.org/10.1155/2020/6530530

28. Hall, R., Dessouky, M., Lu, Q. (2001) Optimal holding times at transfer stations. *Computers and Industrial Engineering*. https://doi.org/10.1016/S0360-8352(01)00039-0

29. Wang, T., Huang, L., Tian, J., (...), Zheng, J. (2024) Bus dwell time estimation and overtaking maneuvers analysis: A stochastic process approach. *Transportation Research Part E: Logistics and Transportation Review*. https://doi.org/10.1016/j.tre.2024.103577

30. Lin, W.-H., Bertini, R.L. (2002) Modeling schedule recovery processes in transit operations for bus arrival time prediction. *IEEE Conference on Intelligent Transportation Systems, Proceedings, ITSC*. https://doi.org/10.1109/ITSC.2002.1041332

31. Sun, W., Schmöcker, J.-D., Fukuda, K. (2021) Estimating the route-level passenger demand profile from bus dwell times. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2021.103273

32. Sharmila, R.B., Velaga, N.R., Choudhary, P. (2020) Bus arrival time prediction and measure of uncertainties using survival models. *IET Intelligent Transport Systems*. https://doi.org/10.1049/iet-its.2019.0584

33. Leong, S.H., Lam, C.-T., Ng, B.K. (2021) Bus Arrival Time Prediction for Short-Distance Bus Stops with Real-Time Online Information. *International Conference on Communication Technology Proceedings, ICCT*. https://doi.org/10.1109/ICCT52962.2021.9658044

34. Kaya, O., Utku Kalay, M. (2025) Spatio-Temporal Forecasting of Bus Arrival Times Using Context-Aware Deep Learning Models in Urban Transit Systems. *IEEE Access*. https://doi.org/10.1109/ACCESS.2025.3609530

35. Lin, P., Chen, Y., Ouyang, Y., (...), Weng, J. (2025) Bus Travel Time Prediction Based on Multiple Influencing Factors and CNN-LSTM-ATTENTION Network. *Lecture Notes in Electrical Engineering*. https://doi.org/10.1007/978-981-96-7441-1_20

36. Xian, T.T., Nelson, J.D., Moylan, E. (2025) High resolution bus lane performance evaluation from real time update data. *Transportation Research Interdisciplinary Perspectives*. https://doi.org/10.1016/j.trip.2025.101473

37. Zhou, Y., Yao, L., Chen, Y., (...), Lai, J. (2017) Bus arrival time calculation model based on smart card data. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2016.11.014

38. Balasubramanian, P., Rao, K. (2015) An adaptive long-term bus arrival time prediction model with cyclic variations. *Journal of Public Transportation*. https://doi.org/10.5038/2375-0901.18.1.6

39. Kam, S.-H., Chong, Y.-W., Ibrahim, N.F., (...), Abdul Rahim, S.K. (2024) Predicting Estimated Time of Arrival Using Boosting Models. *6th International Conference on Artificial Intelligence in Information and Communication, ICAIIC 2024*. https://doi.org/10.1109/ICAIIC60209.2024.10463273

40. Hernandez, T. (2014) Flex scheduling for bus arrival time prediction. *Transportation Research Record*. https://doi.org/10.3141/2418-13

41. https://www.sciencedirect.com/science/article/pii/S236441682300104X

42. Chowdhury, S., Giacaman, N. (2015) En-route planning of multi-destination public-transport trips using smartphones. *Journal of Public Transportation*. https://doi.org/10.5038/2375-0901.18.4.3

43. Ridho, M., Sumi, T. (2009) The effects of accessing real-time bus arrival information via mobile phone on the travel time dispersion of transit passengers. *International Journal of Environment and Sustainable Development*. https://doi.org/10.1504/ijesd.2009.024636

44. Esters, D. (2012) Passenger information of a new dimension: Push services make it possible. *19th Intelligent Transport Systems World Congress, ITS 2012*. https://www.scopus.com/pages/publications/84896996726

45. Lu, H., Burge, P., Heywood, C., (...), Phillips, A. (2018) The impact of real-time information on passengers' value of bus waiting time. *Transportation Research Procedia*. https://doi.org/10.1016/j.trpro.2018.09.043

46. Zhang, F., Shen, Q., Clifton, K.J. (2008) Examination of traveler responses to real-time information about bus arrivals using panel data. *Transportation Research Record*. https://doi.org/10.3141/2082-13

47. Thakuriah, P., Tang, L., Vassilakis, W. (2011) Spatio-temporal effects of bus arrival time information. *4th ACM SIGSPATIAL International Workshop on Computational Transportation Science 2011, CTS'11, in Conjunction with ACM SIGSPATIAL GIS 2011*. https://doi.org/10.1145/2068984.2068986

48. Dziekan, K., Kottenhoff, K. (2007) Dynamic at-stop real-time information displays for public transport: effects on customers. *Transportation Research Part A: Policy and Practice*. https://doi.org/10.1016/j.tra.2006.11.006

49. Díaz-Arancibia, J., Rusu, C., Collazos, C.A. (2017) Experimental validation of a set of cultural-oriented usability heuristics: e-Commerce websites evaluation. *Computer Standards and Interfaces*. https://doi.org/10.1016/j.csi.2016.09.013

50. Parsazadeh, N., Ali, R., Rezaei, M. (2018) A framework for cooperative and interactive mobile learning to improve online information evaluation skills. *Computers and Education*. https://doi.org/10.1016/j.compedu.2018.01.010

51. https://www.sciencedirect.com/science/article/pii/S1472694726002657

52. Gaspari, Mauro, Mioni, Giovanna, Signorello, Dario, (...), Zuppiroli, Sara (2024) Fine Tuning of an Advanced Planner for Cognitive Training of Older Adults. *European Journal of Investigation in Health, Psychology and Education*. https://doi.org/10.3390/ejihpe15010004

53. Jati, L.A., Azzahra, A.P., Putra, E.P., Radhia, F. (2025) Usability Evaluation - User Experience Indonesia Train Ticket Reservation: System Usability Scale (SUS) and Think-Aloud Protocol. *2025 5th International Conference on Intelligent Cybernetics Technology and Applications, ICICyTA 2025*. https://doi.org/10.1109/ICICYTA68677.2025.11362489

54. Solecka, K., Kiciński, M. (2022) A Multi-Criteria Evaluation of Applications Supporting Public Transport Users. *Energies*. https://doi.org/10.3390/en15103493

55. Hoehle, H., Aljafari, R., Venkatesh, V. (2016) Leveraging Microsoft's mobile usability guidelines: Conceptualizing and developing scales for mobile application usability. *International Journal of Human Computer Studies*. https://doi.org/10.1016/j.ijhcs.2016.02.001

56. Waqar, A., Alshehri, A.H., Alanazi, F., (...), Almujibah, H.R. (2023) Evaluation of challenges to the adoption of intelligent transportation system for urban smart mobility. *Research in Transportation Business and Management*. https://doi.org/10.1016/j.rtbm.2023.101060

57. Trettin, S. (2006) Improving bus public transport provision through RTI and UTMC integration issues and systems. *13th World Congress on Intelligent Transport Systems and Services*. https://www.scopus.com/pages/publications/84950168453

58. Gustafsson, I. (2006) A framework for customer oriented intermodal information - Interaction between traffic agencies and their costumers. *13th World Congress on Intelligent Transport Systems and Services*. https://www.scopus.com/pages/publications/84950167618

59. Darono, A. (2018) Institutional Arrangement in the Implementation of Government's ESB: The Case of Indonesia. *Colloquium in Information Science and Technology, CIST*. https://doi.org/10.1109/CIST.2018.8596562

60. Hounsell, N. (2000) Improving bus operations using ITS. *Proceedings of the Conference on Traffic and Transportation Studies, ICTTS*. https://doi.org/10.1061/40503(277)133

61. Radin, S. (2009) Metropolitan transit ITS adoption in the United States. *Intelligent Transportation Society of America - 12th World Congress on Intelligent Transport Systems 2005*. https://www.scopus.com/pages/publications/84878455331

62. Åslund, V., Pettersson, F. (2023) Rationales for transitioning to electric buses in Swedish public transport. *Research in Transportation Economics*. https://doi.org/10.1016/j.retrec.2023.101308

63. Rahman, M.M., Wirasinghe, S.C., Kattan, L. (2013) Users' views on current and future real-time bus information systems. *Journal of Advanced Transportation*. https://doi.org/10.1002/atr.1206

64. Strathman, J.G., Dueker, K.J., Kimpel, T., (...), Griffin, D. (2000) Service reliability impacts of computer-aided dispatching and automatic vehicle location technology: a tri-met case study. *Transportation Quarterly*. https://www.scopus.com/pages/publications/0034195674

65. Hassan, M., Mahin, H.D., Ahmed, F., (...), Abdullah, M. (2025) Assessing Public Transit Network Efficiency and Accessibility in Johor Bahru and Penang, Malaysia: A Data-Driven Approach. *Results in Engineering*. https://doi.org/10.1016/j.rineng.2025.106126

66. Liu, L., Miller, H.J. (2020) Does real-time transit information reduce waiting time? An empirical analysis. *Transportation Research Part A: Policy and Practice*. https://doi.org/10.1016/j.tra.2020.09.014

67. Delling, D., Italiano, G.F., Pajor, T., Santaroni, F. (2014) Better transit routing by exploiting vehicle GPS data. *IWCTS 2014 - Proceedings of the 7th ACM SIGSPATIAL International Workshop on Computational Transportation Science*. https://doi.org/10.1145/2674918.2674923

68. Ariansyah, K., Dwi Takariani, C.S., Sari, D., (...), Hikmaturokhman, A. (2025) Transportation accessibility for people with disabilities: Examining preferences for conventional public transport and ride-hailing services in Indonesia. *Case Studies on Transport Policy*. https://doi.org/10.1016/j.cstp.2025.101451

69. Park, H., Darko, J., Yoon, G., Sundaram, I. (2023) Trip Planner MODE (Multimodal Optimal Dynamic pErsonalized). *IEEE Conference on Intelligent Transportation Systems, Proceedings, ITSC*. https://doi.org/10.1109/ITSC57777.2023.10422323

70. Henriquez-Jara, B., Arriagada, J., Tirachini, A. (2025) Impact of real-time information on passenger satisfaction across varying public transport quality levels in 13 Chilean cities. *Transportation Research Part A: Policy and Practice*. https://doi.org/10.1016/j.tra.2025.104622

71. Čelan, M., Klemenčič, M., Mrgole, A.L., Lep, M. (2017) Bus-stop Based Real Time Passenger Information System - Case Study Maribor. *IOP Conference Series: Materials Science and Engineering*. https://doi.org/10.1088/1757-899X/245/4/042008

72. Zhang, J., Wang, F.-Y., Wang, K., (...), Chen, C. (2011) Data-driven intelligent transportation systems: A survey. *IEEE Transactions on Intelligent Transportation Systems*. https://doi.org/10.1109/TITS.2011.2158001

73. Delling, D., Pajor, T., Werneck, R.F. (2012) Round-based public transit routing. *Proceedings of the Workshop on Algorithm Engineering and Experiments*. https://doi.org/10.1137/1.9781611972924.13

74. Hanft, Jeffrey, Iyer, Shrisan, Levine, Brian, Reddy, Alla (2016) Transforming Bus Service Planning Using Integrated Electronic Data Sources at NYC Transit. *Journal of Public Transportation*. https://doi.org/10.5038/2375-0901.19.2.6

75. Grossmann, E., Sauer, J., Schulz, C., Steil, P. (2023) Arc-Flags Meet Trip-Based Public Transit Routing. *Leibniz International Proceedings in Informatics, LIPIcs*. https://doi.org/10.4230/LIPIcs.SEA.2023.16

76. Praspaliauskas, G. (2011) Real time data dissemination in a regional multimodal trip planner - the bay area experience. *18th World Congress on Intelligent Transport Systems and ITS America Annual Meeting 2011*. https://www.scopus.com/pages/publications/84896950074

77. Mohammad, A.A., Ibraheem Mohammad, S., Al-Daoud, K.I., (...), Hunitie, M.F. (2025) Riding into the Future: Transforming Jordan's Public Transportation with Predictive Analytics and Real-Time Data. *Data and Metadata*. https://doi.org/10.56294/dm2025887

78. Kanagamalliga, S., Baby Shalini, M., Nivetha, T., Latha, R. (2024) Optimizing Smart Transportation with Real-Time Vehicle Tracking Systems for Enhanced Efficiency and Passenger Experience. *Proceedings of the 2024 10th International Conference on Communication and Signal Processing, ICCSP 2024*. https://doi.org/10.1109/ICCSP60870.2024.10544098

79. Peng, Z.-R., Huang, R. (2000) Design and development of interactive trip planning for web-based transit information systems. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/S0968-090X(00)00016-4

80. Rafi, M., M Noh, K.A., Abdul Latiff, A.H., (...), Mustafa, H.I. (2026) Big data architectures for distributed acoustic sensing: a review of storage, real-time processing, and scalable analytics. *Results in Optics*. https://doi.org/10.1016/j.rio.2026.101028

81. Somantri, A., Bandung, Y., Surendro, K. (2026) Sustainability-oriented data architecture for urban mobility: An integrated evaluation framework. *Environmental Modelling and Software*. https://doi.org/10.1016/j.envsoft.2026.107167

82. Bonomi, F., Milito, R., Zhu, J., Addepalli, S. (2012) Fog computing and its role in the internet of things. *MCC'12 - Proceedings of the 1st ACM Mobile Cloud Computing Workshop*. https://doi.org/10.1145/2342509.2342513

83. Swapna, E., Devi, A.R., Jayanna, S.P., (...), Adithya, B. (2025) Edge-Cloud Adaptive Framework for Real Time IoT Data Processing in Smart Cities. *2025 IEEE International Conference on Advances in Computing Research on Science Engineering and Technology, ACROSET 2025*. https://doi.org/10.1109/ACROSET66531.2025.11280634

84. Yadav, M., Patil, G.R., Mepparambath, R.M. (2026) New public transit accessibility metrics: system and system-facilitated accessibility measures. *Transportation Research Part A: Policy and Practice*. https://doi.org/10.1016/j.tra.2026.105158

85. Tokey, A.I., Liu, L., Miller, H.J. (2025) Measuring the impacts of sidewalks on public transit first mile/last mile accessibility and their association with social and demographic factors. *Transportation Research Interdisciplinary Perspectives*. https://doi.org/10.1016/j.trip.2025.101576

86. Wang, J.-Y., Wu, T.-L. (2013) The effects of changes in passenger habit with the real-time transit information service. *20th ITS World Congress Tokyo 2013*. https://www.scopus.com/pages/publications/84930183907

87. Sogbe, E., Susilawati, S., Currie, G. (2026) Rethinking urban mobility: A latent class analysis of Mobility-as-a-Service (MaaS) adoption tendencies. *Cities*. https://doi.org/10.1016/j.cities.2026.106908

88. Hall, R.W. (2001) Passenger waiting time and information acquisition using automatic vehicle location for verification. *Transportation Planning and Technology*. https://doi.org/10.1080/03081060108717670

89. Fujisaki, K., Yasuda, T., Ishigami, T., (...), Ishida, H. (2022) Empirical recommendations based on case studies in Japan for sustainable innovative mobility in rural areas. *Asian Transport Studies*. https://doi.org/10.1016/j.eastsj.2022.100079

90. Alizadeh, M., Haponenko, H., Ghorbankhani, N., (...), Emadi, A. (2023) Towards Smart Mobility: Journey Reconstruction for Frictionless Public Transit using GPS and GTFS Data. *2023 IEEE Transportation Electrification Conference and Expo, ITEC 2023*. https://doi.org/10.1109/ITEC55900.2023.10186962

91. Talasila, P., Haldar, A., Pai, S.S., (...), Deshpande, B.M. (2017) Multimodal transit scheduler: An actor-based concurrent approach. *IEEE Conference on Intelligent Transportation Systems, Proceedings, ITSC*. https://doi.org/10.1109/ITSC.2017.8317855

92. Nair, R., Coffey, C., Pinelli, F., Calabrese, F. (2013) Large-scale transit schedule coordination based on journey planner requests. *Transportation Research Record*. https://doi.org/10.3141/2351-08

93. Manga, I. (2025) Unified Data Engineering for Smart Mobility: Real-Time Integration of Traffic, Public Transport, and Environmental Data. *Proceedings of 5th International Conference on Soft Computing for Security Applications, ICSCSA 2025*. https://doi.org/10.1109/ICSCSA66339.2025.11170800

94. El-Geneidy, A.M., Horning, J., Krizek, K.J. (2011) Analyzing transit service reliability using detailed data from automatic vehicular locator systems. *Journal of Advanced Transportation*. https://doi.org/10.1002/atr.134

95. Liikka, J., Lahti, J., Alahuhta, P., Rosenberg, M. (2008) KAMO: Mobile guide for the city traveller. *IET Conference Publications*. https://doi.org/10.1049/cp:20081133

96. Abu Ashour, L.A., Shen, Q., Moudon, A., (...), Brown, M. (2024) Post-pandemic transit commute: Lessons from focus group discussions on the experience of essential workers during COVID-19. *Journal of Transport Geography*. https://doi.org/10.1016/j.jtrangeo.2024.103832

97. Butt, A., Sreevidya, D., Dixit, N., (...), Selvan, R.S. (2025) Low Latency Traffic Management in Smart Mobility Using Edge Computing and Federated Learning. *Proceedings of IEEE International Conference on Emerging Engineering Technologies and Applications, IC-EETA 2025*. https://doi.org/10.1109/IC-EETA66496.2025.11548229

98. Manthina, B.S., Gunale, A.G., Boddepalli, E., (...), Gupta, L. (2025) Advancing Smart Cities with Intelligent Edge Computing Leveraging Fog and IoT for Scalable Data Processing. *International Conference on NexGen Networks and Cybernetics, IC2NC 2025 - Proceedings*. https://doi.org/10.1109/IC2NC67409.2025.11376265

99. https://www.sciencedirect.com/science/article/pii/S236441682300104X

100. Barabino, B., Di Francesco, M., Mozzoni, S. (2017) Time Reliability Measures in bus Transport Services from the Accurate use of Automatic Vehicle Location raw Data. *Quality and Reliability Engineering International*. https://doi.org/10.1002/qre.2073

101. Schmidt, M., Schöbel, A. (2015) The complexity of integrating passenger routing decisions in public transportation models. *Networks*. https://doi.org/10.1002/net.21600

102. Euler, R., Lindner, N., Borndörfer, R. (2024) Price optimal routing in public transportation. *EURO Journal on Transportation and Logistics*. https://doi.org/10.1016/j.ejtl.2024.100128

103. Baum, M., Buchhold, V., Sauer, J., (...), Zündorf, T. (2019) Unlimited transfers for multi-modal route planning: An efficient solution. *Leibniz International Proceedings in Informatics, LIPIcs*. https://doi.org/10.4230/LIPIcs.ESA.2019.14

104. Yang, L., Huang, W., Liu, X., Yan, W. (2025) Wheelchair accessibility to public facilities via transits and analysis of delay factors—A case study of Shanghai, China. *Computers, Environment and Urban Systems*. https://doi.org/10.1016/j.compenvurbsys.2025.102331

105. Liu, T., Jiang, Y., Ceder, A.A., (...), Cheyne, L. (2019) Smartphone-based Public Transport Guidance: An Investigation of Potential Benefits. *2019 IEEE Intelligent Transportation Systems Conference, ITSC 2019*. https://doi.org/10.1109/ITSC.2019.8916848

106. Potthoff, M., Sauer, J. (2022) Fast Multimodal Journey Planning for Three Criteria. *Proceedings of the Workshop on Algorithm Engineering and Experiments*. https://www.scopus.com/pages/publications/85127434804

107. Goswami, A., Banerjee, C., Bharathi, D., Vanajakshi, L. (2026) Adaptive physics-informed machine learning for bus travel time prediction: Solving the peak prediction problem. *Applied Soft Computing*. https://doi.org/10.1016/j.asoc.2026.115435

108. Kieu, Le-Minh, Malleson, Nicolas, Heppenstall, Alison (2020) Dealing with uncertainty in agent-based models for short-term predictions. *Royal Society Open Science*. https://doi.org/10.1098/rsos.191074

109. Seva, R.R., Gutierrez, A.N.A., Arante, H.R., (...), Sybingco, E. (2025) FloodCast: A user-centered flood monitoring system to enhance user engagement. *Progress in Disaster Science*. https://doi.org/10.1016/j.pdisas.2025.100492

110. Gelb, J., Alizadeh, H., Desjardins, L. (2026) Towards fair transit: a toolbox for equity diagnostics in spatial accessibility. *Public Transport*. https://doi.org/10.1007/s12469-025-00412-y

111. Hu, D.-M., Li, S.-Y. (2008) Design and study of object-oriented distributed heterogeneous transportation information platform. *Shanghai Ligong Daxue Xuebao/Journal of University of Shanghai for Science and Technology*. https://www.scopus.com/pages/publications/57249114987

112. Horn, M.E.T. (2004) Procedures for planning multi-leg journeys with fixed-route and demand-responsive passenger transport services. *Transportation Research Part C: Emerging Technologies*. https://doi.org/10.1016/j.trc.2002.08.001

113. Nell, A., Herszenhut, D., Knudsen, C., (...), Avner, P. (2025) Carbon pricing and transit accessibility to jobs. *Transportation Research Part D: Transport and Environment*. https://doi.org/10.1016/j.trd.2025.104926

114. Ji, Y., Gao, L., Fan, Y., (...), Zhang, R. (2019) Waiting time perceptions at bus and metro stations in Nanjing, China: the importance of station amenities, trip contexts, and passenger characteristics. *Transportation Letters*. https://doi.org/10.1080/19427867.2017.1398854