ISSN: 2583-6749 (Online)

DTC Journal of Computational Intelligence

Innovative Carpooling App for Sustainable Urban Mobility

Madumita Mahapatra[1], Gorish Gupta[2], Archi Tanwar[3], Mayank Singh[4]
[1,2,3,4]Associate Professor, Delhi Technical Campus, Greater Noida, India

Abstract

With the rise in urban populations, cities face heightened challenges related to traffic congestion, air pollution, and the demand for efficient transportation. Traditional carpooling and taxi services, while useful, often lack the features needed to meet today's expectations for convenience, flexibility, and sustainability. This research introduces a next-generation carpooling application designed to address these gaps by leveraging modern web technologies to create a secure, adaptable, and eco-friendly solution for urban mobility. This project combines a variety of tools: React and Next.js power the front end, offering a fast and responsive user interface; Mapbox delivers real-time mapping and dynamic route calculations; Clerk manages secure user authentication; and Stripe facilitates cashless, in-app payments. Key features include dynamic pricing that adjusts based on travel distance and demand, real-time location tracking for precise route visualization, and a clean, user-friendly interface that enables seamless booking and management of carpool options. These features make the app an efficient, affordable alternative to single-occupancy vehicle use, reducing the number of cars on the road and thereby contributing to lower carbon emissions. Testing and user feedback highlight high levels of satisfaction with the app's design, ease of navigation, and secure handling of transactions. By addressing urban mobility challenges through technology, this project demonstrates the potential for advanced carpooling applications to offer sustainable transport options that also prioritize user convenience. Future enhancements could include offline accessibility, multi-language support, AI-driven personalization, and gamified elements to encourage sustainable commuting. Overall, this app lays the foundation for a scalable, community-oriented approach to urban transport, supporting both environmental goals and efficient, cost-effective mobility.

Keywords: Sustainable Urban Mobility, Carpooling Application, Dynamic Pricing, Real-Time Tracking, Secure Authentication, Mapbox API, Stripe Payment Integration

1. Introduction

Urban areas worldwide are witnessing rapid population growth, leading to increasing transportation challenges such as traffic congestion, rising pollution levels, and inefficient commuting options. While public transport systems like buses and subways offer solutions, they often struggle to accommodate growing demand. Additionally, private vehicle use exacerbates traffic issues, contributing to environmental degradation. Traditional carpooling has been a practical alternative, but its conventional forms—such as informal arrangements among coworkers or community members—lack flexibility, security, and scalability.

Ride-hailing services like Uber and Ola have revolutionized urban mobility, providing convenient commuting options. However, these platforms focus on individual rides rather than shared mobility, leading to higher fares and continued high vehicle density on roads. Furthermore, existing carpooling services often fail to address key issues such as user verification, dynamic pricing based on demand, real-time route tracking, and secure digital payments. The absence of these features leads to inefficiencies such as unpredictable fares, inaccurate navigation, and security concerns for users.

This project presents an innovative carpooling application designed to bridge these gaps using modern web technologies. The app aims to provide a scalable, secure, and user-friendly platform for sustainable commuting in urban environments. Built using React and Next.js, it delivers a seamless and intuitive user experience across different devices. Mapbox API facilitates real-time route tracking and precise distance calculations, ensuring accurate navigation. Clerk API enables secure user authentication, while Stripe allows for cashless, in-app transactions, enhancing reliability and convenience.

Key advantages of this carpooling solution include reduced single-passenger trips, lower emissions, and traffic decongestion. The implementation of dynamic pricing ensures transparent fare calculations based on travel distance and demand. Additionally, real-time tracking enhances user confidence and trip visibility. Secure digital payment integration eliminates the hassle of cash transactions, making the app more efficient than traditional carpooling methods.

By leveraging technology, this next-generation carpooling app provides an eco-friendly and cost-effective solution for urban transport. Future enhancements could include AI-driven ride recommendations, offline accessibility, multilingual support, and gamification elements to encourage carpool adoption. Overall, this project lays the foundation for a more sustainable and user-centric urban mobility system.

2. Objectives

The primary objective of this project is to develop an innovative and sustainable carpooling application that enhances urban mobility using modern web technologies. The key objectives include:

1. **Promoting Sustainable Transportation** – Reduce single-passenger vehicle usage, lower carbon emissions, and alleviate urban traffic congestion through an efficient carpooling system.

2. **Ensuring Secure and Seamless User Experience** – Implement robust authentication via Clerk API and integrate secure cashless transactions using Stripe for a trustworthy platform.

3. **Enhancing Real-Time Tracking and Navigation** – Utilize Mapbox API for precise route calculations, real-time ride tracking, and improved trip accuracy.

4. **Implementing Dynamic Pricing** – Develop a fair and transparent pricing model that adjusts fares based on travel distance and demand fluctuations.

5. **Scalability and Future Enhancements** – Design a flexible architecture to incorporate AI-driven personalization, ride history, and multi-language support for a wider user base.

3. Methodology

The development of this carpooling application follows a modular and scalable system architecture, ensuring efficiency, security, and ease of use. The front end is built using React and Next.js, providing a responsive and interactive user interface that enhances the overall user experience across multiple devices. On the back end, Next.js API routes handle data processing and user interactions, ensuring seamless communication between different system components. The application integrates multiple third-party APIs to enhance its functionality. Mapbox API is utilized for real-time location tracking, geocoding, and optimized route calculations, providing users with accurate navigation and journey updates. Clerk API ensures secure user authentication by allowing users to log in through various methods such as email or Google sign-in, safeguarding their personal information. Additionally, Stripe API is integrated to facilitate cashless transactions, offering users a secure and seamless payment experience. Dynamic pricing is implemented to adjust fares based on travel distance and demand, ensuring fair and transparent pricing for users. Real-time notifications keep users updated on their ride status, estimated arrival times, and any route changes. The user interface is designed to be intuitive, simplifying the process of booking and managing carpools. Emphasizing performance and security, the system is optimized for fast load times, reliable data handling, and cross-platform compatibility, ensuring a smooth and scalable urban mobility solution.

4. Literature Review

Carpooling has long been recognized as an effective method to reduce traffic congestion and environmental impact in urban areas. Traditionally, carpooling has been organized informally among coworkers, friends, or community members. However, these conventional methods lack the flexibility, security, and scalability required for modern urban mobility. This section reviews key aspects of carpooling, highlighting existing challenges and how technological advancements can address them.

4.1 Traditional Carpooling and Its Limitations

Historically, carpooling has relied on verbal agreements, fixed schedules, and limited participant pools, making it difficult for users to find convenient ride matches. Participants often face rigid scheduling constraints, leading to frequent cancellations or mismatches. Additionally, informal carpooling lacks proper tracking mechanisms, creating reliability and security concerns. Without a structured system, users struggle to coordinate efficiently, leading many to prefer private vehicles or ride-hailing services despite their higher costs.

4.2 Existing Ride-Sharing and Carpooling Services

Modern ride-hailing services like Uber and Ola have improved urban commuting, but they do not fully promote carpooling or shared rides. While services like UberPOOL and Ola Share attempt to offer carpooling options, they still face issues such as unpredictable fares, inefficient route optimizations, and concerns about safety due to inadequate user verification processes. Furthermore, these services primarily focus on profit-driven models rather than sustainability, leading to minimal impact in reducing single-passenger vehicle usage and overall carbon emissions.

4.3 . Security and Trust Issues in Carpooling

A major drawback of both traditional and app-based carpooling services is the lack of security and trust among users. Without proper user verification and identity checks, passengers often hesitate to share rides with strangers. Many existing platforms fail to provide robust authentication systems, increasing safety concerns. The lack of transparent driver and passenger reviews further diminishes trust. Addressing these concerns through secure authentication, verified profiles, and rating systems is essential for a reliable carpooling ecosystem.

4.4 Role of Technology in Improving Carpooling

Advancements in web technologies, artificial intelligence, and real-time tracking systems can significantly enhance carpooling services. Integrating features like Mapbox API for accurate route tracking, Clerk API for secure authentication, and Stripe for seamless payments can make carpooling more efficient and user-friendly. Additionally, AI-driven ride matching, dynamic pricing models, and automated notifications improve user experience, providing flexibility and transparency in ride bookings.

4.5 Need for a Next-Generation Carpooling App

To overcome existing challenges, a new carpooling platform must prioritize sustainability, affordability, and security while leveraging modern web technologies. The proposed carpooling app incorporates real-time tracking, dynamic pricing, secure authentication, and cashless transactions to offer a seamless user experience. By addressing the inefficiencies of traditional and existing carpooling models, this solution aims to make urban mobility more sustainable, efficient, and accessible to a broader audience.

5. Challenges and Opportunities in Implementation

The development of a next-generation carpooling application presents several challenges and opportunities in modern urban mobility. While technological advancements enable better user experiences, real-time tracking, and secure transactions, the implementation process encounters obstacles related to scalability, security, and regulatory concerns. Understanding these challenges through case studies and exploring future trends in carpooling can provide valuable insights into overcoming barriers and maximizing potential opportunities.

5.1 Case Studies on Carpooling Implementation

The implementation of carpooling applications has faced various challenges worldwide, often due to a combination of regulatory issues, user adoption difficulties, and technological limitations. A notable example is the case of UberPOOL, which aimed to provide an efficient ride-sharing service but was eventually discontinued in several regions due to operational inefficiencies and declining demand during the COVID-19 pandemic. Despite offering reduced fares, users often found ride-matching inefficient, leading to increased wait times and circuitous routes that negated the cost savings. Furthermore, issues such as passenger security, lack of driver incentives, and fluctuating ride availability created an inconsistent user experience.

Similarly, BlaBlaCar, a long-distance carpooling service, has experienced challenges in adapting its model to urban short-distance travel. Unlike traditional ride-hailing services, BlaBlaCar relies on non-professional drivers who share rides voluntarily. While this reduces operational costs, it also creates unpredictability in ride availability. The lack of immediate bookings and guaranteed matches makes it less effective in high-demand urban areas, where users prioritize convenience and speed. Regulatory issues have also impacted carpooling services, as many cities impose restrictions on fare-sharing, driver licensing, and insurance requirements. These legal barriers make it difficult for new carpooling startups to enter the market without significant compliance costs.

These case studies highlight that while carpooling apps have the potential to reduce traffic congestion and promote sustainable transportation, overcoming challenges such as regulatory compliance, efficient ride-matching, and security concerns is crucial for long-term success. By learning from these cases, the proposed carpooling app can integrate better algorithms, enhanced security measures, and a flexible pricing model to provide a more effective and reliable service.

5.2 Future Trends and Innovations

The future of carpooling and ride-sharing applications lies in leveraging cutting-edge technologies and innovative business models to create a seamless urban mobility experience. One of the most promising trends is the integration of artificial intelligence (AI) to optimize ride-matching. AI-driven algorithms can analyze user preferences, historical ride data, and real-time traffic conditions to provide more efficient carpooling options. This not only improves ride availability but also ensures that passengers with similar routes and schedules are matched effectively.

Another key innovation is the adoption of blockchain technology for secure and transparent transactions. Blockchain can create a decentralized system where ride records, payments, and user ratings are securely stored and verified, reducing fraud and enhancing trust among users. This technology can also facilitate smart contracts for automated fare calculations and driver incentives. The expansion of multimodal transportation is another opportunity, where carpooling services are integrated with public transport systems, bike-sharing, and electric scooters. Users can plan their entire journey within a single app, seamlessly transitioning between different modes of transport based on real-time availability and cost efficiency. Such integrations not only improve user convenience but also encourage eco-friendly commuting habits.

Sustainability remains a driving force in urban mobility innovation, and future carpooling apps can incorporate incentives for electric vehicle (EV) usage. Ride-sharing platforms can offer discounts or rewards for drivers who use EVs, contributing to lower carbon emissions and promoting green transportation. Additionally, gamification strategies, such as loyalty programs and reward points for frequent users, can enhance engagement and encourage long-term adoption of carpooling services.

6. Results and Discussion

The carpooling application successfully enhances urban mobility by offering a user-friendly interface, real-time tracking, dynamic pricing, and secure payments. Mapbox API ensures precise navigation, while Clerk API enhances security through verified authentication. The Stripe integration provides seamless cashless transactions, improving convenience. Built with React and Next.js, the app delivers fast performance and cross-platform usability.

Performance tests confirm quick response times, with ride bookings, fare calculations, and payments processing efficiently. However, API rate limits from Mapbox and Stripe sometimes cause delays, and occasional payment failures occur under high traffic. Optimization strategies, such as API caching and retry mechanisms, can improve scalability. User feedback is largely positive, praising the app's ease of navigation and secure payments. However, requests for driver tracking, ride history, and additional payment methods highlight areas for improvement. Future enhancements will focus on scalability, security, and new features to create a more efficient ride-sharing experience.

6.1 Conclusion

The results of the carpooling application demonstrate that a well-integrated digital platform can improve the efficiency, security, and accessibility of urban transportation. By leveraging React and Next.js, the application delivers a seamless and responsive user interface, ensuring a smooth ride-booking experience. Mapbox API integration provides real-time tracking and accurate route calculations, enhancing trip visibility and improving user confidence. The implementation of dynamic pricing allows for fair and transparent fare estimations, adjusting based on real-time demand and distance traveled. Secure authentication through Clerk API ensures that only verified users access the platform, mitigating security concerns. Additionally, Stripe API integration enables cashless transactions, making payments effortless and reducing the need for manual fare handling.

Performance analysis reveals that the application maintains high responsiveness and efficiency, with key functionalities executing within acceptable time frames. The real-time location tracking feature updates quickly, and ride-matching algorithms provide accurate recommendations for passengers. The dynamic pricing model is effective, preventing sudden fare spikes and offering users more predictable costs compared to traditional ride-hailing services. User authentication via Clerk enables seamless logins and social sign-in options, streamlining the onboarding process for new users.

Despite these successes, certain challenges remain. During peak usage hours, API rate limits from Mapbox and Stripe can affect response times, occasionally leading to slow updates in ride tracking and payment processing.

Additionally, while the server-side rendering (SSR) capabilities of Next.js 13 improve page loading speeds, high concurrent user traffic may still require further optimization strategies such as API call caching, database indexing, and load balancing techniques. Another limitation is the lack of driver tracking and ride history, which users have requested as additional features. Addressing these issues will enhance the application's functionality, making it more competitive in the urban mobility space.

In terms of user experience, feedback has been overwhelmingly positive, with users appreciating the ease of navigation, secure payment processing, and transparency in fare calculation. However, users have suggested improvements such as the addition of multi-payment options (UPI, e-wallets), ride history tracking, and an in-app messaging system for better coordination between drivers and passengers. Future updates should focus on incorporating these features to enhance user engagement and retention.

The findings highlight that while the current implementation is robust, further refinements are required for large-scale adoption. The scalability and long-term success of the platform depend on continued optimizations, feature expansions, and improvements in system performance. With the right strategies, the carpooling application can become a key player in the ride-sharing ecosystem, offering a cost-effective and sustainable alternative to traditional transportation.

6.2 Recommendations for Successful Implementation

To ensure the successful deployment and long-term sustainability of the carpooling application, several strategic recommendations must be considered. These focus on performance optimization, security enhancements, scalability, and user engagement strategies.

1. **Performance Optimization and Scalability Enhancements**

For the application to function effectively under high demand, performance optimization techniques should be implemented. One key approach is API call optimization, where frequently requested data (such as popular routes and common pickup points) is cached to reduce redundant queries to Mapbox and Stripe. Additionally, database indexing and load balancing will improve response times by efficiently managing concurrent requests. Implementing background data processing for non-essential tasks (e.g., generating ride history reports) can also reduce server load and enhance performance.

To prepare for a growing user base, the backend architecture should be designed with horizontal scalability in mind. Using cloud-based infrastructure and auto-scaling server capabilities ensures the system can handle increased traffic without disruptions. Implementing a microservices architecture can also allow different functionalities (such as authentication, ride-matching, and payments) to operate independently, improving system resilience.

2. **Strengthening Security and Trust Mechanisms**

Building trust among users is critical for the success of a carpooling application. One effective strategy is enhanced user verification, where identity confirmation methods such as government ID verification or AI-powered facial recognition can be integrated into the authentication process. This will reduce security risks and ensure only legitimate users access the platform.

To further improve safety, in-app emergency features such as SOS buttons, live location sharing with emergency contacts, and driver/passenger rating systems should be introduced. Ensuring that ride details, payment records, and user interactions are encrypted will protect sensitive user data and prevent fraudulent activities.

3. **Expanding Feature Set to Improve User Experience**

To remain competitive, the application should focus on adding user-friendly features. Real-time driver tracking, which allows passengers to monitor their ride in progress, will significantly improve reliability and engagement. Ride history functionality should be incorporated, allowing users to view past trips, track expenses, and provide feedback on previous rides.

Expanding payment options beyond Stripe to include UPI, e-wallets, and cryptocurrency support will attract a wider user base, particularly in regions where alternative payment methods are popular. Additionally, multilingual support and voice-assisted booking can make the app more accessible to diverse demographics.

4. Leveraging AI and Machine Learning for Smart Ride-Matching

Integrating AI-driven ride-matching algorithms can enhance the efficiency of carpools by analyzing user preferences, travel history, and real-time traffic data to provide the best ride recommendations. AI can also be used to predict demand surges and optimize dynamic pricing accordingly.

Chatbots and virtual assistants powered by AI can improve customer support by handling booking modifications, cancellations, and general inquiries without the need for human intervention. These AI-based enhancements can significantly improve the overall user experience while reducing operational costs.

References

[1] J. F. Fuller, E. F. Fuchs, and K. J. Roesler, "Influence of harmonics on power distribution system protection," IEEE Trans. Power Delivery, vol. 3, pp. 549-557, Apr. 1988.

[2] E. Clarke, Circuit Analysis of AC Power Systems, vol. I. New York: Wiley, 1950.

[3] S. Hwang, "Frequency domain system identification of helicopter rotor dynamics," Ph.D. dissertation, Dept. Aerosp. Eng., Univ. Maryland, College Park, 1997.

[4] Mapbox Documentation, Geocoding API Overview, Mapbox API Documentation, Link.

[5] Stripe API Documentation, Payment Integration, Stripe API Documentation, Link.

[6] C. D. Manning, P. Raghavan, and H. Schütze, Introduction to Information Retrieval, New York: Cambridge University Press, 2008.

[7] M. Fowler, Patterns of Enterprise Application Architecture, Addison-Wesley, 2002.

[8] K. Beck, Test-Driven Development: By Example, Addison-Wesley Professional, 2003.

[9] D. Crockford, JavaScript: The Good Parts, O'Reilly Media, Inc., 2008.

[10] React Documentation, "Building User Interfaces with React," Meta, Link