

### Numbered References

1. Caspi A, Houts RM, Belsky DW, Goldman-Mellor SJ, Harrington H, Israel S, et al. The p factor: One General Psychopathology Factor in the Structure of Psychiatric Disorders? Clin Psychol Sci. 2014;2(2):119–37.
2. Lahey BB, Ph D. Is there a general factor of psychopathology? J Abnorm Psychol. 2012;121(4):971–7.
3. Snyder HR, Young JF, Hankin BL. Strong Homotypic Continuity in Common Psychopathology-, Internalizing-, and Externalizing-Specific Factors Over Time in Adolescents. Clin Psychol Sci. 2017;5(1):98–110.
4. Caspi A, Houts RM, Fisher HL, Danese A, Moffitt TE. The General Factor of Psychopathology (p): Choosing Among Competing Models and Interpreting p. Clin Psychol Sci. 2023;1–30.
5. Keyes CLM. Mental illness and/or mental health? Investigating axioms of the complete state model of health. J Consult Clin Psychol. 2005;73(3):539–48.
6. Evidence Based Practice Unit. HeadStart national evaluation final report. Supporting the mental health and wellbeing of children and young people: the role of HeadStart [Internet]. 2023. Available from: <https://www.annafreud.org/research/past-researchprojects/the-headstart-learning-programme/>
7. van Buuren S. Multiple imputation of discrete and continuous data by fully conditional specification. Stat Methods Med Res. 2007;16(3):219–42.
8. van Buuren S, Groothuis-Oudshoorn K. mice: Multivariate Imputation by Chained Equations in R. J Stat Softw [Internet]. 2011 Dec 12;45(3 SE-Articles):1–67. Available from: <https://www.jstatsoft.org/index.php/jss/article/view/v045i03>

9. Jorgensen, T. D., Pornprasertmanit, S., Schoemann, A. M., & Rosseel, Y. (2022).  
semTools: Useful tools for structural equation modeling. R package version 0.5-6.  
Retrieved from <https://CRAN.R-project.org/package=semTools>