

Session:16

1. Using `iter()` and `next()` (Movies list)

```
movies = ["Dune 2", "Pathaan", "Oppenheimer", "Jawan", "Animal"]

movie_iter = iter(movies)

print(next(movie_iter))
print(next(movie_iter))
print(next(movie_iter))
print(next(movie_iter))
print(next(movie_iter))
```

2. Using `enumerate()` (Spotify-style playlist)

```
songs = ["Kesariya", "Blinding Lights", "Tum Hi Ho", "Peaches", "Levitating",
"Believer"]

for index, song in enumerate(songs, start=1):
    print(f"{index}. {song}")
```

3. Using `zip()` (Zomato-style menu)

```
foods = ["Pizza", "Burger", "Pasta", "Biryani", "Sandwich"]
prices = [250, 120, 180, 300, 90]

for food, price in zip(foods, prices):
    print(f"{food} - ₹{price}")
```

4. Generator: Instagram posts (`yield` + `next()`)

```
def insta_posts_generator(posts):
    for post in posts:
        yield post
```

```
posts = ["Sunset vibes 🌅", "New gym PR 💪", "Coffee time ☕", "Travel diary 📖"]
```

```
gen = insta_posts_generator(posts)
```

```
try:
    print(next(gen))
    print(next(gen))
    print(next(gen))
    print(next(gen))
    print(next(gen)) # This will raise StopIteration
```

```
except StopIteration:
    print("No more posts!")
```

5. Generator: Cashback calculator

```
def cashback_generator(transactions):
    for amount in transactions:
        yield amount * 0.05

transactions = [1000, 2500, 500, 3200, 1500]

cashback = cashback_generator(transactions)

for value in cashback:
    print(f"Cashback: ₹{value}")
```