

Session:9

1. Calculate final price after discount

```
def calculate_final_price(price, discount_rate):  
    final_price = price - (price * discount_rate)  
    return final_price  
  
# Test case  
result = calculate_final_price(1200, 0.15)  
print("Final Price:", result)
```

2. Delivery charge function with default city

```
def get_delivery_charge(amount, city='Ahmedabad'):  
    if city == 'Ahmedabad':  
        return 30  
    else:  
        return 50  
  
Call without city argument  
print("Charge (default city):", get_delivery_charge(500))  
  
Call with city argument  
print("Charge (Surat):", get_delivery_charge(500, "Surat"))
```

3. Coupon message with default discount

```
def format_coupon_message(username, discount=10):  
    return f"Hi {username}, you get {discount}% off!"  
  
# With custom discount  
print(format_coupon_message("Rahul", 20))  
  
# With default discount  
print(format_coupon_message("Asha"))
```

4. Apply discount with default rate

```
def apply_discount(price, rate=0.10):  
    return price - (price * rate)  
  
# Call with only price argument  
print("Final Price:", apply_discount(1000))
```

5. Cashback calculation function

```
def calculate_cashback(amount, cashback_rate=0.05):  
    return amount * cashback_rate  
  
# Zomato order (default 5%)  
zomato_cashback = calculate_cashback(500)  
print("Zomato Cashback:", zomato_cashback)  
  
# Flipkart order (7% cashback)  
flipkart_cashback = calculate_cashback(2000, 0.07)  
print("Flipkart Cashback:", flipkart_cashback)
```