

Assignment27

```
package StepDefinition;
```

```
import io.cucumber.junit.Cucumber;
```

```
import org.junit.runner.RunWith;
```

```
import io.cucumber.junit.CucumberOptions;
```

```
@RunWith(Cucumber.class)
```

```
@CucumberOptions (features="src/test/resources/features",
```

```
glue= {"StepDefinition","Hooks"},
```

```
tags="@Smoke",
```

```
plugin=
```

```
{"pretty","html:target/htmlreports/report1.html","json:target/jsonreport/report","junit:target/junitreport/report"}
```

```
)
```

```
public class TestRunner {
```

```
}
```

```
package Hooks;
```

```
import org.openqa.selenium.WebDriver;  
import org.openqa.selenium.chrome.ChromeDriver;
```

```
import io.cucumber.java.After;  
import io.cucumber.java.Before;
```

```
public class Hooks {
```

```
    public static WebDriver driver;
```

```
    @Before
```

```
    public void setup() {
```

```
        driver = new ChromeDriver();
```

```
        driver.manage().window().maximize();
```

```
        driver.get("https://tutorialsninja.com/demo/");
```

```
        System.out.println("Browser Opened");
```

```
    }
```

```
    @After
```

```
    public void tearDown() {
```

```
        if (driver != null) {  
  
            driver.quit();  
        }  
  
        System.out.println("Browser Closed");  
    }  
}
```

```
package POM_test;
```

```
import org.openqa.selenium.By;
```

```
import org.openqa.selenium.WebDriver;
```

```
public class Page {
```

```
    WebDriver driver;
```

```
    public Page(WebDriver driver) {
```

```
        this.driver = driver;
```

```
    }
```

```
    By firstname = By.id("input-firstname");
```

By lastname = By.id("input-lastname");

By email = By.id("input-email");

By telephone = By.id("input-telephone");

By password = By.id("input-password");

By confirmPassword = By.id("input-confirm");

By privacyPolicy = By.name("agree");

By continueBtn = By.xpath("//input[@value='Continue']");

By loginEmail = By.id("input-email");

By loginPassword = By.id("input-password");

By loginBtn = By.xpath("//input[@value='Login']");

By searchBox = By.name("search");

```
By searchBtn = By.xpath("//button[@class='btn btn-default btn-lg']");
```

```
By addToCartBtn = By.id("button-cart");
```

```
By shoppingCart = By.linkText("shopping cart");
```

```
By checkoutBtn = By.linkText("Checkout");
```

```
By removeBtn = By.xpath("//button[@data-original-title='Remove']");
```

```
By myAccount = By.xpath("//span[text()='My Account']][1]");
```

```
By registerBtn = By.linkText("Register");
```

```
By logoutBtn = By.xpath("//a[text()='Logout']");
```

```
public void MyAccount() {
```

```
    driver.findElement(By.xpath("//span[text()='My Account']")).click();
```

```
}
```

```
public void Register() {
```

```
    driver.findElement(registerBtn).click();
```

```
}
```

```
public void Firstname(String fname) {
```

```
    driver.findElement(firstname).sendKeys(fname);
```

```
}
```

```
public void Lastname(String lname) {
```

```
    driver.findElement(lastname).sendKeys(lname);
```

```
}
```

```
public void Email(String mail) {
```

```
    driver.findElement(email).sendKeys(mail);
```

```
}
```

```
public void Telephone(String phone) {
```

```
    driver.findElement(telephone).sendKeys(phone);
```

```
}
```

```
public void Password(String pass) {
```

```
    driver.findElement(password).sendKeys(pass);  
}
```

```
public void ConfirmPassword(String cpass) {
```

```
    driver.findElement(confirmPassword).sendKeys(cpass);  
}
```

```
public void PrivacyPolicy() {
```

```
    driver.findElement(privacyPolicy).click();  
}
```

```
public void Continue() {
```

```
    driver.findElement(continueBtn).click();  
}
```

```
public void LoginPage() {
```

```
    driver.get("https://tutorialsninja.com/demo/index.php?route=account/login");
```

```
}
```

```
public void LoginEmail(String mail) {
```

```
    driver.findElement(loginEmail).sendKeys(mail);
```

```
}
```

```
public void LoginPassword(String pass) {
```

```
    driver.findElement(loginPassword).sendKeys(pass);
```

```
}
```

```
public void Login() {
```

```
    driver.findElement(loginBtn).click();
```

```
}
```

```
public void searchProduct(String product) {
```

```
    driver.findElement(searchBox).sendKeys(product);
```

```
}
```

```
public void SearchButton() {
```



```
        driver.findElement(searchBtn).click();  
    }  
}
```

```
public void SearchedProduct(String productname) {
```

```
    driver.findElement(By.linkText(productname)).click();  
}
```

```
public void AddToCart() {
```

```
    driver.findElement(addToCartBtn).click();  
}
```

```
public void ShoppingCart() {
```

```
    driver.findElement(shoppingCart).click();  
}
```

```
public void Checkout() {
```

```
    driver.findElement(checkoutBtn).click();  
}
```

```
public void RemoveButton() {  
  
    driver.findElement(removeBtn).click();  
}
```

```
public void Logout() {  
  
    driver.findElement(By.linkText("Logout")).click();  
}
```

```
}
```

```
package StepDefinition;
```

```
import org.openqa.selenium.WebDriver;
```

```
import Hooks.Hooks;
```

```
import POM_test.Page;
```

```
import io.cucumber.java.en.*;
```

```
public class NinjaFlowTest {
```

```
    WebDriver driver = Hooks.driver;
```

```
Page p = new Page(Hooks.driver);
```

```
@Given("user open TutorialsNinja homepage")
```

```
public void user_open_tutorialsninja_homepage() {
```

```
    System.out.println("Homepage Opened");
```

```
}
```

```
@Given("user open TutorialsNinja registration page")
```

```
public void user_open_tutorialsninja_registration_page() {
```

```
    p.MyAccount();
```

```
    p.Register();
```

```
    System.out.println("Registration Page Opened");
```

```
}
```

```
@When("^user enter firstname (.*)$")
```

```
public void user_enter_firstname(String firstname) {
```

```
    p.Firstname(firstname);
```

```
}
```

```
@And("^user enter lastname (.*)$")
```

```
public void user_enter_lastname(String lastname) {
```

```
    p.Lastname(lastname);
```

```
}
```

```
@And("^user enter registration email (.*)$")
```

```
public void user_enter_registration_email(String email) {
```

```
    p.Email(email);
```

```
}
```

```
@And("^user enter telephone (.*)$")
```

```
public void user_enter_telephone(String telephone) {
```

```
    p.Telephone(telephone);
```

```
}
```

```
@And("^user enter registration password (.*)$")
```

```
public void user_enter_registration_password(String password) {
```

```
    p.Password(password);
```

```
}
```

```
@And("^user enter confirm password (.*)$")
```

```
public void user_enter_confirm_password(String confirmpassword) {
```

```
    p.ConfirmPassword(confirmpassword);  
}
```

```
@And("user click on privacy policy checkbox")  
public void user_click_on_privacy_policy_checkbox() {
```

```
    p.PrivacyPolicy();  
}
```

```
@And("user click on continue button")  
public void user_click_on_continue_button() throws InterruptedException {
```

```
    p.Continue();
```

```
    Thread.sleep(3000);  
}
```

```
@And("user logout after registration")  
public void user_logout_after_registration() throws InterruptedException {
```

```
    p.MyAccount();
```

```
    Thread.sleep(2000);
```

```
p.Logout();
```

```
System.out.println("Logout Passed");
```

```
Thread.sleep(3000);
```

```
}
```

```
@And("user open login page")
```

```
public void user_open_login_page() {
```

```
    p.LoginPage();
```

```
}
```

```
@And("^user enter login email (.*)$")
```

```
public void user_enter_login_email(String email) {
```

```
    p.LoginEmail(email);
```

```
}
```

```
@And("^user enter login password (.*)$")
```

```
public void user_enter_login_password(String password) {
```

```
    p.LoginPassword(password);
```

```
}
```

```
@And("user click on login button")
```

```
public void user_click_on_login_button() throws InterruptedException {
```

```
    p.Login();
```

```
    Thread.sleep(3000);
```

```
}
```

```
@And("^user search product (.*)$")
```

```
public void user_search_product(String productname) {
```

```
    p.searchProduct(productname);
```

```
}
```

```
@And("user click on search button")
```

```
public void user_click_on_search_button() throws InterruptedException {
```

```
    p.SearchButton();
```

```
    Thread.sleep(3000);
```

```
}
```

```
@And("^user click on searched product (.*)$")
```

```
public void user_click_on_searched_product(String productname) throws InterruptedException {
```

```
p.SearchedProduct(productname);
```

```
Thread.sleep(3000);
```

```
}
```

```
@And("user click on add to cart button")
```

```
public void user_click_on_add_to_cart_button()
```

```
throws InterruptedException {
```

```
p.AddToCart();
```

```
Thread.sleep(3000);
```

```
}
```

```
@And("user click on shopping cart")
```

```
public void user_click_on_shopping_cart()
```

```
throws InterruptedException {
```

```
p.ShoppingCart();
```

```
Thread.sleep(3000);
```

```
}
```

```
@And("user click on checkout button")
```



```
public void user_click_on_checkout_button() {  
  
    try {  
  
        p.Checkout();  
  
    } catch (Exception e) {  
  
        System.out.println("Checkout Not Available");  
    }  
}
```

```
@And("user click on remove button")
```

```
public void user_click_on_remove_button() {  
  
    driver.get("https://tutorialsninja.com/demo/index.php?route=checkout/cart");  
  
    p.RemoveButton();  
  
    System.out.println("Remove Cart Passed");  
}
```

```
@And("user logout successfully")
```

```
public void user_logout_successfully() throws InterruptedException {
```

```
driver.get("https://tutorialsninja.com/demo/");
```

```
p.MyAccount();
```

```
Thread.sleep(2000);
```

```
p.Logout();
```

```
System.out.println("Final Logout Passed");
```

```
}
```

```
@Then("complete ecommerce flow should execute successfully")
```

```
public void complete_ecommerce_flow_should_execute_successfully() {
```

```
System.out.println("Complete Ecommerce Flow Passed");
```

```
}
```

```
}
```

java - Cucumber_BBD/src/test/java/StepDefinition/TesterRunner.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Project Explorer JUnit X Test Results

Finished after 154.896 seconds

Runs: 2/2 Errors: 0

StepDefinition.TestRunner [Runner]

```
@Smoke
Scenario Outline: verify registration login search add to cart checkout remove cart and logout functionality # src/test/resources/features/TutorialNinja.feature:50
  Browser Opened
  Homepage Opened
  Given user open TutorialNinja homepage # StepDefinition.NinjaFlowTest.user_open_tutorialsninja_homepage()
  Registration Page Opened # StepDefinition.NinjaFlowTest.user_open_tutorialsninja_registration
  When user enter first name Ritika # StepDefinition.NinjaFlowTest.user_enter_firstname(java.lang.String)
  And user enter lastname Agrawal # StepDefinition.NinjaFlowTest.user_enter_lastname(java.lang.String)
  And user enter registration email ritika147@gmail.com # StepDefinition.NinjaFlowTest.user_enter_registration_email(java.lang.String)
  And user enter telephone 9876543210 # StepDefinition.NinjaFlowTest.user_enter_telephone(java.lang.String)
  And user enter registration password Test@123 # StepDefinition.NinjaFlowTest.user_enter_registration_password(java.lang.String)
  And user confirm password Test@123 # StepDefinition.NinjaFlowTest.user_enter_confirm_password(java.lang.String)
  And user click on privacy policy checkbox # StepDefinition.NinjaFlowTest.user_click_on_privacy_policy_checkbox()
  And user click on continue button # StepDefinition.NinjaFlowTest.user_click_on_continue_button()
  Logout Passed # StepDefinition.NinjaFlowTest.user_logout_after_registration()
  And user open login page # StepDefinition.NinjaFlowTest.user_open_login_page()
  And user enter login email ritika147@gmail.com # StepDefinition.NinjaFlowTest.user_enter_login_email(java.lang.String)
  And user enter login password Test@123 # StepDefinition.NinjaFlowTest.user_enter_login_password(java.lang.String)
  And user click on login button # StepDefinition.NinjaFlowTest.user_click_on_login_button()
  And user search product iPhone # StepDefinition.NinjaFlowTest.user_search_product(java.lang.String)
  And user click on search button # StepDefinition.NinjaFlowTest.user_click_on_search_button()
  And user click on searched product iPhone # StepDefinition.NinjaFlowTest.user_click_on_searched_product(java.lang.String)
  And user click on add to cart button # StepDefinition.NinjaFlowTest.user_click_on_add_to_cart_button()
  And user click on shopping cart # StepDefinition.NinjaFlowTest.user_click_on_shopping_cart()
  And user click on checkout button # StepDefinition.NinjaFlowTest.user_click_on_checkout_button()
  Remove Cart Passed # StepDefinition.NinjaFlowTest.user_click_on_remove_button()
  And user click on remove button # StepDefinition.NinjaFlowTest.user_click_on_remove_button()
  Final Logout Passed # StepDefinition.NinjaFlowTest.user_logout_successfully()
  And user logout successfully # StepDefinition.NinjaFlowTest.user_logout_successfully()
  Complete Ecommerce Flow Passed # StepDefinition.NinjaFlowTest.complete_ecommerce_flow_should_execute_successfully()
  Then complete ecommerce flow should execute successfully # StepDefinition.NinjaFlowTest.complete_ecommerce_flow_should_execute_successfully()
  Browser Closed
```

@Smoke

Scenario Outline: verify registration login search add to cart checkout remove cart and logout functionality # src/test/resources/features/TutorialNinja.feature:51

Browser Opened

Homepage Opened

java - Cucumber_BBD/src/test/java/StepDefinition/TesterRunner.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Project Explorer JUnit X Test Results

Finished after 154.896 seconds

Runs: 2/2 Errors: 0

StepDefinition.TestRunner [Runner]

```
@Smoke
Scenario Outline: verify registration login search add to cart checkout remove cart and logout functionality # src/test/resources/features/TutorialNinja.feature:51
  Browser Opened
  Homepage Opened
  Given user open TutorialNinja homepage # StepDefinition.NinjaFlowTest.user_open_tutorialsninja_homepage()
  Registration Page Opened # StepDefinition.NinjaFlowTest.user_open_tutorialsninja_registration
  When user enter first name Yashi # StepDefinition.NinjaFlowTest.user_enter_firstname(java.lang.String)
  And user enter lastname Agrawal # StepDefinition.NinjaFlowTest.user_enter_lastname(java.lang.String)
  And user enter registration email yashi258@gmail.com # StepDefinition.NinjaFlowTest.user_enter_registration_email(java.lang.String)
  And user enter telephone 9876543210 # StepDefinition.NinjaFlowTest.user_enter_telephone(java.lang.String)
  And user enter registration password yashi@12 # StepDefinition.NinjaFlowTest.user_enter_registration_password(java.lang.String)
  And user confirm password yashi@12 # StepDefinition.NinjaFlowTest.user_enter_confirm_password(java.lang.String)
  And user click on privacy policy checkbox # StepDefinition.NinjaFlowTest.user_click_on_privacy_policy_checkbox()
  And user click on continue button # StepDefinition.NinjaFlowTest.user_click_on_continue_button()
  Logout Passed # StepDefinition.NinjaFlowTest.user_logout_after_registration()
  And user open login page # StepDefinition.NinjaFlowTest.user_open_login_page()
  And user enter login email yashi258@gmail.com # StepDefinition.NinjaFlowTest.user_enter_login_email(java.lang.String)
  And user enter login password yashi@12 # StepDefinition.NinjaFlowTest.user_enter_login_password(java.lang.String)
  And user click on login button # StepDefinition.NinjaFlowTest.user_click_on_login_button()
  And user search product iPhone # StepDefinition.NinjaFlowTest.user_search_product(java.lang.String)
  And user click on search button # StepDefinition.NinjaFlowTest.user_click_on_search_button()
  And user click on searched product iPhone # StepDefinition.NinjaFlowTest.user_click_on_searched_product(java.lang.String)
  And user click on add to cart button # StepDefinition.NinjaFlowTest.user_click_on_add_to_cart_button()
  And user click on shopping cart # StepDefinition.NinjaFlowTest.user_click_on_shopping_cart()
  And user click on checkout button # StepDefinition.NinjaFlowTest.user_click_on_checkout_button()
  Remove Cart Passed # StepDefinition.NinjaFlowTest.user_click_on_remove_button()
  And user click on remove button # StepDefinition.NinjaFlowTest.user_click_on_remove_button()
  Final Logout Passed # StepDefinition.NinjaFlowTest.user_logout_successfully()
  And user logout successfully # StepDefinition.NinjaFlowTest.user_logout_successfully()
  Complete Ecommerce Flow Passed # StepDefinition.NinjaFlowTest.complete_ecommerce_flow_should_execute_successfully()
  Then complete ecommerce flow should execute successfully # StepDefinition.NinjaFlowTest.complete_ecommerce_flow_should_execute_successfully()
  Browser Closed
```