

Assignment22

```
package WebDriver_pack;

import java.time.Duration;
import java.util.List;
import java.util.Set;

import org.openqa.selenium.By;
import org.openqa.selenium.JavascriptExecutor;
import org.openqa.selenium.Keys;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import org.openqa.selenium.interactions.Actions;
import org.openqa.selenium.support.ui.ExpectedConditions;
import org.openqa.selenium.support.ui.WebDriverWait;
import org.testng.Assert;

public class NykaaCase {

    public static void main(String[] args) throws InterruptedException {

        WebDriver driver;
        WebDriverWait wait = null;

        driver = new ChromeDriver();

        driver.manage().window().maximize();

        driver.manage().timeouts().implicitlyWait(Duration.ofSeconds(10));

        driver.get("https://www.nykaa.com/");

        WebElement beautyAdvice =
            driver.findElement(By.xpath("//a[contains(text(),'Beauty
Advice')]"));

        Actions act = new Actions(driver);

        act.moveToElement(beautyAdvice).perform();

        Thread.sleep(3000);

        driver.navigate().to("https://www.nykaa.com/sp/shop-all-buying-guide/shop-
all-buying-guide");

        Thread.sleep(5000);

        Set<String> windows = driver.getWindowHandles();

        for (String win : windows) {
```

```

        driver.switchTo().window(win);
    }

    JavascriptExecutor js = (JavascriptExecutor) driver;

    js.executeScript("window.scrollTo(0,700)");

    Thread.sleep(3000);
    WebElement quiz =

driver.findElement(By.xpath("//*[@id=\"647ec626afcf43a5c726811e\"]/a/img"));

    quiz.click();

    Thread.sleep(5000);
    WebElement quiz1
=driver.findElement(By.xpath("//*[@id=\"app\"]/div[1]/div[1]/div/div[1]/div[2]/div[2]
/img"));

    quiz1.click();
    List<WebElement> radio1 = driver.findElements(By.className("ques-radio"));
        js.executeScript("arguments[0].scrollIntoView(true);", radio1.get(1));
        Thread.sleep(3000);
        js.executeScript("arguments[0].click();", radio1.get(1));

    List<WebElement> radio2 = driver.findElements(By.id("q2c"));
        js.executeScript("arguments[0].scrollIntoView(true);", radio2.get(0));
        Thread.sleep(300);
        js.executeScript("arguments[0].click();", radio2.get(0));

    List<WebElement> radio3 = driver.findElements(By.id("q3b"));
        js.executeScript("arguments[0].scrollIntoView(true);", radio3.get(0));
        Thread.sleep(300);
        js.executeScript("arguments[0].click();", radio3.get(0));

    Thread.sleep(5000);

    WebElement products =wait.until(ExpectedConditions.visibilityOfElementLocated(
        By.xpath("//*[contains(text(),'Products')]")));

    Assert.assertTrue(products.isDisplayed());

    System.out.println("Quiz Completed Successfully");

    js.executeScript("window.scrollTo(0,1000)");

    Thread.sleep(3000);
    driver.close();

```

