# Week Nine: Designing Input Forms with Email and Phone Number Validation using HTML, CSS, JavaScript, and Validator.js

Ritika Taphasvi G | CSE FC | 230701266

### **Aim**

To design an input form that validates email and phone number entries and displays appropriate error messages using HTML, CSS, JavaScript, and Validator.js.

### **Procedure**

#### 1. Create the HTML Form:

- Add input fields for email and phone number.
- Include <span> elements to display error messages.
- Link external CSS (style.css) and JavaScript (script.js) files.

#### 2. Style the Form using CSS:

- Centre the form on the page.
- Style the input fields, button, and error messages for a clean look.

#### 3. Add Validation using JavaScript:

- Use the **Validator.js** library to validate the email and phone number.
- Show error messages if the inputs are invalid.
- If inputs are valid, log the values to the console.

# **Program Code**

```
1. HTML
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Form Validation</title>
link rel="stylesheet" href="style.css">
</head>
```


```
<body>
     <div class="container">
      <form id="myForm">
       <label for="email">Email:</label>
       <input type="email" id="email" name="email" required>
       <span id="emailError" class="error"></span>
       <label for="phone">Phone Number:</label>
       <input type="text" id="phone" name="phone" required>
       <span id="phoneError" class="error"></span>
       <button type="submit">Submit
      </form>
     </div>
     <script
   src="https://cdnjs.cloudflare.com/ajax/libs/validator/13.6.0/validator.min.js"></script>
     <script src="script.js"></script>
   </body>
   </html>
2. CSS
   body {
    font-family: Arial, sans-serif;
     background-color: #f4f4f4;
     display: flex;
    justify-content: center;
     align-items: center;
     height: 100vh;
    margin: 0;
   }
   .container {
     background-color: white;
     padding: 20px;
     border-radius: 5px;
     box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
   }
   form {
    display: flex;
    flex-direction: column;
   }
   label {
     margin-bottom: 5px;
   }
```

```
input {
    margin-bottom: 10px;
    padding: 10px;
    border: 1px solid #ccc;
    border-radius: 3px;
   }
   button {
    padding: 10px;
    background-color: #28a745;
    color: white;
    border: none;
    border-radius: 3px;
    cursor: pointer;
   }
   button:hover {
    background-color: #218838;
   }
   .error {
    color: red;
    font-size: 0.875em;
   }
3. JavaScript
   /* script.js */
   document.getElementById('myForm').addEventListener('submit', function (e) {
    e.preventDefault();
    let email = document.getElementById('email').value;
    let phone = document.getElementById('phone').value;
    let emailError = document.getElementById('emailError');
    let phoneError = document.getElementById('phoneError');
    // Clear previous error messages
    emailError.textContent = ";
    phoneError.textContent = ";
    // Validate email
    if (!validator.isEmail(email)) {
      emailError.textContent = 'Please enter a valid email address.';
    }
    // Validate phone number
    if (!validator.isMobilePhone(phone, 'any')) {
      phoneError.textContent = 'Please enter a valid phone number.';
    }
```


```
// If no errors, submit the form (for demonstration purposes, we'll just log the values)
if (validator.isEmail(email) && validator.isMobilePhone(phone, 'any')) {
   console.log('Email:', email);
   console.log('Phone:', phone);
}
});
```

# **Output**


1. When the wrong email is entered:



2. When an incorrect mobile number is entered:



3. When the correct input is given:



### Result

A fully functional and styled form that successfully validates email and phone number inputs, displaying clear error messages when invalid data is entered.