
#### **XAMPP**




#### **CONEXION LOCALHOST**

```
# Copyright (c) 1993-2009 Microsoft Corp.
# This is a sample HOSTS file used by Microsoft TCP/IP for Windows.
\ensuremath{\text{\#}} This file contains the mappings of IP addresses to host names. Each
# entry should be kept on an individual line. The IP address should
# be placed in the first column followed by the corresponding host name.
# The IP address and the host name should be separated by at least one
# Additionally, comments (such as these) may be inserted on individual
# lines or following the machine name denoted by a '#' symbol.
# For example:
       102.54.94.97
#
                         rhino.acme.com
                                                 # source server
        38.25.63.10
                                                 # x client host
#
                         x.acme.com
# localhost name resolution is handled within DNS itself.
#
        127.0.0.1
                         localhost
#
        ::1
                         localhost
        127.0.0.1
                         superRita.org
        127.0.0.1
                        www.superRita.org
# Added by Docker Desktop
192.168.0.108 host.docker.internal
192.168.0.108 gateway.docker.internal
# To allow the same kube context to work on the host and the container:
127.0.0.1 kubernetes.docker.internal
# End of section
```

### **VIRTUALHOST**

```
<VirtualHost *:8888>
    ServerAdmin webmaster@dummy-host2.example.com
    DocumentRoot "C:\xampp\htdocs\pruebas\2DAW\2daw\proyectoSuper\super"
    ServerName www.superrita.org
    ServerAlias superrita.org
</VirtualHost>
```

# **JOOMLA**



## **WORDPRESS**

