

EXPERIMENT NO: 6

Name: RITTYMARIYA K R

Roll No: 28

Batch: MCA B

Date: 06-05-2022

AIM:


To familiarize with join or cartesian product

QUESTION:

1. Give name of customers having living city BOMBAY and branch city NAGPUR
2. Give names of customers having the same living city as their branch city
3. Give names of customers who are borrowers as well as depositors and having city NAGPUR.
4. Give names of borrowers having deposit amount greater than 1000 and loan amount greater than 2000.
5. Give names of depositors having the same branch as the branch of Sunil
6. Give names of borrowers having loan amount greater than the loan amount of Pramod
7. Give the name of the customer living in the city where branch of depositor Sunil is located.
8. Give branch city and living city of Pramod
9. Give branch city of Sunil and branch city of Anil
10. Give the living city of Anil and the living city of Sunil

PROCEDURE:

1. select distinct (d1.cname) from customer c1,branch b1,deposit d1 where c1.city="bombay" and b1.city="nagpur" and d1.bname=b1.bname and c1.cname=d1.cname;



2. select distinct (d1.cname) from customer c1,branch b1,deposit d1 where c1.city=b1.city and d1.cname=c1.cname and d1.bname=b1.bname;

	cname
▶	Shivani
	Naren

3. select distinct c1.cname from borrow b1,customer c1,deposit d1 where b1.cname=d1.cname and c1.city='nagpur';

	cname
▶	Pramod
	Madhuri

4. select distinct b1.cname from borrow b1,deposit d1 where d1.amount>1000 and b1.amount>2000;

	cname
▶	Kranti
	Sunil
	Mehul
	Pramod

5. select d1.cname from deposit d1 where d1.bname in(select d2.bname from deposit d2 where d2.cname='sunil');

	cname
▶	Sunil

6. select br1.cname,br1.amount from borrow br1 where br1.amount > all (select br2.amount from borrow br2 where br2.cname = 'pramod');

	CNAME	AMOUNT
▶	Mehul	5000.00
	Kranti	5000.00

7. select c.cname from customer c where c.city in (select b.city from branch b where b.bname in (select d.bname from deposit d where d.cname='sunil'));

	CNAME
▶	Madhuri
	Pramod

8. select b1.city , c1.city from branch b1, customer c1, deposit d1 where c1.cname = 'pramod' and c1.cname = d1.cname and d1.bname = b1.bname;

	CITY	CITY
▶	Bangalore	Nagpur

9. select b1.city from deposit d1, branch b1 where d1.bname = b1.bname and d1.cname in ('sunil', 'anil');

	CITY
▶	Nagpur
	Nagpur

10. select c1.cname, c1.city from customer c1 where c1.cname = 'anil' or c1.cname = 'sunil';

	CNAME	CITY
▶	Anil	Calcutta
	Sunil	Delhi