

Task 7 — Activation & Onboarding Funnel Optimization

Data Analyst · Sprint B - Growth & Experimentation · Task Brief

DATA ANALYST

PlaceMux · Phase 3 · Task Brief

TASK 7 / 25

Deep Specialist · Expert

Sprint B - Growth & Experimentation · Mastery 70%

Focus

Analyse the activation funnel and find the drop-offs actually worth fixing.

What to build / complete

- A step-by-step activation funnel with segmented drop-off
- Quantified opportunity per step (users and revenue)
- Hypotheses ready to be tested by experiment

Execution — work through in order

Phase 3 gives you a goal and a bar, not a recipe. These stages are the discipline; the design decisions are yours to make and defend.

Stage A — Understand & set the bar

1. Re-read the Expected Output and the scoring parameters so you build to the bar, not past it.
2. Confirm every prerequisite and upstream input is actually in your hands, not merely promised.
3. Restate, in one sentence, what 'good' means here: You can say exactly where users are lost, how many, what it is worth, and what to test.

Stage B — Build: A step-by-step activation funnel with segmented drop-off

1. Define the metric, its source & the decision

Define precisely what “A step-by-step activation funnel with segmented drop-off” measures, which raw events it depends on, and which decision it changes. No decision, no metric.

2. Build the query/model on real data

Build the query/model on real production data — sampled if you must, but never synthetic.

3. Validate: reconcile, sanity-check, quantify uncertainty

Reconcile against a source system, sanity-check the magnitude, and state the uncertainty honestly.

4. Tie every number to an action & defend it

For every number, be ready to say where it came from and what action it triggers. Undefendable numbers do not ship.

Stage C — Build: Quantified opportunity per step (users and revenue)

1. Define the metric, its source & the decision

Define precisely what “Quantified opportunity per step (users and revenue)” measures, which raw events it depends on, and which decision it changes. No decision, no metric.

2. Build the query/model on real data

Build the query/model on real production data — sampled if you must, but never synthetic.

3. Validate: reconcile, sanity-check, quantify uncertainty

Reconcile against a source system, sanity-check the magnitude, and state the uncertainty honestly.

4. Tie every number to an action & defend it

For every number, be ready to say where it came from and what action it triggers. Undefendable numbers do not ship.

Stage D — Build: Hypotheses ready to be tested by experiment

1. Define the metric, its source & the decision

Define precisely what “Hypotheses ready to be tested by experiment” measures, which raw events it depends on, and which decision it changes. No decision, no metric.

2. Build the query/model on real data

Build the query/model on real production data — sampled if you must, but never synthetic.

3. Validate: reconcile, sanity-check, quantify uncertainty

Reconcile against a source system, sanity-check the magnitude, and state the uncertainty honestly.

4. Tie every number to an action & defend it

For every number, be ready to say where it came from and what action it triggers. Undefendable numbers do not ship.

Stage E — Integrate, verify & make demoable

1. Wire your work into the end-to-end flow and run the whole journey once, start to finish.
2. Walk the funnel live, segmented, with the opportunity size at each step.
3. Break it on purpose: force the failure path and confirm it degrades the way you designed.
4. Prepare a live demo on real data. Not slides, not screenshots, not 'it works on my machine'.

Done when (demoable by end of task)

- “A step-by-step activation funnel with segmented drop-off” is complete, real, and demoable end-to-end.
- “Quantified opportunity per step (users and revenue)” is complete, real, and demoable end-to-end.
- “Hypotheses ready to be tested by experiment” is complete, real, and demoable end-to-end.
- Good looks like: You can say exactly where users are lost, how many, what it is worth, and what to test.

Worry if any of these are true

- Aggregate-only funnel hiding segment failures.
- Conclusions about causes drawn without a test.
- Calling an experiment early because it looked good on day two.

Hand-off

- Activation hypotheses to Frontend. Make sure the next person can pick it up without you.