
AWS Security Automation Framework:


By: Ritvik Indupuri

Abstract

This document details the implementation of an automated security framework within Amazon Web Services (AWS). The framework leverages **Prowler**, **AWS CodeBuild**, and **AWS Security Hub** to enable continuous security posture assessment, identify vulnerabilities, ensure compliance, and streamline reporting across AWS cloud environments.

Solution Architecture

The framework is designed for continuous, automated security assessments against defined benchmarks. **Prowler scans**, the core assessment component, are orchestrated for daily execution via **AWS CodeBuild** projects. The generated scan reports are securely stored in designated **Amazon S3 buckets**, providing a centralized and auditable repository for historical data. All identified findings are then ingested into **AWS Security Hub**, which acts as a central dashboard for aggregated visibility and streamlined vulnerability management. **AWS CloudWatch** is integral for real-time monitoring and logging of the automation pipeline's execution. Meticulously configured **IAM roles** ensure least privilege access and secure operation of all components.



Caption: Architectural diagram for the Security Automation Project


Implementation Details

Automated Scanning Pipeline

Prowler was configured to perform comprehensive security assessments across multiple AWS services. AWS CodeBuild projects were set up with a daily schedule to execute these Prowler scans automatically. This ensures consistent and up-to-date security posture evaluations.


Report Storage and Logging

Two dedicated Amazon S3 buckets were configured for storing both raw and processed Prowler scan results. This provides a secure and organized location for historical data, crucial for auditing and trend analysis.



Caption: Shows the Amazon S3 bucket configured specifically for storing the raw and processed scan reports generated by Prowler, ensuring organized and accessible historical data.

AWS CloudWatch was utilized to capture and review execution logs from the AWS CodeBuild runs. This provided real-time visibility into the automation pipeline's status, ensuring smooth operation and aiding in quick troubleshooting of any issues.



Caption: Illustrates real-time execution logs of the automated Prowler scans within AWS CodeBuild, as viewed through CloudWatch Logs, confirming the successful operation of the automated pipeline.

Findings Integration and Access Control

Scan outputs were integrated with AWS Security Hub, consolidating findings from Prowler with other security services for unified management and reporting. Specific IAM roles were created and configured with the minimum necessary permissions to allow CodeBuild to execute Prowler scans and interact securely with required AWS services (S3, Security Hub).

Results and Impact

The implementation of this automated security framework yielded significant improvements in the AWS environment's security posture and compliance visibility. It successfully transitioned the organization towards a more proactive and continuous security assessment model, providing actionable intelligence for risk mitigation.

Overall Compliance and Vulnerability Detection

The framework achieved a **56.19% compliance rate**, with **59 out of 105 checks passed** against defined security standards. It successfully detected **43 vulnerabilities** across 7 key AWS services, including S3, IAM, and CloudTrail, providing a clear baseline for improvement.

Overview Results:

40.95% (43) Failed	56.19% (59) Passed	-[38;5;208m0.0% (0) Muted
--------------------	--------------------	---------------------------

Account 195275680107 Scan Results (severity columns are for fails only):

Provider	Service	Status	Critical	High	Medium	Low	Muted
aws	accessanalyzer	FAIL (1)	0	0	0	1	-[38;5;208m0
aws	account	PASS (0)	0	0	0	0	-[38;5;208m0
aws	cloudtrail	FAIL (3)	0	1	0	2	-[38;5;208m0
aws	cloudwatch	FAIL (15)	0	0	15	0	-[38;5;208m0
aws	config	FAIL (1)	0	0	1	0	-[38;5;208m0
aws	ec2	FAIL (4)	0	1	3	0	-[38;5;208m0
aws	iam	FAIL (12)	1	3	4	4	-[38;5;208m0
aws	macie	FAIL (1)	0	0	0	1	-[38;5;208m0
aws	s3	FAIL (5)	0	1	4	0	-[38;5;208m0
aws	vpc	FAIL (1)	0	0	1	0	-[38;5;208m0

* You only see here those services that contains resources.

Detailed results are in:

- JSON-ASFF: /codebuild/output/src3864832325/src/output/prowler-output-195275680107-20250620191837.asff.json

- JSON-OCSEF: /codebuild/output/src3864832325/src/output/prowler-output-195275680107-20250620191837.ocsf.json

- CSV: /codebuild/output/src3864832325/src/output/prowler-output-195275680107-20250620191837.csv

- HTML: /codebuild/output/src3864832325/src/output/prowler-output-195275680107-20250620191837.html

Compliance Status of CIS 1.4 AWS Framework:

42.16% (43) FAIL	57.84% (59) PASS	-[38;5;208m0.0% (0) MUTED
------------------	------------------	---------------------------

Caption: Displays the overall compliance status, highlighting the 56.19% compliance rate and the distribution of 43 identified vulnerabilities across various AWS services.

Detailed Risk Identification

The automated scans identified a range of security findings categorized by severity:

- Critical & High Severity Findings:** Examples include alerts for missing Multi-Factor Authentication (MFA) for root accounts, unblocked S3 public access, and overly permissive IAM policies, demonstrating the framework's ability to detect significant risks.

<input type="checkbox"/>	Finding	Severity	Workflow status	Region	Account ID	Product	Resource	Compliance Status
<input type="checkbox"/>	Ensure MFA is enabled for the root account	CRITICAL	NEW	us-east-2	195275680107	Prowler	IAM User root	PASSED
<input type="checkbox"/>	Ensure only hardware MFA is enabled for the root account	CRITICAL	NEW	us-east-2	195275680107	Prowler	IAM User mfa	PASSED
<input type="checkbox"/>	Ensure no root account access key exists	CRITICAL	NEW	us-east-2	195275680107	Prowler	IAM Access Key root	FAILED
<input type="checkbox"/>	Ensure no security groups allow ingress from 0.0.0.0/0 or ::0 to all ports	CRITICAL	NEW	us-east-2	195275680107	Prowler	EC2 Security Group sg-Od1595b79d4652868	PASSED
<input type="checkbox"/>	Check S3 Account Level Public Access Block.	HIGH	NEW	us-east-2	195275680107	Prowler	AwsS3AccountPublicAccessBlock account	FAILED
<input type="checkbox"/>	Ensure multi-factor authentication (MFA) is enabled for all IAM users that have a console password.	HIGH	NEW	us-east-2	195275680107	Prowler	IAM User F1predict	PASSED
<input type="checkbox"/>	Ensure multi-factor authentication (MFA) is enabled for all IAM users that have a console password.	HIGH	NEW	us-east-2	195275680107	Prowler	IAM User DevOps	FAILED
<input type="checkbox"/>	Ensure IAM Customer-Managed policies that allow full ^{^*^*} administrative privileges are not attached	HIGH	NEW	us-east-2	195275680107	Prowler	IAM Policy Cloudtrail-CW-access-policy-secrets-manager-trail-16148c4b-2718-4d1d-8c61-48902d2602a9	PASSED

Caption: Detailed view of specific critical and high-severity security findings identified by Prowler in AWS Security Hub, such as missing MFA for root accounts and over-permissive S3 bucket policies.)

- **Low & Medium Severity Findings:** Included checks for AWS Macie enablement, proper IAM policy attachments, S3 object-level logging, and VPC Flow Logging configuration, showcasing the comprehensive nature of the vulnerability assessment.

<input type="checkbox"/>	Finding	Severity	Workflow status	Region	Account ID	Product	Resource	
<input type="checkbox"/>	Check if Amazon Macie is enabled.	LOW	NEW	us-east-2	195275680107	Prowler	Other session	
<input type="checkbox"/>	Ensure IAM policies are attached only to groups or roles	LOW	NEW	us-east-2	195275680107	Prowler	IAM Policy F1predict	
<input type="checkbox"/>	Ensure IAM policies are attached only to groups or roles	LOW	NEW	us-east-2	195275680107	Prowler	IAM Policy DevOps	
<input type="checkbox"/>	Check if there are SAML Providers then STS can be used	LOW	NEW	us-east-2	195275680107	Prowler	Other root	
<input type="checkbox"/>	Check if S3 buckets have Object-level logging for write events is enabled in CloudTrail.	LOW	NEW	us-east-2	195275680107	Prowler	CloudTrail Trail trail	
<input type="checkbox"/>	Check if S3 buckets have Object-level logging for read events is enabled in CloudTrail.	LOW	NEW	us-east-2	195275680107	Prowler	CloudTrail Trail trail	
<input type="checkbox"/>	Check if IAM Access Analyzer is enabled	LOW	NEW	us-east-2	195275680107	Prowler	Other unknown	
<input type="checkbox"/>	Ensure VPC Flow Logging is Enabled in all VPCs.	MEDIUM	NEW	us-east-2	195275680107	Prowler	EC2 VPC vpc-0bb8a9cec5ae2beac...	
<input type="checkbox"/>	Check if S3 buckets have secure transport policy.	MEDIUM	NEW	us-east-2	195275680107	Prowler	S3 Bucket prowler-codebuild-rftvik	
<input type="checkbox"/>	Check if S3 buckets have secure transport policy.	MEDIUM	NEW	us-east-2	195275680107	Prowler	S3 Bucket prowler-scan-reports-2	

*(Caption: Presents a detailed view of specific low and medium-severity security findings identified by Prowler, including checks for AWS Macie enablement and proper VPC Flow Logging configuration.)

Technology Stack

- **Cloud Platform:** Amazon Web Services (AWS)
 - AWS Security Hub
 - AWS CodeBuild
 - Amazon S3
 - AWS CloudWatch
 - AWS IAM
- **Security Tool:** Prowler (Open-source cloud security best practices assessment tool)

Conclusion

This AWS Security Automation Framework successfully establishes a robust, automated pipeline for **continuous cloud security posture assessment**. By integrating **Prowler** with core **AWS services**, it significantly enhances **visibility into vulnerabilities** and **compliance deviations**, reduces manual effort, and accelerates the identification of risks. This framework serves as a foundational component for maintaining a high standard of security maturity and compliance within dynamic cloud environments. Future enhancements could include integrating **automated remediation workflows**, expanding to cover more compliance standards, or incorporating advanced threat intelligence feeds.

