LeaseLink

Team members:

Dhruv Shetty 220953504-Frontend and Report

Siddharth Krishna 220953490-Frontend and Report

Ritvik Nayak 220953035-Frontend and Report

Lian Lopes 220953580-Frontend and Report

Introduction

Finding the perfect rental property can often be a time-consuming and stressful process for tenants, while landlords face challenges in managing listings, screening tenants, and handling rent payments efficiently. LeaseLink aims to bridge this gap by offering an advanced, all-in-one platform that simplifies and streamlines the entire flat rental experience. LeaseLink provides a seamless connection between landlords and prospective tenants, ensuring transparency, efficiency, and ease of use. By leveraging modern web technologies, LeaseLink enhances property management with a user-friendly interface, secure authentication, and real-time communication.

localhost:5174/login?username=sd&aadharID=asa&Pan_no=assas&email=aasdb%40ass&PhoneNo=asas&password=sws

Login

sws

Login

Don't have an account? Sign up

localhost:5174/propertypage

Featured Properties

Current User: John Doe

Over $1,000,000

Luxury Villa

Los Angeles, CA

$1,200,000

View Details　Buy Now

Technology	Use
React.js	Handles component-based UI development and state management.
Bootstrap	Provides pre-designed responsive UI components for styling.
CSS	Customizes styling, layout, and animations for better UI design.

Code

App.css

```css
#root {
  max-width: 1280px;
  margin: 0 auto;
  padding: 2rem;
  text-align: center;
}

.logo {
  height: 6em;
  padding: 1.5em;
  will-change: filter;
  transition: filter 300ms;
}
.logo:hover {
  filter: drop-shadow(0 0 2em #646cffaa);
}
.logo.react:hover {
  filter: drop-shadow(0 0 2em #61dafbaa);
}

@keyframes logo-spin {
  from {
    transform: rotate(0deg);
  }
  to {
    transform: rotate(360deg);
```

```css
  }
}

@media (prefers-reduced-motion: no-preference) {
  a:nth-of-type(2) .logo {
    animation: logo-spin infinite 20s linear;
  }
}

.card {
  padding: 2em;
}

.read-the-docs {
  color: #888;
}
```

App.jsx

```jsx
import React from "react";
import { BrowserRouter as Router, Routes, Route } from "react-router-dom";
import HomePage from "./homePage";
import Signup from "./signup";
import Login from "./login";
import Property from "./propertypage"
// import Contact from "./components/Contact";
// import About from "./components/About";
// import Support from "./components/Support";
```

```jsx
function App() {

  return (

    <Router>

      <Routes>

        <Route path="/" element={<HomePage />} />

        <Route path="/login" element={<Login />} />

        <Route path="/signup" element={<Signup />} />

        <Route path="/propertypage" element={<Property />} />

        {/* <Route path="/contact" element={<Contact />} />

        <Route path="/about" element={<About />} />

        <Route path="/support" element={<Support />} /> */}

      </Routes>

    </Router>

  );

}


export default App;
```

property.css

```css
/* Base Styles */

:root {

  --primary-color: #4a6bff;

  --secondary-color: #f8f9fa;

  --accent-color: #ff6b6b;

  --dark-color: #2c3e50;

  --light-color: #ffffff;

  --text-color: #333333;

  --gray-color: #e0e0e0;
```

```css
}

* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}

body {
  font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
  line-height: 1.6;
  background: none;
  color: var(--text-color);
}

.container {
  width: 90%;
  max-width: 1200px;
  margin: 0 auto;
  padding: 0 15px;
}

/* Header Styles */
.header {
  background-color: var(--light-color);
  box-shadow: 0 2px 10px rgba(0, 0, 0, 0.1);
  position: fixed;
  width: 100%;
```

```css
  z-index: 1000;

  padding: 15px 0;

}


.header .container {

  display: flex;

  justify-content: space-between;

  align-items: center;

}


.logo {

  font-size: 1.8rem;

  font-weight: 700;

  color: var(--primary-color);

  text-decoration: none;

}


.nav {

  display: flex;

  align-items: center;

  gap: 30px;

}


.nav-link {

  color: var(--text-color);

  text-decoration: none;

  font-weight: 500;

  transition: color 0.3s;
```

```css
}

.nav-link:hover {

  color: var(--primary-color);

}


/* Button Styles */

.btn-primary {

  background-color: var(--primary-color);

  color: white;

  border: none;

  padding: 10px 20px;

  border-radius: 5px;

  cursor: pointer;

  font-weight: 500;

  transition: background-color 0.3s;

}


.btn-primary:hover {

  background-color: #3a5bef;

}


.btn-secondary {

  background-color: transparent;

  color: var(--primary-color);

  border: 1px solid var(--primary-color);

  padding: 10px 20px;

  border-radius: 5px;
```

```css
    cursor: pointer;

    font-weight: 500;

    transition: all 0.3s;

  }


  .btn-secondary:hover {

    background-color: var(--primary-color);

    color: white;

  }


  .btn-large {

    padding: 15px 30px;

    font-size: 1.1rem;

  }


  /* Hero Section */
  .hero {

    background: linear-gradient(rgba(0, 0, 0, 0.5), rgba(0, 0, 0, 0.5)),

          url('https://images.unsplash.com/photo-1564013799919-ab600027ffc6')
  center/cover;

    color: white;

    padding: 180px 0 100px;

    text-align: center;

  }


  .hero-title {

    font-size: 3rem;

    margin-bottom: 15px;
```

```css
}

.hero-subtitle {

 font-size: 1.5rem;

 margin-bottom: 30px;

 font-weight: 300;

}

.search-box {

 display: flex;

 max-width: 800px;

 margin: 0 auto;

 background: white;

 border-radius: 5px;

 overflow: hidden;

 box-shadow: 0 5px 15px rgba(0, 0, 0, 0.1);

}

.search-box input {

 flex: 1;

 padding: 15px;

 border: none;

 outline: none;

 font-size: 1rem;

}

.search-box select {

 padding: 0 15px;
```

```css
  border: none;

  border-left: 1px solid var(--gray-color);

  outline: none;

  appearance: none;

  background: white url("data:image/svg+xml;charset=UTF-8,%3csvg
xmlns='http://www.w3.org/2000/svg' viewBox='0 0 24 24' fill='none'
stroke='currentColor' stroke-width='2' stroke-linecap='round' stroke-
linejoin='round'%3e%3cpolyline points='6 9 12 15 18
9'%3e%3c/polyline%3e%3c/svg%3e") no-repeat;

  background-position: right 10px center;

  background-size: 15px;

  cursor: pointer;

 }


 .search-btn {

  background-color: var(--accent-color);

  color: white;

  border: none;

  padding: 0 25px;

  cursor: pointer;

  font-weight: 500;

  transition: background-color 0.3s;

 }


 .search-btn:hover {

  background-color: #e05555;

 }


 /* Property Listings */
```

```css
.listings {
  padding: 80px 0;
  background-color: var(--secondary-color);
}

.section-title {
  text-align: center;
  margin-bottom: 50px;
  font-size: 2.2rem;
  color: var(--dark-color);
}

.property-grid {
  display: grid;
  grid-template-columns: repeat(auto-fill, minmax(350px, 1fr));
  gap: 30px;
}

.property-card {
  background: white;
  border-radius: 8px;
  overflow: hidden;
  box-shadow: 0 5px 15px rgba(0, 0, 0, 0.1);
  transition: transform 0.3s, box-shadow 0.3s;
}

.property-card:hover {
  transform: translateY(-5px);
```

```css
    box-shadow: 0 10px 25px rgba(0, 0, 0, 0.15);
}

.property-image {
  height: 250px;
  background-size: cover;
  background-position: center;
  position: relative;
}

.price-tag {
  position: absolute;
  bottom: 15px;
  left: 15px;
  background-color: var(--primary-color);
  color: white;
  padding: 5px 15px;
  border-radius: 20px;
  font-weight: 500;
}

.property-details {
  padding: 20px;
}

.property-details h3 {
  margin-bottom: 10px;
  color: var(--dark-color);
```

```css
}

.location {
  color: var(--primary-color);
  margin-bottom: 10px;
  font-weight: 500;
}

.description {
  margin-bottom: 15px;
  color: #666;
}

.features {
  display: flex;
  gap: 15px;
  margin-bottom: 15px;
  color: #666;
}

.amenities {
  margin-bottom: 20px;
  color: #888;
  font-size: 0.9rem;
}

.card-footer {
  display: flex;
```

```css
  justify-content: space-between;

}


/* Call to Action */

.cta {

  text-align: center;

  padding: 60px 0;

  background-color: var(--primary-color);

  color: white;

}


.cta h2 {

  margin-bottom: 30px;

  font-size: 2rem;

}


/* Footer */

.footer {

  background-color: var(--dark-color);

  color: white;

  padding: 60px 0 20px;

}


.footer-content {

  display: grid;

  grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));

  gap: 40px;

  margin-bottom: 40px;
```

```css
}

.footer-section h3,
.footer-section h4 {
  margin-bottom: 20px;
  font-size: 1.2rem;
}

.footer-section a {
  display: block;
  color: #ddd;
  margin-bottom: 10px;
  text-decoration: none;
  transition: color 0.3s;
}

.footer-section a:hover {
  color: var(--accent-color);
}

.footer-bottom {
  text-align: center;
  padding-top: 20px;
  border-top: 1px solid rgba(255, 255, 255, 0.1);
  color: #aaa;
  font-size: 0.9rem;
}
```

```css
/* Responsive Design */

@media (max-width: 768px) {
  .hero {
    padding: 150px 0 80px;
  }

  .hero-title {
    font-size: 2.2rem;
  }

  .hero-subtitle {
    font-size: 1.2rem;
  }

  .search-box {
    flex-direction: column;
  }

  .search-box input,
  .search-box select,
  .search-box button {
    width: 100%;
    border-radius: 0;
    border-bottom: 1px solid var(--gray-color);
  }

  .search-box button {
```

```css
    padding: 15px;

  }


  .property-grid {

    grid-template-columns: 1fr;

  }


  .nav {

    gap: 15px;

  }
}


@media (max-width: 480px) {

  .header .container {

    flex-direction: column;

    gap: 15px;

  }


  .hero {

    padding: 180px 0 60px;

  }


  .hero-title {

    font-size: 1.8rem;

  }


  .section-title {

    font-size: 1.8rem;
```

```css
  }

  .card-footer {

   flex-direction: column;

   gap: 10px;

  }


  .btn-primary,

  .btn-secondary {

   width: 100%;

  }
 }
```

property.jsx

```jsx
import React, { useState } from "react";

import "./propert1.css"; // Import the custom CSS

import image1 from './image1.png';

import image2 from './image2.png';

import image3 from './image3.png';


// Example properties array with images

const properties = [

 {

  id: 1,

  name: "Luxury Villa",

  location: "Los Angeles, CA",

  price: "$1,200,000",

  image: image1.png, // Example image
```

```javascript
    description: "A luxurious villa with stunning views of Los Angeles.",
  },
  {
    id: 2,
    name: "Modern Apartment",
    location: "New York, NY",
    price: "$850,000",
    image: image2.png, // Example image
    description: "A modern apartment in the heart of New York City.",
  },
  {
    id: 3,
    name: "Cozy Cottage",
    location: "Austin, TX",
    price: "$450,000",
    image: image3.png, // Example image
    description: "A cozy cottage perfect for a peaceful retreat.",
  },
];

// Function to extract numeric price for filtering
const extractPrice = (priceString) => {
  return parseInt(priceString.replace(/[^0-9]/g, ''));
};

const Property = () => {
  const [currentUser, setCurrentUser] = useState("John Doe"); // Example current user
  const [priceFilter, setPriceFilter] = useState("all"); // Filter by price
```

```jsx
  // Filter properties based on price
const filteredProperties = properties.filter((property) => {
  if (priceFilter === "all") return true;
  if (priceFilter === "low") return extractPrice(property.price) <= 500000;
  if (priceFilter === "medium") return extractPrice(property.price) > 500000 &&
extractPrice(property.price) <= 1000000;
  if (priceFilter === "high") return extractPrice(property.price) > 1000000;
});

return (
  <div className="property-container">
   <h2 className="property-title">Featured Properties</h2>
   <p className="current-user">Current User: {currentUser}</p>
   <div className="price-filter">
    <select value={priceFilter} onChange={(e) => setPriceFilter(e.target.value)}>
     <option value="all">All</option>
     <option value="low">Under $500,000</option>
     <option value="medium">$500,000 - $1,000,000</option>
     <option value="high">Over $1,000,000</option>
    </select>
   </div>
   <div className="property-grid">
    {filteredProperties.map((property) => (
     <div key={property.id} className="property-card">
      <img src={property.image} alt={property.name} className="property-image" />
      <h3 className="property-name">{property.name}</h3>
      <p className="property-location">{property.location}</p>
```

```jsx
      <p className="property-price">{property.price}</p>

      <p className="property-description">{property.description}</p>

      <button className="view-details">View Details</button>

      <button className="buy-button">Buy Now</button>

    </div>

   ))}

  </div>

 </div>

 );

};


export default Property;
```

signup.jsx

```jsx
import React, { useState } from "react";

import { useNavigate } from "react-router-dom";

import "./signupstyle.css";

import Login from "./login";


const Signup = () => {

 const navigate = useNavigate();

 const [formData, setFormData] = useState({

  userType: "buyer",

  username: "",

  aadharID: "",

  Pan_no: "",

  email: "",

  PhoneNo: "",
```

```javascript
  password: "",
});

const handleChange = (e) => {
  setFormData({ ...formData, [e.target.name]: e.target.value });
};

const handleSubmit = async (e) => {
  //dp after db connection
  // e.preventDefault();
  // const response = await fetch("http://localhost/signup.php", {
  //   method: "POST",
  //   headers: {
  //     "Content-Type": "application/x-www-form-urlencoded",
  //   },
  //   body: new URLSearchParams(formData).toString(),
  // });

  // const data = await response.text();
  // alert(data);

  // if (data.includes("Registration successfully")) {
  //   navigate("/login");
  // }
  console.log("Submitted succesfully")
  navigate("/login");
};
```

```jsx
    return (

    <div className="signup-container">

      <div className="option">

        <p>Are you a Buyer or a Seller?</p>

        <div className="radio">

          <input

            type="radio"

            name="userType"

            value="buyer"

            checked={formData.userType === "buyer"}

            onChange={handleChange}

          /> Buyer

          <input

            type="radio"

            name="userType"

            value="seller"

            checked={formData.userType === "seller"}

            onChange={handleChange}

          /> Seller

        </div>

      </div>


      <div className="wrapper">

        <form onSubmit={handleSubmit}>

          <h1>SIGN UP</h1>


          <div className="input">

            <input
```

```jsx
          type="text"

          placeholder="Username"

          name="username"

          value={formData.username}

          onChange={handleChange}

          required

        />

    </div>


    <div className="input">

      <input

        type="text"

        placeholder="Aadhar ID"

        name="aadharID"

        value={formData.aadharID}

        onChange={handleChange}

        required

      />

    </div>


    <div className="input">

      <input

        type="text"

        placeholder="PAN No."

        name="Pan_no"

        value={formData.Pan_no}

        onChange={handleChange}

        required
```

```jsx
      />
    </div>

    <div className="input">
      <input
        type="email"
        placeholder="Email"
        name="email"
        value={formData.email}
        onChange={handleChange}
        required
      />
    </div>

    <div className="input">
      <input
        type="text"
        placeholder="Phone No."
        name="PhoneNo"
        value={formData.PhoneNo}
        onChange={handleChange}
        required
      />
    </div>

    <div className="input">
      <input
        type="password"
```

```jsx
          placeholder="Password"

          name="password"

          value={formData.password}

          onChange={handleChange}

          required

        />

      </div>


      <button type="submit" className="btn btn-primary">

        Sign Up

      </button>


      <div className="signup">

        <p>

          Already have an account? <a href="/login">Login</a>

        </p>

      </div>

    </form>

  </div>

  </div>

 );

};


export default Signup;
```

main.jsx

```jsx
import { StrictMode } from 'react'

import { createRoot } from 'react-dom/client'

import './index.css'

import App from './App.jsx'


createRoot(document.getElementById('root')).render(

  <StrictMode>

    <App />

  </StrictMode>,

)
```


styles.css

```css
*{

    margin: 0;

    padding: 0;

    font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida Sans', Arial, sans-serif;

}

header{

    height: 80px;

    background-color: #ffcc06;

    display: flex;

    justify-content: space-between;

    align-items: center;

    padding : 0rem ;

}

.logo{
```

```css
    margin-top: 5em;

    padding-left: 40px;

    font-style: italic;

    font-size: larger;

    font-weight: bold;

}


header a{

    color: black;

    text-decoration: none;

    padding: 0rem 1.5rem;

    font-size: large;

    transition-duration: 0.5s;

}

header a:hover{

    color: white;

}

.container{

    display: grid;

    grid-template-columns: 1fr 1fr;

    height: 60%;

    background-color: #ffcc06;

    color: #0000;

    z-index: -1;

    /* background-image: url("mai3.png"); */


}

.content {
```

```css
    height: 85vh;

    z-index: 10;

    color: black;

    margin-bottom: 20%;

}

.content h1{

    text-decoration: solid;


    margin-bottom: 10px;

    margin-top: 150px;

    margin-left: 40px;

}

.content p{

    font-size: large;

    margin-bottom: 20px;

    margin-top: 20px;

    margin-left: 40px;

    line-height: 1.5;

}


#a{

    background-color: black;

    color:#ffcc06;

    margin: 0px;

    font-size: large;

    padding: 1rem 2rem 1rem 2rem ;

    margin-left: 25%;

    margin-top: 10px;
```

```css
    border-radius: 50px;

    cursor: pointer;

}

#b{

    background-color: black;

    color:#ffcc06;

    margin: 0px;

    font-size: large;

    padding: 1rem 2rem 1rem 2rem ;

    margin-left: 30px;

    margin-top: 10%;

    border-radius: 50px;

    cursor: pointer;

}

@keyframes enlarge {

    from{font-size: 100%;}

    to{font-size: 103%;}

}


#a:hover{

    background-color: white;

    color: black;

    transition-duration: 0.5s;

    /* transition-duration: 0.5s ;

    padding: 1.5rem 2rem 1.5rem 2rem; */

    /* animation: enlarge 0.5s  0.1s alternate ;

    animation-iteration-count : unset; */

}
```

```css
#b:hover{

    background-color: white;

    color: black;

    transition-duration: 0.5s;

    /* transition-duration: 0.5s ;

    padding: 1.5rem 2rem 1.5rem 2rem; */

    /* animation: enlarge 0.5s  0.1s alternate ;

    animation-iteration-count : unset; */

}


footer{

    background-color: black;

    color:white;

    text-align: center;

}
.mainimg{

    background-size: cover;

    height: 70vmin;

    margin-left: 145px;

    margin-top: -31px;

}
.container2{

    display: flex;

    grid-template-columns: 1fr 1fr;

    height: 50vmin;

    background-color: #ffcc06;

    color: #0000;

    z-index: -1;
```

```css
}
.container2 h1{

  margin-left:36% ;

  color: black;

}
.container2 p{

  font-size: large;

  line-height: 40px;

  margin-top: 30px;

  margin-left: 6%;

  color: black;

}
header .logo:hover{

  font-size: x-large;

  transition-duration: 0.5s;

}
.sheet{

  display: flex;

  flex-direction: column;

  margin-top: 60vh;

  margin-right: 10vh;

  /* flex-wrap: wrap; */

  justify-content: center;

  text-align: center;

}
```

login.jsx

```jsx
import React, { useState } from 'react';
```

```jsx
import { useNavigate } from "react-router-dom";

import './loginstyle.css';


const Login = () => {
 const [username, setUsername] = useState('');

 const [password, setPassword] = useState('');

 const navigate = useNavigate();


 const handleSubmit = (e) => {

  e.preventDefault(); // Prevents page refresh

  navigate("/propertypage"); // Navigates to Property Page

 };


 return (

  <div className="wrapper">

   <form onSubmit={handleSubmit}>

    <h1>Login</h1>

    <div className="input">

     <input

      type="text"

      placeholder="Username"

      value={username}

      onChange={(e) => setUsername(e.target.value)}

     />

    </div>

    <div className="input">

     <input

      type="password"
```

```jsx
          placeholder="Password"

          value={password}

          onChange={(e) => setPassword(e.target.value)}

        />

      </div>

      <button type="submit" className="btn">

        Login

      </button>

      <div className="signup">

        <p>Don't have an account? <a href="/signup">Sign up</a></p>

      </div>

    </form>

  </div>

 );

};


export default Login;
```

index.css

```css
:root {

 font-family: system-ui, Avenir, Helvetica, Arial, sans-serif;

 line-height: 1.5;

 font-weight: 400;


 color-scheme: light dark;

 color: rgba(255, 255, 255, 0.87);

 background-color: #242424;
```

```css
  font-synthesis: none;

  text-rendering: optimizeLegibility;

  -webkit-font-smoothing: antialiased;

  -moz-osx-font-smoothing: grayscale;

}


a {

 font-weight: 500;

 color: #646cff;

 text-decoration: inherit;

}

a:hover {

 color: #535bf2;

}


body {

 margin: 0;

 display: flex;

 place-items: center;

 min-width: 320px;

 min-height: 100vh;

}


h1 {

 font-size: 3.2em;

 line-height: 1.1;

}
```

```css
button {
  border-radius: 8px;
  border: 1px solid transparent;
  padding: 0.6em 1.2em;
  font-size: 1em;
  font-weight: 500;
  font-family: inherit;
  background-color: #1a1a1a;
  cursor: pointer;
  transition: border-color 0.25s;
}
button:hover {
  border-color: #646cff;
}
button:focus,
button:focus-visible {
  outline: 4px auto -webkit-focus-ring-color;
}

@media (prefers-color-scheme: light) {
  :root {
    color: #213547;
    background-color: #ffffff;
  }
  a:hover {
    color: #747bff;
  }
}
```

```css
  button {

    background-color: #f9f9f9;

  }

}
```

signupstyle.css

```css
*{

    margin: 0;

    padding: 0;

    font-family:'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida Sans',
Arial, sans-serif;

    box-sizing: border-box;

}


p{

    text-align: center;

    justify-content: center;

}

body {

    display: flex;

    flex-direction: column;

    justify-content: center;

    align-items: center;

    min-height: 100vh;

    background: #ffcc06;

    background-image: url("bg1.png");

    background-size: cover;
```

```css
    }

    .option{
        margin-top: -13px;

        margin-bottom: 18px;

        width: 334px;

        line-height: 40px;

        background: transparent;

        border: 2px solid rgba(255,255,255,.2);

        backdrop-filter: blur(7px);

        box-shadow: 0 0 10px rgba(0,0,0,.2);

        color: #fff;

        border-radius: 10px;

        padding: 30px 40px;
    }
    .option .radio{
        display: flex;

        justify-content: space-evenly;
    }

    .wrapper{
        margin-top: 10%;

        width: 420px;

        margin-bottom: 10%;

        /* background-color: #ffcc06; */

        background: transparent;

        border: 2px solid rgba(255,255,255,.2);
```

```css
    backdrop-filter: blur(7px);

    box-shadow: 0 0 10px rgba(0,0,0,.2);

    color: #fff;

    border-radius: 10px;

    padding: 30px 40px;

}

.wrapper h1{

    text-align: center;

    font-size: 36px;

}

/* .wrapper .radio{

    width: 50%;

    backdrop-filter: none;

    box-shadow: none;

    border: none;

} */

.wrapper input{

    width: 100%;

    height: 15px;

    background: transparent;

    /* border: 2px solid rgba(255, 255, 255, .2);

    box-shadow: 0 0 10px rgba(0, 0, 0, .2); */

    margin: 9.9px 0;

}

.input input{

    width: 100%;

    height: 100%;

    border: none;
```

```css
    outline: none;

    border:2px solid rgba(255,255,255,.2);

    border-radius: 40px;

    font-size: 16px;

    color: #fff;

    padding: 20px 45px 20px 20px;

}

.input input::placeholder{

    color:#fff;

}

.wrapper .btn{

    width: 100%;

    height: 45px;

    background: #fff;

    border: none;

    outline:none;

    border-radius:40px;

    box-shadow: 0 0 10px rgba(0,0,0,.1);

    cursor: pointer;

    font-size: 16px;

    color: #333;

    font-weight: 600;

}


.wrapper .signup{

    font-size: 14.5px;

    text-align: center;

    align-items: center;
```

```css
    margin-top: 20px;

}

.signup p a{

  color: #fff;

  text-decoration: none;

  font-weight: 600;

}

.signup p a:hover{

  text-decoration: underline;

}

.wrapper .btn:hover{

  background-color: #000;

  color: #fff;

  transition-duration: 0.5s;

}
```

propert1.css

```css
/* Reset default styles */
* {

  margin: 0;

  padding: 0;

  box-sizing: border-box;

  font-family: Arial, sans-serif;

}


/* Make the body take up the full viewport */
body, html {
```

```css
  width: 100%;

  height: 100%;

  display: flex;

  justify-content: center;

  align-items: center;

  background: url("bg1.png") no-repeat center center/cover; /* Replace with actual
background */

}


/* Main container */

.property-container {

  width: 100%;

  min-height: 100vh;

  display: flex;

  flex-direction: column;

  align-items: center;

  justify-content: center;

  padding: 20px;

  background: rgba(0, 0, 0, 0.6); /* Optional dark overlay */

}


/* Title Styling */

.property-title {

  font-size: 32px;

  color: white;

  margin-bottom: 20px;

  text-align: center;

}
```

```css
/* Grid Layout for Properties */

.property-grid {

    display: grid;

    grid-template-columns: repeat(auto-fit, minmax(300px, 1fr));

    gap: 20px;

    width: 80%;

    max-width: 1200px;

}


/* Property Card */

.property-card {

    background: white;

    border-radius: 10px;

    padding: 15px;

    box-shadow: 0px 4px 10px rgba(0, 0, 0, 0.2);

    text-align: center;

    transition: transform 0.3s ease-in-out;

}


.property-card:hover {

    transform: scale(1.05);

}


/* Property Image */

.property-image {

    width: 100%;

    height: 200px;
```

```css
    object-fit: cover;

    border-radius: 10px;

}


/* Property Details */

.property-name {

    font-size: 22px;

    margin: 10px 0;

    color: #333;

}


.property-location {

    font-size: 16px;

    color: #777;

}


.property-price {

    font-size: 18px;

    font-weight: bold;

    color: #28a745;

    margin-top: 10px;

}


/* Button */

.view-details {

    display: inline-block;

    margin-top: 15px;

    padding: 10px 15px;
```

```css
    background: #007bff;

    color: white;

    border: none;

    border-radius: 5px;

    cursor: pointer;

    font-size: 16px;

    transition: background 0.3s;

}


.view-details:hover {

    background: #0056b3;

}


.buy-button {

    display: inline-block;

    margin-top: 15px;

    padding: 10px 15px;

    background: #28a745;

    color: white;

    border: none;

    border-radius: 5px;

    cursor: pointer;

    font-size: 16px;

    transition: background 0.3s;

    margin-left: 10px;

}


.buy-button:hover {
```

```css
  background: #1e7e34;

}


.current-user {

  font-size: 18px;

  color: white;

  margin-bottom: 10px;

}


.price-filter {

  margin-bottom: 20px;

}


.price-filter select {

  padding: 10px;

  font-size: 16px;

  border-radius: 5px;

  border: 1px solid #ccc;

}
```

homepage.jsx

```jsx
import React from "react";

import { useNavigate } from "react-router-dom";

import "./style.css";


const HomePage = () => {

  const navigate = useNavigate();
```

```jsx
  return (
    <div>
      <header>
        <a className="logo">LeaseLink</a>
        <div className="nav_items">
          <a onClick={() => navigate("/about")}>About us</a>
          <a onClick={() => navigate("/contact")}>Contact</a>
          <a onClick={() => navigate("/login")}>Login</a>
        </div>
      </header>

      <div className="container">
        <div className="content">
          <h1>
            <i>SEEK. SIGN. SETTLE.</i>
          </h1>
          <p>
            Welcome to LeaseLink, your ultimate destination for hassle-free rental
            management! Say goodbye to paperwork nightmares and hello to seamless renting with
            our intuitive platform. Landlords, effortlessly list your properties with
            captivating descriptions and stunning visuals to attract the perfect tenants.
            Tenants, apply with ease and sign leases online in a snap.
          </p>
          <button id="a" onClick={() => navigate("/signup")}>Get started</button>
          <button id="b" onClick={() => navigate("/support")}>Customer Support</button>
        </div>
        <img src="./mai3.png" className="mainimg" alt="Main Visual" />
```

```jsx
      </div>


    <div className="container2">
     <div className="column1">

      <h1><i>SEEK</i></h1>

      <p>With a wide range of options, explore our extensive database of rental
properties.</p>

      </div>

      <div className="column2">

      <h1><i>SIGN</i></h1>

      <p>Our user-friendly website makes it effortless to browse listings and compare
amenities.</p>

      </div>

      <div className="column3">

      <h1><i>SETTLE</i></h1>

      <p>We provide detailed property descriptions and ensure transparency in the
renting process.</p>

      </div>

    </div>


    <footer>Made with &hearts; by LeaseLink team</footer>
   </div>
  );
};


export default HomePage;
```

loginstyle.css

```
import React from "react";

import { useNavigate } from "react-router-dom";

import "./style.css";


const HomePage = () => {
 const navigate = useNavigate();


 return (
  <div>
   <header>
    <a className="logo">LeaseLink</a>
    <div className="nav_items">
     <a onClick={() => navigate("/about")}>About us</a>
     <a onClick={() => navigate("/contact")}>Contact</a>
     <a onClick={() => navigate("/login")}>Login</a>
    </div>
   </header>


   <div className="container">
    <div className="content">
     <h1>
      <i>SEEK. SIGN. SETTLE.</i>
     </h1>
     <p>

      Welcome to LeaseLink, your ultimate destination for hassle-free rental
management! Say goodbye to paperwork nightmares and hello to seamless renting with
```

```
        our intuitive platform. Landlords, effortlessly list your properties with

        captivating descriptions and stunning visuals to attract the perfect tenants.

        Tenants, apply with ease and sign leases online in a snap.

      </p>

      <button id="a" onClick={() => navigate("/signup")}>Get started</button>

      <button id="b" onClick={() => navigate("/support")}>Customer Support</button>

    </div>

    <img src="./mai3.png" className="mainimg" alt="Main Visual" />

  </div>


  <div className="container2">

   <div className="column1">

     <h1><i>SEEK</i></h1>

     <p>With a wide range of options, explore our extensive database of rental
properties.</p>

     </div>

     <div className="column2">

     <h1><i>SIGN</i></h1>

     <p>Our user-friendly website makes it effortless to browse listings and compare
amenities.</p>

     </div>

     <div className="column3">

     <h1><i>SETTLE</i></h1>

     <p>We provide detailed property descriptions and ensure transparency in the
renting process.</p>

     </div>

    </div>


  <footer>Made with &hearts; by LeaseLink team</footer>
```

```
    </div>

  );

};


export default HomePage;
```

Conclusion

LeaseLink is a comprehensive and user-friendly platform designed to simplify the rental process for both tenants and landlords. By integrating automation, secure transactions, and real-time communication, it enhances efficiency and convenience in property management. With its paperless approach and community-driven features, LeaseLink aims to streamline the rental experience while promoting transparency and engagement. This platform not only reduces manual efforts but also ensures a seamless, modern, and hassle-free renting ecosystem.