

Quiz

🔖 Bookmark this page

🔒

Graded assignments are locked

Upgrade to gain access to locked features like this one and get the most out of your course.



When you upgrade, you:

- ✓ Earn a **verified certificate** of completion to showcase on your resumé
- ✓ Unlock your access to all course activities, including **graded assignments**
- ✓ **Full access** to course content and materials, even after the course ends
- ✓ Support our **mission** at edX

Upgrade for \$219

Assignment Setup

The `leukemiasEset` contains 60 sets of bone marrow gene expression data from patients with one of the 4 main types of leukemia (ALL, AML, CLL, CML) as well as control patients without leukemia (NoL).

Install and load the `leukemiasEset` data from the **leukemiasEset** Bioconductor package:

```
# BiocManager::install("leukemiasEset")    # install if needed
library(leukemiasEset)<

## Loading required package: Biobase

## Loading required package: BiocGenerics

## Loading required package: parallel

##
## Attaching package: 'BiocGenerics'

## The following objects are masked from 'package:parallel':
##
##   clusterApply, clusterApplyLB, clusterCall, clusterEvalQ,
##   clusterExport, clusterMap, parApply, parCapply, parLapply,
##   parLapplyLB, parRapply, parSapply, parSapplyLB

## The following objects are masked from 'package:dplyr':
##
##   combine, intersect, setdiff, union

## The following objects are masked from 'package:stats':
##
##   IQR, mad, sd, var, xtabs

## The following objects are masked from 'package:base':
##
##   anyDuplicated, append, as.data.frame, basename, cbind, colnames,
##   dirname, do.call, duplicated, eval, evalq, Filter, Find, get, grep,
##   grepl, intersect, is.unsorted, lapply, Map, mapply, match, mget,
##   order, paste, pmax, pmax.int, pmin, pmin.int, Position, rank,
##   rbind, Reduce, rownames, sapply, setdiff, sort, table, tapply,
##   union, unique, unsplit, which, which.max, which.min

## Welcome to Bioconductor
##
##   Vignettes contain introductory material; view with
##   'browseVignettes()'. To cite Bioconductor, see
##   'citation("Biobase)", and for packages 'citation("pkgname)".

data(leukemiasEset)
```

These data are stored in a container called an *ExpressionSet*. In future courses, we will learn how to work with *ExpressionSets* directly, but for now we can extract gene expression data as a matrix `dat` (features are rows, columns are samples):

```
dat = exprs(leukemiasEset)
```

We can also create a vector noting which type of leukemia is present in each sample:

```
leuk = leukemiasEset$LeukemiaType
```

For all questions related to this assignment, make sure that you are using the correct random number generator (RNG) settings by calling the following command:

```
RNGkind("Mersenne-Twister", "Inversion", "Rejection")
```

[< Previous](#)
[Next >](#)

Legal

- [Terms of Service & Honor Code](#)
[Privacy Policy](#)
[Accessibility Policy](#)
[Trademark Policy](#)
[Sitemap](#)
[Cookie Policy](#)
[Your Privacy Choices](#)

Connect

- [Idea Hub](#)
[Contact Us](#)
[Help Center](#)
[Security](#)
[Media Kit](#)

