

REF	PART NO.	QTY	DESCRIPTION		SEE SEC.	NOTES
1	833323	1				SN-2300046825
	333323				02C-0825	G. (2000 10020
1A	859428	1	Feed pump		020 0020	SN2300046826-
	330.20					0.12000010020
2	942353	1	O-ring	IK		
3	942001	2				
4	941906	2	Spring washer			
5	840532	1	Fuel filter			
	0.0002		1 doi into		02C-1025	
6	970948	2	Screw		020 .020	
7	960148	1	Washer			
8	840594	2				
	010001		Injection pamp		02C-0625	
					020 0020	
9	860211	X	Spacer			TH = 0,2 MM
	838298	X				TH = 0,3 MM
	838299		Spacer			TH = 0,6 MM
	838300	X				TH = 0,9 MM
9A	978961	2	O-ring	IK		FOR LATER VERSION OF CYLINDER BLOCK
3/	310301	~	O mig	l IIX		WITH O-RING GROOVE
9B	859139	Х	Gasket	IK		TH = 0,2 MM (838377). FOR EARLY TYPE OF
30	039139	_ ^	Gasket	IIX		CYLINDER BLOCK WITHOUT O-RING GROOVE.
	859149	Х	Gasket	IK		TH = 0,3 MM (838400). FOR EARLY TYPE OF
	009149	_ ^	Gasket	IIX		CYLINDER BLOCK WITHOUT O-RING GROOVE.
10	924061	4	Stud			SEE GROUP 2A
11	955894	4	Washer			SEE GROOF ZA
12	955782	4	Nut			
13	840598	2				
			Tappet Screw			
14	840312	2				
15	840884	1	Fuel hose			
16	954329	1	Nipple			
17	954322	1	Cap nut			
18	25167	1	Hollow screw	117		
19	957178	2	Gasket	IK		ON 0000040005
20	840434	1	Fuel pipe			SN-2300046825 FOR 833323
20.4	000040	4	Fuel nine			
20A	860912	1	Fuel pipe			SN2300046826-
						FOR 859428
24	05407	_	Hellewsere			
21	25167 957178		Hollow screw	117		
22			Gasket	IK		
23	840450	1	Fuel pipe			
24	944679	1	Hollow screw	117		
25	957178	2	Gasket	IK		(74040)
26	969299	1	Hollow screw	117		(74040)
27	957175	2	Gasket	IK		
28	840483	1	Leak-off line			
29	243487	1	Screw			
30	957170	2	Gasket	IK		
31	840317	1	Fuel hose			
32	957175	4	Gasket	IK		(7.10.10)
33	969299	2	Hollow screw			(74040)
34	840595	2	Injector			
	3803232	2	Injector, exch			Exchange unit
					02C-0775	
	860340	2	Injector			FOR ENGINE WITH PRODUCT NO. 868232.
					02C-0778	
35	840402	2	Yoke			
36	924066	2	Stud			SEE GROUP 2A
36A	955894	2	Washer			
37	955782	2	Nut			
77000	00 000 00		·		14.07	Und. 22 NOV 2005

7726000 - 02C - 02C-0275 10137 Upd: 22 NOV 2005

ΛTV	DESCRIPTION	1	SEE SEC	NOTES
QIY	DESCRIPTION DDESCRIPE DIDE I/IT		SEE SEU.	NOTES
1	Delivery pipe			
2	· Clamp			
1	• Bracket			
1	Screw			
1	Nut			NOULIDED IN INCIDENT
4	Gasket			INCLUDED IN INJECTOR.
2	Screw			INCLUDED IN INJECTOR.
1	REGULATION SYSTEM		02C-1175	
1	• Fuel pump			SEE GROUP 9
X	FUEL TANK			40L, SEE GROUP 9
X				SEE GROUP 9
	COMPONENTS			
1				MARKED OUT
		IK		
1	Nipple			
1	Cap nut			
	1 1 1 2 1 2 1 1 4 2 1 1 X X	1 PRESSURE PIPE KIT 1 · Delivery pipe 1 · Delivery pipe 2 · Clamp 1 · Bracket 2 Clamp 1 Screw 1 Nut 4 Gasket 2 Screw 1 REGULATION SYSTEM 1 · Fuel pump X FUEL TANK X FUEL FILTER AND CONNECT. COMPONENTS 1 Fuel hose 1 Hollow screw 2 Gasket 1 Nipple	1 PRESSURE PIPE KIT 1 • Delivery pipe 1 • Delivery pipe 2 • Clamp 1 • Bracket 2 Clamp 1 Screw 1 Nut 4 Gasket 2 Screw 1 REGULATION SYSTEM 1 • Fuel pump X FUEL TANK X FUEL FILTER AND CONNECT. COMPONENTS 1 Fuel hose 1 Hollow screw 2 Gasket IK 1 Nipple	1 PRESSURE PIPE KIT 1 Delivery pipe 2 Clamp 1 Bracket 2 Clamp 1 Screw 1 Nut 4 Gasket 2 Screw 1 REGULATION SYSTEM 02C-1175 1 Fuel pump X FUEL TANK X FUEL FILTER AND CONNECT. COMPONENTS COMPONENTS 1 Fuel hose 1 Hollow screw 2 Gasket IK 1 Nipple

7726000 - 02C - 02C-0275 10137 Upd: 22 NOV 2005