

DEE	DADTNO	OT/	DECODIDETION	055 050	NOTEO
REF	PART NO.	QTY	DESCRIPTION	SEE SEC.	NOTES
1 2	852851 897829	1	Intermediate housing		
3	897829	1	Gear yoke Shaft		
4	897511	2	Washer		
5	17253	1	Split pin		
6	851412	1	Reverse locking rod		
7	967556	1	Spring pin		
8	852869	1	Fork		
9	940194	1	Lubricating nipple		
10	853223	2	Bushing		(967766)
11	852912	2	Bushing		(651165)
12	853062	1	Bearing bushing		
13	851426	1	Guide washer		
14	183391	1	Needle roller bushin		
15	181620	2	Sealing ring		
16	852769	1	Cylinder anchorage		REPLACED BY 1EA 853310 ATTACHMENT + 2EA 853308 SCREW +
					2EA 853309 CLEVIS PIN.
	853310	1	Cylinder anchorage		PZ 29501175-
17		1	• SHAFT		
18	852751	2	Shoulder screw	ļ	
	853308	2	Shoulder screw		PZ 29501175-
19	853071	2	Washer		
20	946672	2	Lock nut		
21	852749 853309	2	Clevis pin	-	PZ 29501175-
22		2	Clevis pin		PZ 29501175-
22	967707 814386	2	Split pin Steering knuckle		
24	897696	1 2	Washer		
25	851766	1	Hose connection		
26	814356	1	Sealing		
27	941813	2	Hex. socket screw		
28	853078	1	Cable attachment		
29	940168	2	Hexagon screw		
30	897644	1	Tube		
31	851422	1	Reverse tilt inhibit		
32	851402	1	Bearing sleeve		
33	814391	2	Latch		
34	814392	1	Spring hook		
35	814419	1	Shaft		
36	814422	2	Spacer washer		
37	814393	1			
38	943197		Lock nut		
39	851424	1			
40	832534	1			
41	851403			ļ	
42	851423	2			
43	814396	1	, - pg		
44	814332	1	1 -1- 3	-	
45	814399	1	• Shaft	-	
46	943194	2	Washer Diagtic weeker	-	
47	814390	1	Plastic washer		
48	851426 804312	1	Guide washer Cube		
50	940191		Washer	1	
51	17276	1		+	
52	925259	1		+	
53	125017	2			
54	967352		Shim		TH = 0,05 MM
	943866		Shim	†	TH = 0.10mm
	943867	X			TH = 0.20mm
	943868		Shim		TH = 0.40 mm
55	941807	2			
56	941885	2			

7744050-44-18206 6985 Upd:2010-07-01

REF PART NO. QTY DESCRIPTION 57 941814 2 Stud 58 897448 1 Control rod 59 813954 1 Fork 60 192662 1 Split pin 61 17253 2 Split pin 62 940190 1 Hexagon nut 63 940191 2 Washer 64 941820 1 O-ring 65 941808 2 Hex. socket screen 66 941809 1 Hex. socket screen 67 X CONTROL CABL	18203 N	NOTES SEE GROUP 9
57 941814 2 Stud 58 897448 1 Control rod 59 813954 1 Fork 60 192662 1 Split pin 61 17253 2 Split pin 62 940190 1 Hexagon nut 63 940191 2 Washer 64 941820 1 O-ring 65 941808 2 Hex. socket screv 66 941809 1 Hex. socket screv	18203 N	
58 897448 1 Control rod 59 813954 1 Fork 60 192662 1 Split pin 61 17253 2 Split pin 62 940190 1 Hexagon nut 63 940191 2 Washer 64 941820 1 O-ring 65 941808 2 Hex. socket screv 66 941809 1 Hex. socket screv	N N	SEE GROUP 9
59 813954 1 Fork 60 192662 1 Split pin 61 17253 2 Split pin 62 940190 1 Hexagon nut 63 940191 2 Washer 64 941820 1 O-ring 65 941808 2 Hex. socket screv 66 941809 1 Hex. socket screv	N	SEE GROUP 9
60 192662 1 Split pin 61 17253 2 Split pin 62 940190 1 Hexagon nut 63 940191 2 Washer 64 941820 1 O-ring 65 941808 2 Hex. socket screw 66 941809 1 Hex. socket screw	N	SEE GROUP 9
61 17253 2 Split pin 62 940190 1 Hexagon nut 63 940191 2 Washer 64 941820 1 O-ring 65 941808 2 Hex. socket screw 66 941809 1 Hex. socket screw	N	SEE GROUP 9
62 940190 1 Hexagon nut 63 940191 2 Washer 64 941820 1 O-ring 65 941808 2 Hex. socket screv 66 941809 1 Hex. socket screv	N	SEE GROUP 9
63 940191 2 Washer 64 941820 1 O-ring 65 941808 2 Hex. socket screv 66 941809 1 Hex. socket screv	N	SEE GROUP 9
64 941820 1 O-ring 65 941808 2 Hex. socket screv 66 941809 1 Hex. socket screv	N	SEE GROUP 9
65 941808 2 Hex. socket screv 66 941809 1 Hex. socket screv	N	SEE GROUP 9
66 941809 1 Hex. socket screv	N	SEE GROUP 9
66 941809 1 Hex. socket screv	N E	SEE GROUP 9
67 X CONTROL CABL	E	SEE GROUP 9
7744050-44-18206	1	6985 Upd:2010-07-0
,,		ори.2010-07-0