

REF	PART NO.	QTY	DESCRIPTION		SEE SEC.	NOTES
1	859428	1				
2	942353	1	O-ring	IK		
3	942001	2				
4	941906	2	Spring washer			
5	840532	1	Fuel filter		_	
					02C-1025	
6	970948	1	Screw			L = 30 MM
	970951	1	Screw			L = 45 MM
7	960148	1				
8	861067	3	Injection pump		000 0050	
_	070064	2	O ring	IK	02C-0650	
9 9A	978961 860211		O-ring Spacer	IK		THE OR MAN
9A	838298	X	Spacer			TH = 0,2 MM TH = 0,3 MM
	838299	X				TH = 0,6 MM
	838300	X				TH = 0,0 MM
10	924061	6				111 = 0,9 1/11/1
11	955894	6				
12	955782	6				
13	840598		Tappet			
14	840312	3	Screw			
15	840884	1	Fuel hose			
16	954329	1	Nipple			
17	954322	1	Cap nut			
18	25167	1	Hollow screw			
19	957178	2		IK		
20	860912	1	Fuel pipe			
21	25167	2	Hollow screw			
22	957178	4		IK		
23	840450	1	Fuel pipe			
24	25167	1	Hollow screw			
25	957178	2	Gasket	IK		
26	969299	1	Hollow screw			
27	957175	2	Gasket	IK		
28	861086	1				
29	957175	2		IK		
30	840883	1				
31	954329	1	Nipple			
32	954322	1				
33	404279	4				
33A	952623	1	Clamp			
34	955781		Nut			
35	955271	1				
36	861044	1				
37 38	840317 957175		Fuel hose Gasket	IK		
38	969299	2		IK.		
40	861070	1	Oil return pipe			
41	956980	1	Nut			
42	956966	1				
43	74033	4				
44	957171	8		IK		
45	860948		Injector	- 17		
					02C-0800	
46	860974	3	Yoke			
47	968975		Stud			L = 80 MM, SEE GROUP 2A
48		1				,
49	861010	1				CYL 1
50	861040	1	Delivery pipe			CYL 2
50A	861041	1	Delivery pipe			CYL 3
51	470181	3	· Clamp			
52	422323	1				
53	955892		Washer			
54	860984	6	Spacer sleeve			
77000	00 000 00		44207			Umd. 22 NOV 200

7726000 - 02C - 02C-0285 11387 Upd: 22 NOV 2005

63		X	FUEL FILTER AND CONNECTING COMPONENTS			SEE GROUP 9
62 63		X	FUEL TANK FUEL FILTER AND CONNECTING COMPONENTS			40L,SEE GROUP 9 SEE GROUP 9
61	860715	1	Fuel pump			D = 38 MM
60		1		١٢\	02C-1175	
58 59	860960 1257147	3	Precombustion chambe Heat shield	lK		
57	861069	3	Gasket	ΙK		
56	860838	3	Precombustion chambe			
REF 55	PART NO. 945407	QTY	DESCRIPTION Flange nut		SEE SEC.	NOTES
DEF	DARTNO	OTV	DESCRIPTION		SEE SEO	NOTES

2001, 2002, 2003, 2003T