

Incidents already happen in Slack. Now the response team does too.

An AI incident response team inside Slack. Agents alert management, assign work to real people, chase anyone who does not answer and write the handoff, while a named human confirms every physical action.

5

coordinating agents

15

scoped tools

91

automated tests

0

physical actions an agent can confirm

Coordination fails in the first ten minutes, and it can only be fixed where people already are

Nobody owns it

A report everyone saw and no one accepted.
SafeSlackForce assigns tasks to named Slack users
with Acknowledge, Review and Confirm buttons.


Silence goes unnoticed

Sent and acknowledged are different states.
Management is alerted at once, and the backup
owner is chased when nobody answers.

The record is rebuilt later

The thread is the system of record: who was
assigned, who accepted, who confirmed, with a
sourced handoff report.

One thread, one process, five agents



■ People
 ■ Slack
 ■ API process
 ■ Agents and providers
 ■ Storage
 ■ Browser

No public webhook · versioned event log · live stream resumes after a disconnect · 22 design decisions in the app

Report in the thread. The team forms around it.

01

Report

@mention the bot in the incident channel

02

Alert

Autopilot notifies management and schedules updates

03

Assign

Named owners get tasks with Slack buttons

04

Escalate

No acknowledgement, the backup is chased

05

Correct

Join by QR; contradictions flag only affected work

06

Hand off

Sourced report; a supervisor accepts in Slack

Commander

Reads the report, records location and facts, delegates, asks humans for missing facts

Procedure

Applies the approved procedure only when the report fits its scope; creates human-owned tasks

Evidence

Saves a sourced evidence review, flags real contradictions, describes photos as unverified

Communications

Notifies the configured roster about open tasks, without duplicates

Records

Reads the whole timeline and saves a sourced Markdown handoff report

A voice line, a copilot and a workspace

Emergency call agent

4 spoken triage questions for the person on site.
"Unconscious" or "trapped" triggers "Call 911 now"
from a fixed rule, even if the model is down.

CopilotKit copilot

Reads live incident state, focuses agent desks and
shows an Approve and send card before any
question reaches Slack.

Ambiguous Workspace

Incident tasks mirror onto the team's task board
with status in sync, and handoff reports publish as
docs. One-way, so the board cannot confirm
anything.

Autonomous for digital work. Built for failure.

People confirm physical work

Alerts, schedules, evidence reviews and reports run on their own. Completing a physical task needs its owner or a supervisor and a note.

Uncertain, not resent

A timed-out Slack send is flagged for a supervisor instead of paging someone twice. Stale buttons are rejected by version checks.

Honest recovery and cost

Restarts mark interrupted work failed or uncertain, a failed tool never becomes success, and spend is reserved before every call.

THANK YOU

A Slack report becomes coordinated work and a sourced, human-accepted handoff.

Today: one Slack workspace, synthetic procedures, simulated emergency dispatch. Next: real phone escalation, Microsoft Teams, and a procedure library per site.

System design

github.com/ritzzi23/SafeSlackForce

Built by Om and Ritesh during the hackathon. OpenRouter · Exa · CopilotKit · Ambiguous AI · Slack Bolt · React · three.js