```
#include
<iostream>
#include <string>
using namespace
std;
struct data_pembeli
 char kode_pbl[20]={"P001","P002","P003","P004","P005"};
 char status[20]={"M","M","BM","BM","M"};
 char nama[20]={"Dedi","Rani","Loli","Desi","Dodi"};
}pembeli_data[5];
struct
data_penjual
 char kode_brg[20]={"BRG001","BRG002","BRG003","BRG004","BRG005"};
 char nama_brg[20]={"Pulpen","Buku
 Tulis","Penghapus","Penggaris","Tip X"}; long int
 harga[20]={"2000","3500","1000","1500","2500"};
}barang_data[5
]; int main()
 int jumlah;
 jumlahtotal;
 int uang;
 ulang:
 cout<<"Masukkan Kode
 Pembeli:";
 cin>>pembeli_data[5].kode_pbl]
 ; if(pembeli_data.kode_pbl==0){
    cout<<pembeli_data[5].nam
    a;
    cout<<pembeli_data[5].stat
 }else(pembeli_data[5].kode_pbl==
    1){ cout<<"Kode Anda Salah";
    goto ulang;
 }
 ulang2:
 cout<<"Masukkan Kode
 Barang:";
 cin>>barang data.kode brg[;
 if(barang_data[5].kode_brg==0
    cout<<br/>barang_data[5].nama_br
    g; cout<<br/>barang_data[5].harga;
 }else(barang_data.kode[5]_brg=
    =1){ cout<<"Kode Anda
    Salah";
    goto ulang2;
```

```
}
cout<<"Jumlah yang dibeli
:";
cin>>jumlah<<endl<<endl;
cout<<"Input uang anda :";
```

```
cin>>uang;<<endl;
//NOTA
cout<<"Kode Barang
:"<<barang data.kode brg<<endl; cout<<"Nama
Barang :"<<barang_data.nama_brg<<endl;</pre>
cout<<"Harga Barang:"<<barang data.harga<<endl;
cout<<"Jumlah yang dibeli :"<<jumlah
cout<<"Jumlah Total
:"<<jumlahtotal<<endl;
jumlahtotal=jumlah*barang_data.harga;
if(jumlah<2){
  cout<<"Diskon 10%
  :"<<jumlahtotal*10/100; cout<<"Jumlah
  Total: "<< jumlahtotal<<endl;
}else(jumlah>2){
  cout<<"Jumlah Total:"<<jumlahtotal<<endl;
cout<<"Uang Anda :"<<uang<<endl;</pre>
cout<<"Kembali:"<<int kembali=uang-jumlahtotal;<<endl<
cout<<"DATA PEMBELI";
cout<<"Kode Pembeli:";
cout<<pembeli_data[5].kode_p
bl; cout<<"Nama Pembeli:";
cout<<pembeli_data[5].nama;
cout<<"Status:";
cout<<pembeli_data[5].status
return 0;
```

}