

stage deployer production ui · 2026-06-18

reports/2026-06-18-20-stage-deployer-production-ui-git-daily.md

Dates: 2026-06-18 – 2026-06-20 (Asia/Tehran)

شناسه چت: a07970af-450e-48d5-8951-3c1007dc6453

موضوع: production deploy, webhook/SMS, UI hub, health, Nextcloud submodule

Summary

Status	Item
stage-deployer @ /opt/stage-deployer	Repo
on main 15	Commits (Jun 18–20, local)
ahead — not pushed 15	vs origin/main
clean (at closeout)	Working tree
devops , nextcloud (gitlinks committed)	Submodules

Commits (newest first)

دستور: ... 4ee2101 2026-06-20 Add project archive system and bulk-archive stage (جزئیات در مخزن)

Feature ↔ commit mapping (this chat)

Where	Feature
3cab41f + follow-ups in 5fd524d	alert_notify.py , webhook HTTP 200, SMS
3cab41f , deploy-prod-safe.sh	Production API / GitHub release prod
54e84d0 , 4ee2101 area	UI hub grid, Production modal, collapsible sidebar
92c0391 , hooks fixes	Health live / system subprocess
config/projects/*.yaml in tree	prod_url erp-guarantie / mix-proj
nextcloud/ gitlink @ 172a34d4 , yaml local_path: stage-deployer/nextcloud	Nextcloud submodule
4ee2101	Project archive bulk

Runtime (no new git on target)

Result	Action
containers up; LDAP test warn ✓	deploy-project.sh nextcloud stage
stage-deployer/nextcloud → ✓	/opt/nextcloud → symlink
(during session) ✓	stage-deployer container rebuild

Follow-ups

- Push 15 commits to GitLab origin
- Push infra/nextcloud.git submodule remote
- Webhook secrets + SMS .env
- See

پیوست‌های مرتبط

مسیر فایل در مخزن llfs — برای باز کردن در Cursor/IDE.

cursor/todos/2026-06-18-stage-deployer-production-ui-chat-open.md

.../26-06-18-stage-deployer-production-ui-chat-open.md

هزینه Cursor

(**Workspace:** /opt (mainly stage-deployer
Transcript: a07970af-450e-48d5-8951-3c1007dc6453
CSV: cursor/usage/2026-06-14_2026-06-20.csv (same export window as Dashboard)
Export window: 2026-06-14T00:00:00Z - 2026-06-20T23:59:59Z (ms: 1781395200000 - 1781999999999)
(9
Strategy: tokens
.Security: no cookies or session tokens stored in this repo

Executive summary

Cost column	توکن	رویداد	Scope
Included / Free	826,955,860	930	Full CSV (7 days, all /op (t chats
Included	43,682,572	35	heavy stage-) 2026-06-18 (deployer day
Included	217,262,358	158	2026-06-19
Included	66,233,511	74	archive +) 2026-06-20 (closeout
Included	327,178,441	267	Jun 18-20 subtotal

. Cost = Included / Free ستون — **Dollar cost in CSV:** \$0.00 marginal
هزینه عملی: حجم توکن + پلن؛ **CSV conversation id ندارد** → هزینه per-prompt تقریبی است.

این چت روی VM چند session و همپوشانی با چت‌های دیگر (health/deploy، archive) دارد؛ اعداد بالا سقف workspace است نه فقط یک transcript.

Model breakdown (Jun 18-20)

توکن	رویداد	Model
236,206,710	210	auto
37,169,000	24	composer-2.5-fast
29,402,099	17	gpt-5.5-medium
24,848,632	16	agent_review

Peak UTC hours (Jun 18 — start of this thread)

Tokens	Hour (UTC)
12,623,665	17
9,857,730	12
9,666,327	20
5,175,964	18

User prompts ↔ work phases (approximate)

Delivered	Prompt theme	#
API, deploy-prod, GitHub release, UI production panel	release* → production + per-project prod host/domain + UI light/mobile	1
راهنمای rule + webhook (بدون کد)	Cursor Cloud → GitHub repos	2
SMS alert, webhook 200, health fixes	GitLab hook #1597 + alarms + health live	3
hub UI, bulk actions, yaml prod_url	SMS not Mattermost; UI merge grid; guarantee/crm prod URLs	4
toggle + localStorage	Sidebar collapsible	5
nextcloud/ submodule, deploy path, symlink	Nextcloud as submodule	6
		< 1 ردیف دیگر در فایل markdown مخزن.

Habits to reduce cost next time

1. یک چت = یک موضوع — production UI جدا از health/deploy جدا از archive.
2. **Cookie export:** cursor/scripts/fetch-cursor-usage-csv.sh + ~/.config/cursor-usage.env
- هرگز cookie در چت نفرست.
3. **Push** زودتر — ۱۵ session = commit unpushed های طولانی بعدی برای همان repo.
4. **Scope** صریح — «فقط UI + deploy + doc» vs «yaml» قبل از شروع.

How to refresh CSV

once: echo "CURSOR_USAGE_COOKIE='...'" > ~/.config/cursor-usage.env...

دستور: