

```
<!DOCTYPE html>
<html lang="es">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <link rel="stylesheet" href="estilos.css">
  <title>Mi primera páginacardo</title>

</head>
<body id="contenedor">
<header> Encabezado RICKY RICKY RICKY RICKY RICKY
  <section id="baner"></section>
  <section id="logo"></section>
  <section id="informacion"></section>
</header>
<nav> Menu de RICARDOCARDOCARDOCARDOCARDO </nav>
<main>
  <aside id="p1"> </aside>
  <article id="p2"> </article>
  <aside id="p3"> </aside>
</main>

<footer> Pie de pagina </footer>

</body>
</html>
```

```
*{
    margin: 0px;
    padding: 0px;
}
html{
    background: rgb(84, 126, 84);
}

#contenedor{
    width: 750px;
    height: 750px;
    background: red;
    margin: auto;
    margin-top: 10px;
}

header{
    width: 750px;
    height: 250px;
    background: purple;
}

#baner{
    width: 500px;
    height: 250px;
    background: #000;
    float: right;
}

#logo{
    height: 125px;
    width: 250px;
    background: red;
    float: left;
}

#informacion{
    height: 125px;
    width: 250px;
    background: yellow;
    float: left;
}

nav{
    height: 50px;
```

```
        width: 750px;
        background: blue;

    }
    nav ul{
        list-style: none;

    }
    nav ul li{
        float: left;

    }
    nav a{
        color: #c0c0c0;
        text-decoration: none;
        padding: 25px;
        line-height: 50px;
        font-family: Bernard MT Condensed;

    }
    main{
        height: 400px;
        background: pink;

    }
    #p1{
        height: 400px;
        width: 150px;
        background: rgb(0, 124, 128); ;
        float: left;

    }
    #p2{
        width: 500px;
        height: 400px;
        background: yellow;
        float: left;

    }
    #p3{
        height: 400px;
        width: 100px;
        background: rgb(0, 124, 128);
        float: left;

    }
    footer{
        height: 50px;
```

}