





Step 1.

OPEN Applicator

Hold upright with foil side toward you and snap applicator tip.

Step 2.

APPLY FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 5 lbs or younger than 8 weeks of age. Do not use more than one application per dog per month.

Questions or Comments? Call: 1-800-660-1842. Monday-Friday, 8am-8pm EST or visit us at www.FRONTLINE.com



Technical area: No print except prod. barcode



MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053 906830

PRODUCT: FRT PLUS NOTICE SINGLE CHIENS S

COUNTRY: United States of America (USA)

Dimensions: mm = 176 x 112 - Pliée 88 x 112 inches=

VERSION INITIALS: LYON SJ AJ NSe

VERSION - DATE: A 17/07/13 16h20 B 22/07/13 14h29 C 08/08/13 COMPOSER RH 11h00

CANCEL AND

COLORS

Black/Noir Magenta

Kills fleas, flea eggs & larvae,

ticks & chewing lice ACTIVE INGREDIENTS: Fast-actina

ACIVIE INGREDIENTS:
[Fipronil: 9.8%
(5)-methoprene: 8.8%
MERT INGREDIENTS: 8.1.4%
TOTAL: 100%
NET CONTENTS: 1-0.023 fl oz (0.67 mL) applicator
1 monthly dose Long-lasting Waterproof

Kills ticks, including those that may transmit Lyme disease



See inside panels for FIRST AID and PRECAUTIONARY statements.



KEEP OUT OF REACH OF CHILDREN CAUTION

DO NOT **USE ON** CATS

Regulatory approval:



Marketing approval:

NAME:

DATE + SIGNATURE:

COMPLETE

COMPLETE NAME:

053 906830

DATE + SIGNATURE:

REPLACE: 053 906007

Please use the official PANTONE® (P) matching

Cyan



older and weighing at least 5 lbs.: Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, chewing lice, and sarcoptic mites.

ACTIVE INGREDIENTS

fipronil:	9.8%
fipronil:(S)-methoprene	8.8%
INERT INGREDIENTS	81.4%
TOTAL	

KEEP OUT OF REACH OF CHILDREN CAUTION

FRONTLINE® Plus for Dogs: Fleas

- · Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- · Kills fleas which may cause flea allergy dermatitis

- · Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (Rhipicephalus sanguineus), American dog ticks (Dermacentor variabilis), Ione star ticks (Amblyomma americanum) and deer ticks (Ixodes scapularis)
- Kills ticks that may transmit Lyme disease. Rocky Mountain Spotted Fever, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- · Rapidly eliminates chewing lice infestations Mites
- · Aids in control of sarcoptic mange infestations FRONTLINE Plus is approved for use on all dogs, including:
- · Breeding, pregnant, and lactating bitches
- · Puppies as young as 8 weeks and weighing at least 5 lbs.

One spot application is all that's needed: FRONTLINE Plus spreads from the single point of

application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a For use ONLY on DOGS & PUPPIES 8 weeks or reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps

working even if the dog gets wet.
Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS To kill fleas, flea eggs & larva, ticks, and chewing lice apply FRONTLINE Plus for Dogs as follows

 OPEN Applicator Hold upright with foil side toward you and snap applicator tip.

APPLY FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 5 lbs or younger than 8 weeks of age. Do not use more than one application per dog per month.

FRONTLINE Plus is approved for use on all dogs. including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages

COLORS

Black/Noir

for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult), FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage STORAGE. Store unused product in original

container, out of reach of children and animals. PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Marketing approval:

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed, Causes eve irritation, Avoid contact with skin, eves or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age and 5 lbs. Individual sensitivities, while rare, may occur after using any pesticide product.

SIDE EFFECTS: Pets may experience some emporary irritation at the site of application. If sign's persist or become more severe within a few days of application, consult a veterinarian mmediately.

If your dog has an unusual reaction to the initial application, consult a veterinarian before repeatina treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS COMBUSTIBLE: Do not use or store near heat or

open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTLINE Plus for Dogs is available in sizes for use ONLY on small dogs and puppies 8 weeks or older and 5-22 lbs., medium dogs ONLY 23-44 lbs., large dogs ONLY 45-88 lbs., and extra-large dogs ONLY 89-132 lbs.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Merial Limited

3239 Satellite Blvd. Duluth, GA 30096-4640, USA ®FRONTLINE is a registered trademark of Merial. ©2013 Merial Limited, Duluth, GA. All rights reserved.

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053 906830 PRODUCT: FRT PLUS NOTICE SINGLE CHIENS S

COUNTRY: United States of America (USA)

Dimensions

mm = 176 x 112 - Pliée 88 x 112 inches=

VERSION - DATE: A 17/07/13 16h20 B 22/07/13 14h29 C 08/08/13 COMPOSER RH 11h00

CANCEL AND REPLACE: 053 906007

VERSION

INITIALS:

LYON SJ AJ NSe

Please use the official PANTONE® (P) matching

DATE + SIGNATURE:	

COMPLETE

Regulatory approval: COMPLETE

NAME: DATE + SIGNATURE:



Date : 2014 02 27 09:57 08







Step 1.

OPEN Applicator

Hold upright with foil side toward you and snap applicator tip.

Step 2.

APPLY FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip iust above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 23 lbs. or younger than 8 weeks of age. Do note use more than one application per dog per month.

Questions or Comments? Call: 1-800-660-1842. Monday-Friday, 8am-8pm EST or visit us at www.FRONTLINE.com



Technical area: No print except prod. barcode



MERIAL GRAPHIC ARTWORK APPROVAL

VERSION Code: 053 906831 PRODUCT: FRT PLUS INITIALS: NOTICE SINGLE CHIENS M

COUNTRY: United States of America (USA)

Dimensions: mm = 176 x 112 - Pliée 88 x 112

RECTO

inches=

SJ AJ NSe VERSION - DATE:

A 17/07/13 16h42 B 22/07/13 14h23 C 08/08/13 COMPOSER RH 11h00

CANCEL AND

REPLACE: 053 906008

COLORS



Please use the official PANTONE® (P) matching system for an accurate color representation.

053 906831

FRONTLINE

Kills fleas, flea eggs & larvae, ticks & chewing lice

Fast-actina

 Long-lasting Waterproof

Kills ticks, including those that may transmit Lyme disease



See inside panels for FIRST AID and PRECAUTIONARY statements.



FOR

KEEP OUT OF REACH OF CHILDREN CAUTION



Marketing approval:	Regulatory approval
COMPLETE	COMPLETE
NAME:	NAME:

DATE + SIGNATURE:

DATE + SIGNATURE:

NAME:



For use ONLY on DOGS & PUPPIES 8 weeks or older and weighing at least 23 lbs.: Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, chewing lice, and sarcoptic mites.

ACTIVE INGREDIENTS

fipronil:	9.8%
fipronil:(S)-methoprene	8.8%
INERT INGREDIENTS	81.4%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

FRONTLINE® Plus for Dogs: Fleas

- · Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (Rhipicephalus sanguineus), American dog ticks (Dermacentor variabilis), Ione star ticks (Amblyomma americanum) and deer ticks (Ixodes scapularis)
- Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations
 Mites
- Aids in control of sarcoptic mange infestations
 FRONTLINE Plus is approved for use on all dogs, including:
- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 23 lbs.

One spot application is all that's needed:

FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. To kill fleas, flea eggs & larva, ticks, and chewing lice apply FRONTLINE Plus for Dogs as follows:

OPĖŃ Applicator

Hold upright with foil side toward you and snap applicator tip.

• APPLY FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 23 lbs. or younger than 8 weeks of age. Do not use more than one application per dog per month.

FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages

for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If **empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age and 23 lbs. Individual sensitivities, while rare, may occur after using any pesticide product.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS
COMBUSTIBLE: Do not use or store near heat or open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTLINE Plus for Dogs is available in sizes for use ONLY on small dogs and puppies 8 weeks or older and 5-22 lbs., medium dogs ONLY 23-44 lbs., large dogs ONLY 45-88 lbs., and extra-large dogs ONLY 89-132 lbs.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Merial Limited

3239 Satellite Blvd. Duluth, GA 30096-4640, USA ®FRONTLINE is a registered trademark of Merial. ©2013 Merial Limited, Duluth, GA. All rights reserved.

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053 906831
PRODUCT: FRT PLUS
NOTICE SINGLE CHIENS M

COUNTRY: United States of America (USA)

Dimensions: mm = 176 x 112 - Pliée 88 x 112

inches=

VERSION INITIALS:

SJ AJ NSe **VERSION - DATE:** A 17/07/13 16h42 B 22/07/13 14h23 C 08/08/13 COMPOSER RH 11h00

CANCEL AND

REPLACE: 053 906008

COLORS
Black/Noir

DATE SIGN

Please use the official PANTONE® (P) matching system for an accurate color representation.

Marketing approval:

DATE + SIGNATURE:

NAME:

Regulatory approval:

COMPLETE NAME:



SENEE Nathalie AH/FR DN:c=FR o=sanofi aventis 0.9.2342.19200300.100.1.1=N Date : 2014 02 27 09:57 40





FRONTLINE®
Plus Bogs



OPEN Applicator

Hold upright with foil side toward you and snap applicator tip.

Step 2.

APPLY FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip iust above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 45 lbs, or younger than 8 weeks of age. Do not use more than one application per dog per month.

Questions or Comments? Call: 1-800-660-1842. Monday-Friday, 8am-8pm EST or visit us at www.FRONTLINE.com



Technical area: No print except prod. barcode

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053 906832 PRODUCT: FRT PLUS

NOTICE SINGLE CHIENS L RECTO COUNTRY: United States of America (USA)

Dimensions:

mm = 176 x 112 - Pliée 88 x 112 inches=

VERSION INITIALS:

SJ AJ NSe VERSION - DATE: A 17/07/13 16h58 B 22/07/13 14h35

C 08/08/13 COMPOSER RH 11h00

CANCEL AND REPLACE: 053 906009 **COLORS**

Black/Noir Magenta

Cyan

053 906832

Please use the official PANTONE® (P) matching system for an accurate color representation.

FRONTLINE

Kills fleas, flea eggs & larvae, ticks & chewing lice

Fast-actina

 Long-lasting Waterproof

NET CONTENTS: 1-0.091 fl oz (2.68 mL) applicator **1 monthly dose**

Kills ticks, including those that may transmit Lyme disease

For use ONLY on DOGS

See inside panels for FIRST AID and PRECAUTIONARY statements.



FOR

KEEP OUT OF REACH OF CHILDREN



Marketing approval:

COMPLETE NAME:

DATE + SIGNATURE:

Regulatory approval:

COMPLETE NAME:



For use ONLY on DOGS & PUPPIES 8 weeks or older and weighing at least 45 lbs.: Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, chewing lice, and sarcoptic mites,

ACTIVE INGREDIENTS

fipronil:	9.8%
fipronil:(S)-methoprene	8.8%
INERT INGREDIENTS	81.4%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

FRONTLINE® Plus for Dogs: Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (Rhipicephalus sanguineus), American dog ticks (Dermacentor variabilis), Ione star ticks (Amblyomma americanum) and deer ticks (Ixodes scapularis)
- Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations
 Mites
- Aids in control of sarcoptic mange infestations
 FRONTLINE Plus is approved for use on all dogs, including:
- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 45 lbs.

One spot application is all that's needed:

FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. To kill fleas, flea eggs & larva, ticks, and chewing lice apply FRONTLINE Plus for Dogs as follows:

OPĖN Applicator

Hold upright with foil side toward you and snap applicator tip.

APPLY FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 45 lbs. or younger than 8 weeks of age. Do not use more than one application per dog per month.

FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages

for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If **empty:** Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age and 45 lbs. Individual sensitivities, while rare, may occur after using any pesticide product.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842. Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS COMBUSTIBLE: Do not use or store near heat or open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTLINE Plus for Dogs is available in sizes for use ONLY on small dogs and puppies 8 weeks or older and 5-22 lbs., medium dogs ONLY 23-44 lbs., large dogs ONLY 45-88 lbs., and extra-large dogs ONLY 89-132 lbs.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Merial Limited

3239 Satellite Blvd. Duluth, GA 30096-4640, USA @FRONTLINE is a registered trademark of Merial. @2013 Merial Limited, Duluth, GA.All rights reserved.

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053 906832
PRODUCT: FRT PLUS
NOTICE SINGLE CHIENS L

COUNTRY: United States of America (USA)

Dimensions: mm = 176 x 112 - Pliée 88 x 112

inches=

VERSION INITIALS:

SJ AJ NSe VERSION - DATE:

A 17/07/13 16h58 B 22/07/13 14h35 C 08/08/13 COMPOSER RH 11h00

CANCEL AND

REPLACE: 053 906009

COLORS
Black/Noir

Please use the official PANTONE® (P) matching

• system for an accurate color representation.

Marketing approval:

DATE + SIGNATURE:

NAME:

Regulatory approval:

COMPLETE NAME:



Signature numérique de SENE Nathalie AH/FR Nathalle AH/FR
DN:c FR o sanofi aventis
0 9 2342 19200300 100 1 1 NSE
NEE cn SENEE Nathalie AH/FR
Date: 2014 02 27 09:58 09







OPEN Applicator

Hold upright with foil side toward you and snap applicator tip.

Step 2.

APPLY FRONTLINE Plus

Part the doa's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 89 lbs. or younger than 8 weeks of age. Do not use two applicators for dogs weighing more than 132 lbs. Do not use more than one application per dog per month.

Questions or Comments? Call: 1-800-660-1842. Monday-Friday, 8am-8pm EST or visit us at www.FRONTLINE.com



Technical area: No print except prod. barcode

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053 906833 PRODUCT: FRT PLUS NOTICE SINGLE CHIENS XL

RECTO COUNTRY: United States of America (USA)

Dimensions: mm = 176 x 112 - Pliée 88 x 112

inches=

VERSION INITIALS:

SJ AJ NSe VERSION - DATE: A 17/07/13 17h11 B 22/07/13 15h01 C 08/08/13 COMPOSER RH 11h00

CANCEL AND

REPLACE: 053 906010

COLORS



Please use the official PANTONE® (P) matching system for an accurate color representation.

053 906833

FRONTLINE

Kills fleas, flea eggs & larvae, ticks & chewing lice

Fast-actina

 Long-lasting Waterproof

NET CONTENTS: 1-0.136 fl oz (4.02 mL) applicator **1 monthly dose**

Kills ticks, including those that may transmit Lyme disease



See inside panels for FIRST AID and PRECAUTIONARY statements.



FOR

KEEP OUT OF REACH OF CHILDREN CAUTION



Marketing approval: COMPLETE NAME:

DATE + SIGNATURE: **Regulatory** approval:

COMPLETE NAME:



For use ONLY on DOGS & PUPPIES 8 weeks or older and weighing at least 89 lbs.: Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, chewing lice, and sarcoptic mites.

ACTIVE INGREDIENTS

AUTIVE INUNEDIENTS	
fipronil:	9.8%
fipronil:(S)-methoprene	8.8%
INERT INGREDIENTS	. 81.4%
TOTAL	100.0%
WEED AUT OF BEIOU OF AU	

CAUTION

FRONTLINE® Plus for Dogs: Fleas

- · Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (Rhipicephalus sanguineus), American dog ticks (Dermacentor variabilis), Ione star ticks (Amblyomma americanum) and deer ticks (Ixodes scapularis)
- Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations
 Mites
- Aids in control of sarcoptic mange infestations

FRONTLINE Plus is approved for use on all dogs, including:

- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 89 lbs.

One spot application is all that's needed:

FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product, TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. To kill fleas, flea eggs & larva, ticks, and chewing lice apply FRONTLINE Plus for Dogs as follows:

• OPEN Applicator

Hold upright with foil side toward you and snap applicator tip.

APPLY FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 89 lbs. or younger than 8 weeks of age. Do not use two applicators for dogs weighing more than 132 lbs. Do not use more than one application per dog per month.

FRÖNTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations, Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eaas, and

COLORS

Black/Noir

flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age and 89 lbs. Individual sensitivities, while rare, may occur after using any pesticide product.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS COMBUSTIBLE: Do not use or store near heat or open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTLINE Plus for Dogs is available in sizes for use ONLY on small dogs and puppies 8 weeks or older and 5-22 lbs., medium dogs ONLY 23-44 lbs., large dogs ONLY 45-88 lbs., and extra-large dogs ONLY 89-132 lbs.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Merial Limited

3239 Satellite Blvd. Duluth, GA 30096-4640, USA ®FRONTLINE is a registered trademark of Merial. ©2013 Merial Limited, Duluth, GA.All rights reserved.

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053 906833
PRODUCT: FRT PLUS
NOTICE SINGLE CHIENS XL
VERSO

COUNTRY: United States of America (USA)

Dimensions: mm = 176 x 112 - Pliée 88 x 112 inches= VERSION

SJ AJ NSe **VERSION - DATE:** A 17/07/13 17h11 B 22/07/13 15h01

A 1//0//13 1/h11 B 22/0//13 15h C 08/08/13 COMPOSER RH 11h00

CANCEL AND REPLACE: 053 906010

Please use the official PANTONE® (P) matching
 • system for an accurate color representation.

Marketing approval:

DATE + SIGNATURE:

NAME:

Regulatory approval:

COMPLETE NAME: