



FRONTLINE® CATS



OPEN Applicator

Hold upright with foil side toward you and snap applicator tip.

Step 2.

APPLY FRONTLINE Plus

Part the cat's hair above the shoulder blades, at the base of the neck, Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not apply to cats weighing less than 1.5 lbs or younger than 8 weeks of age. Do not allow your cat to ingest this product. Do not use more than one application per cat per month.

Questions or Comments? Call: 1-800-660-1842. Monday-Friday, 8am-8pm EST or visit us at www.FRONTLINE.com



FRONTLINE Kills fleas, flea eggs & larvae,

ticks & chewing lice

- Fast-actina ACTIVE INGREDIENTS: Long-lasting
- TOTAL: 100%
 NET CONTENTS: 1-0.017 fl oz (0.50 mL) applicator

 1 monthly dose Waterproof

Kills ticks, including those that may transmit Lyme disease





FOR

CATS

CAUTION

See inside panels for FIRST AID and MERIAL PRECAUTIONARY statements



053 906829



For use ONLY on CATS & KITTENS 8 weeks or older and weighing over 1.5 lbs.: Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, and chewing lice.

ACTIVE INGREDIENTS

fipronil:	9.8%
(S)-methoprene	
INERT INGREDIENTS	
TOTAL	100.0%

CAUTION

FRONTLINE® Plus for Cats: Fleas

- · Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (Rhipicephalus sanguineus), American dog ticks (Dermacentor variabilis), Ione star ticks (Amblyomma americanum) and deer ticks (Ixades scapularis)
- Kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations
 FRONTLINE Plus is approved for use on all cats, including:
- Breeding, pregnant, and lactating gueens
- Kittens as young as 8 weeks and weighing at least 1.5 lbs.

One spot application is all that's needed: FRONTLINE Plus spreads from the single point of application, rapidly covering the entire at and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the cat gets wet.

Fleas, ticks, and chewing lice are killed quickly after coming into contact with a treated cat. Fleas and ticks do not need to hite the cat in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON CATS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. To kill fleas, flea eggs & larvae, ticks, and chewing lice apply FRONTLINE Plus for Cats as follows: OPEN Anolicator

Hold upright with foil side toward you and snap applicator tip.

APPLY FRONTLINE Plus

Part the cat's hair above the shoulder blades, at the base of the neck. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the cat's skin. Do not apply on top of the hair coat. Avoid contact with treated area until it.

Do not allow the cat to ingest the product. Do not apply to cats weighing less than 1.5 lbs. or younger than 8 weeks of age. Do not use more than one application per cat per month.

FRONTLINE Plus for Cats is approved for use on all cats, including breeding, pregnant, and lactating queens and kittens as young as 8 weeks. FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to six weeks. FRONTLINE Plus also prevents development of all flea stages for up to six weeks. FRONTLINE Plus can control fleas for up to six weeks, however, if there is a high risk of reinfestation or if the cat has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRÖNTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container only, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anythina by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on kittens under 8 weeks of age or 1.5 lbs.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Merial Limited

3239 Satellite Blvd.

Duluth, GA 30096-4640, USA

®FRONTLINE is a registered trademark of Merial. ©2013 Merial Limited, Duluth, GA. All rights reserved.